
1	•)
/	M	(
l	0	,
١.		

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188		
la. REPORT SECURITY CLASSIC A D. Unclassified		1b RESTRICTIVE	MARKINGS	3112	Fig. 5 Same
.کــ	1000	3 . DISTRIBUTION	I/AVAILABILITY C		-4-14-6-4
	5 1989 LE		or public		
AD-AZ 10 130			ORGANIZATION		MPER(S)
	R(S)	5. IVIONITORING	UNUH ASIMIADIN I	WELCHT MO	
6a. NAME OF PERFORMING ORGANIZATION	6b. OFFICE SYMBOL	7a. NAME OF M	ONITORING ORGA	ANIZATION	
Air Force Operational Test and	(If applicable) HQ AFOTEC/LG4				
Evaluation Center 6c. ADDRESS (City, State, and ZIP Code)	no Arotho/1304	7b. ADDRESS (Cr	ty, State, and ZIP	Code)	
HQ AFOTEC/LG4					
Kirtland AFB, NM 87117-7001					
8a. NAME OF FUNDING / SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	9 PROCUREMEN	T INSTRUMENT II	DENTIFICATI	ON NUMBER
8c. ADDRESS (City, State, and ZiP Code)	1	10. SOURCE OF	FUNDING NUMBE		
		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification)		<u> </u>	<u> </u>	_1	
F-15E Availability Model, Volum	ne II (U)				
12. PERSONAL AUTHOR(S)					
Alice J. Chen, Capt, USAF					DAGE COUNT
13a. TYPE OF REPORT 13b. TIME CO. Documentation FROM	OVERED TO	14. DATE OF REPO		i, Day) 15.	PAGE COUNT 202
16. SUPPLEMENTARY NOTATION		TOTAL MILLION			
17. COSATI CODES	18. SUBJECT TERMS (Operational So	Continue on rever	se if necessary ar Reliability	nd identify i . Mainta	by block number) iinability.
FIELD GROUP SUB-GROUP 01 03 03	Availability,	Simulation,	FORTRAN, S	LAM, F-1	5E, Model, OT&E,
15 05	Analysis, Test				
19. ABSTRACT (Continue on reverse if necessary) The F-15E Availability Model is	and identify by block n an analysis to	oumber) ool used in '	the operati	onal sui	tability
evaluation of the F-15E aircraft	ft during Develo	opmental Tes	t and Evalu	ation (I	OT&E) and
Operational Test and Evaluating Simulation Language for Alternation	OT&E). The mo	del is prog SLAM). The	rammed usin model is u	s rokika s ed to ϵ	and evaluate the
availability, mission reliabil:	ity, and maintai	inability of	a mature F	–15E squ	uadron during
various scenarios. Specific pa	erameters being	evaluated in	nclude miss	ion capa	able rate, sortie
generation rate, break rate, f	ix rate, and mea	n repair ti	me. The si	mulation ion on t	n model uses the
information gathered during the Tactical Air Force environment	e Diam and OTAE. . The model was	commined Wi verified a	ur imormat nd validate	d using	F-15C/D MSIP
aircraft data inputs by compar	ing the model or	itput to act	ual field p	erforman	nce of the
F-15C/D MSIP aircraft. Volume	I includes the	background,	scenarios,	compute	er language,
description, assumptions, veri	fication and val	lidation. V	olume ll co	ntains	the appendices of
logic flow charts, list of var	iables, computer	r code, outp	ut files an	a run 1)	istructions.
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT	ont (3 orthodocene	21. ABSTRACT SI Unclassif	CURITY CLASSIFI	CATION	
22a NAME OF RESPONSIBLE INDIVIDUAL Burton E. McKenzie, JR		1	(Include Area Coo	le) 22c OF HQ A	FICE SYMBOL FOTEC/LG4
DD Form 1473, JUN 86	Previous - dicions are	<u></u>			ATION OF THIS PAGE
	& C			NCLASS I	
	U U		الحرية عوب	V,	A W



F-15E AVAILABILITY MODEL

VOLUME II

Captain Alice J. Chen HQ AFOTEC/LG4A Kirtland AFB, NM 87117

June 1989




TABLE OF CONTENTS

VOLUME II.


Appendix A. Logic Flow Charts
Appendix B. List of Variables
B.1. Fortran Variables
B.1.1. Common Variables
B.1.2. Variables
B.2. SLAM Variables
B.2.1. Attributes
B.2.2. Global Variables
B.3. Files
Appendix C. Computer Code - Input Files
C.1. F15EM.INP
C.2. F15ET.INP
C.3. F15EDAT.FOR
Appendix D. Computer Code - SLAM Network
Appendix E. Computer Code - FORTRAN
Appendix F. Sample Output File: F15.RPT
Appendix G. Run Instructions
G.1. Mechanics of Running the Model
G.2. Mechanics of SLAM




Acces	sion For	· · · · · · · · · · · · · · · · · · ·
NTIS	GRASI	NA .
DIIC	PAB	ñ
Untitu	iounue d	ñ
Justi	floation	
	عمليها والمهادي	
Ву		
Distr	itution/	
Avat	lability	Codes
	Avell en	d/or
Dist	Specia	1
. 1		Ī
a-1		
['		

APPENDIX A. Logic Flow Charts


FAILURE MECHANISM FLOW CHART




FAILURE MECHANISM FLOW CHART CONTINUED




FAILURE MECHANISM FLOW CHART CONTINUED





FAILURE MECHANISM FLOW CHART CONTINUED




ON LINE MAINTENANCE FLOW CHART













SHOP MAINTENANCE FLOW CHART











FREE RESOURCES FLOW CHART



FREE SPARES FLOW CHART



APPENDIX B. LIST OF VARIABLES

APPENDIX B. LIST OF VARIABLES

B.1. FORTRAN VARIABLES

B.1.1. COMMON VARIABLES

Variable Name	Description
AWUC() CODES(,1) CODES(,2)	array containing logical WUC designations WUC number quantity of spares in POS
CODES(,3)	quantity of spares in WRSK
CODES(,4)	quantity of spares in BLSS
CRITA()	probability a failure is an air-to-air critical failure, per WUC
CRITB() CRITG()	probability a failure is a dual role critical failure, per WJC probability a failure is an air-to-ground critical failure, for each WJC
CRITGN	probability a failure is an air-to-ground nuclear failure, for the system
DIST(,JJ)	type of statistical distribution for maintenance task times, for each WUC
	= L : lognormal distribution
	= T : triangular distribution
	= N : normal distribution
Port Mar ()	= U: uniform distribution
DOWN() DSGR	elapsed time critical failures will be fixed, for each aircraft desired SGR
ENDSO	time servicing shift or current shift ends
ENDS1	time first shift ends
ENDS2	time second shift ends
FCRIT()	indicates which type of failure needs maintenance, for each
``	aircraft
FDAY	number of flying days elapsed
FFREQ	time sorties begin after start of each shift
FHIOT	total number of flying hours
GNDABT	number of ground aborts
JA()	number of times each resource was available
JJ	temporary variable, represents task type = 1 : R&R, remove and replace
	= 2 : CND, can not duplicate
	= 3 : FOM, facilitate other maintenance
	= 4 : RIP, repair in place
	= 5 : NRTS, not reparable this station
	= 6 : COND, condemn SRU
	= 7 : BCOK, bench check okay
	= 8 : RTS, repair this station
	= 9 : RRS, remove and replace in shop, for LANTIRN
73.T.(.)	=10 : download LANTIRN pods
JN() JRSC()	number of times each resource was not available quantity of each resource available for work

```
authorization for each resource
KRSC()
MAXWUC
             maximum number of WUCs
MISSN
             type of mission scenario
MSDSOR
             number of missed sorties
MSP()
             reserved spares for maintenance, which has begun, for each WUC
             counter for number of breaks
NBRK
             number of spares going to depot, for each WUC
NDEP()
NDAY
             day counter for weeks
NDON()
             donor aircraft number
             number of aircraft breaks fixed in two hours
NFIX(1)
             number of aircraft breaks fixed in four hours
NEIX(2)
             number of aircraft breaks fixed in eight hours
NFIX(3)
             number of aircraft breaks fixed in over eight hours
NFIX(4)
             number of sorties flown
NFLOWN
             number of maintenance events which contribute to downtime, per WUC
NMDT()
             number of on-equipment maintenance events, for each WUC
NMRT()
NP
             indicator for type of phase
NPLANE
             number of planes possessed by squadron
NPP
             flying hour cycle counter
NRESC(,JJ)
             number of different types of resources needed, for each WUC
NSFT
             shift indicator
NSORTY
             number of sorties to fly each day
             number of times a spare was available when needed, for each WUC
NSPA()
NSPARE()
             quantity of each spare available, for each WUC
NSPR()
             quantity of spares in repair cycle, for each WUC
NSPU()
             number of times a spare was unavailable when needed, for each WUC
NUMSFT
             number of shifts each day
             number of parallel maintenance actions currently being worked on,
PARA()
                  for each aircraft
             probability of each type of unscheduled maintenance task, per WUC
PERCNT(,JJ)
             probability for the number of planes that fly each mission
PERCNI(2,)
                         (2,1): probability of 1 ship formation
                         (2,2): probability of 2 ship formation
                         (2,3): probability of 3 ship formation
                         (2,4): probability of 4 ship formation
               1.0-PERCNT(2,4): probability of 5 ship formation
PERCNT(3,)
             probability for mission type
                         (3,1): probability of air-to-air mission
                         (3,2): probability of air-to-ground mission
                         (3,3): probability of dual role mission
                         (3,4): probability of air-to-ground nuclear mission
             indicates which PMC file to store PMC aircraft, for each aircraft
PFIL()
PMAINT(,,)
             stores new failure information from last sortie, for each
                  aircraft, and identification of failures
                         ( , ,1) : WUC of failed item
                         ( , ,2) : type of failure
PWUC(,,)
             stores failure information for each aircraft, and for each failure
                  kept on the aircraft
                         ( , ,1) : WUC of failed item
                         ( , ,2) : type of failure
             quantity of each resource type needed for each task, for each WIC,
QUAN(,JJ,)
                  task type, and five types of resources
```

```
RESC(,JJ,)
             type of resources required for each task, for each WUC, task type,
                  and five types of resources
             number of planes possessed
SCENE(1)
SCENE(2)
             number of sorties desired to fly each day
SCENE(3)
             number of shifts each day
SCENE (4)
             scenario type
                  = 1 : peacetime scenario
                  = 2 : surge scenario
                  = 3 : sustained scenario
                  = 4 : mobility surge in peacetime
SCOUNT()
             daily sortie counter, for each aircraft
SFT0
             length of servicing shift
SFT1
             length of first shift
SFT2
             length of second shift
SMDT
             accumulates time for system MDT
SMISS(1)
             sortie length
SMISS(2)
             length of first shift (servicing shift)
SMISS(3)
             length of second shift
SMISS(4)
             desired sortie generation rate
SMISS(5)
             time between each sortie
SMISS(6)
             time between first and second sortie phases
SNMDT
             accumulates number of system downing events
SORLEN
             length of each sortie
SPA
             manpower spaces per aircraft
STDEV(,JJ)
             standard deviation of the mean task time, for each WUC
             time after sorties launch to check for ground aborts
TABORT(1)
             failure clock for total corrective failures, for each WUC
TFAIL()
TIMES(,JJ)
             mean or mode time of each task (input), for each WUC
             length of time to begin flying sorties after beginning of each
TIMFLT
                  shift.
             maximum time taken for each task (input)
TMAX(,JJ)
             minimum time taken for each task (input)
TMIN(,JJ)
TMMH()
             cumulative MMH times, for each WUC
TPHASE()
             cumulative squadron flying hours criteria, used to determine type
                  of phase is needed
TPLANE(1)
             indicates which aircraft is being simulated
                  = 1 : F-15E simulation
                  = 2 : F-15C/D MSIP simulation, used for validation purposes
TWEEK
             time the week ends
V(1)
             allocation of people at beginning of shift
V(2)
             availability of people when asked for
             availability of support equipment when asked for
V(3)
WARM
             time warmup ends
             break counter, for each WUC
WBRK()
             WUC that was cannibalized, and is now needed, for each aircraft
WCANN(,)
WCENE(1)
             number of planes possessed in warmup scenario
WCENE(2)
             number of sorties desired to fly each day in warmup scenario
WCENE(3)
             number of shifts each day in warmup scenario
WCENE (4)
             scenario type in warmup scenario
WMDT()
             cumulative down times, for each WUC
WMISS(1)
             sortie length in warmup scenario
             length of first shift in warmup scenario
WMISS(2)
```

WMISS(3)	length of second shift in warmup scenario
WMISS(4)	time warmup ends and new scenario begins
WMISS(5)	time between each sortie in warmup scenario
WMISS(6)	time between sortie phases in warmup scenario
WRESC(,)	type of resource that was freed, for each aircraft
XBRK(1)	given an air-to-air critical failure, the probability a break occurred
XBRK(2)	given an air-to-ground critical failure, the probability a break occurred
XBRK(3)	given a dual role critical failure, the probability a break occurred
XBRK(4)	given an air-to-ground nuclear critical failure, the probability a break occurred
XMTBM()	MTBM total corrective, for each WUC
YMRT()	mean repair time, for each WUC

B.1.2. VARIABLES

Variable Name	Description
ADJUST FHGA JADJ JHE JHELP7 JHELP25 JJ JP1 JP2 JP3 JP4 JP5 JPX() KHE KHELP7 KIELP25 L()	elapsed time used in fix rate or down time calculation flying hour increment used to check for ground abort (atrib(27)) differentiates between KRSC() resource codes quantity of first type of 7 level resource available quantity of first resource 7 (452AX-7 level) available quantity of first resource 25 (451CX-7 level) available type of task being done (atrib(13)) resource code number for first resource needed resource code number for second resource needed resource code number for third resource needed resource code number for fourth resource needed resource code number for fifth resource needed temporary storage array for resource code number quantity of second type of 7 level resource available quantity of second resource 7 (452AX-7 level) available quantity of second resource 25 (451CX-7 level) available storage array for hangar queen WUCs
LHÉ LHELP7	quantity of third type of 7 level resource available quantity of third resource 7 (452AX-7 level) available
LHELP25	quantity of third resource 25 (451CX-7 level) available
M1 MHE MHELP7 MHELP25 MYES	storage indicator for cannibalization quantity of fourth type of 7 level resource available quantity of fourth resource 7 (452AX-7 level) available quantity of fourth resource 25 (451CX-7 level) available ground abort indicator
N() NA	storage array for types of resources freed
NAC	quantity of air-to-air critical failures aircraft number (atrib(1))
NADJ	differentiates between first and second shift resource codes
NB NB	in ALLOK, none critical or pmc queue indicator (atrib(12)) in CHCKE, quantity of dual role critical failures
6 7 600	The court desired of and the offerent fathers

NEONOR NF NFIRST NFORM NFORMQ() NG NGN	in subroutine cann, indicates which aircraft is the donor proc file for the aircraft (pfil(nac)) quantity of aircraft to fly during each shift quantity of aircraft to fly together quantity of aircraft to remove from file to begin sortie quantity of air-to-ground critical failures quantity of air-to-ground nuclear critical failures
NHE	quantity of fifth type of 7 level resource available
NHELP7	quantity of fifth resource 7 (452AX-7 level) available
NHELP25	quantity of fifth resource 25 (451CX-7 level) available
NII	location in queue of acceptor aircraft for cann
NJ	differentiates between first and
NN	quantity of sorties flown that day so far
NNODE	SLAM network node to return to (atrib(10))
NNON	quantity of non critical failures
NON	resource not available indicator
NP1	quantity of first resource needed for the task
NP2	quantity of second resource needed for the task
NP3	quantity of third resource needed for the task
NP4	quantity of fourth resource needed for the task
NP5	quantity of fifth resource needed for the task
NPX()	temporary storage array for quantity of resource
NS()	temporary storage array for spares quantities
NUMP	quantity of tasks stored in PMAINT()
NWUC	WUC being worked on (atrib(5))
NO	in CANN, location (file) of donor aircraft
NQ	in CLEAN, quantity in queue
TDEL	logistics delay time
TOELTA	time since last preflight or BPO
TEMP1()	temporary storage array for PMAINT(,,1)
TEMP2()	temporary storage array for PMAINT(,,2)
TMFLT	time from TNOW the sortie will launch
TPRE	time from TNOW the preflight will begin
TWORD()	temporary storage for atributes

B.2. SLAM VARIABLES

B.2.1. ATTRIBUTES

Attribute	Description
1	aircraft number
2	failure flag
3	time repair began
4	delayed sortie indicator, linked to entities, not aircraft or, duplicate MC indicator
5	WUC being worked on
6	PMC queue to file plane into
7	this shift repair time
8	MMH counter
9	task time left over for next shift
1.0	network enter node to return to

11	<pre>nmcs indicator, aircraft has no part to sent to shop = 1 : only one part missing = 2 : more than one part missing</pre>
12	none critical or pmc queue indicator
13	type of work being done
14	replace time from R&R time
15	multiple failure indicator
16	thruflight indicator
-	= 1 : turnaround indicator
	= 11 : BPO indicator
17	manpower, equipment, spare not available indicator
18	shop indicator
	= 1 : shop needed indicator
	= 11 : depot will occur
	= 88 : depct spare return
19	sortie shop formation quantity
20	LANTIRN R&R in shop indicator
21	BPO time indicator for preflight
22	cannibalization indicator
23	hangar queen timer
24	type of mission being flown,
	= 1 : air to air mission
	= 2 : air to ground mission
	= 3 : dual role mission
•	= 4 : air to ground nuclear mission
25	quantity of resource taken from resource 7 level 452AX
26	quantity of resource taken from resource 7 level 451CX
27	ground abort flying hour indicator
28	ground abort type failure indicator

B.2.2. GLOBAL VARIABLES

Variable	Description
1 2 3	dead time indicator number of planes needing cann for sortie to fly ???? end of shift indicator for PMC maintenance
4 5 21–50 51–100	last flight of the day indicator break per sortie indicator probability of people availability probability of support equipment availability

B.3. FILES

File	Description
1 2	queue for planes needing preflight ready queue for FMC planes
3	waiting for resources queue
.) 4	
4	sortie queue

5	wait queue for next day maintenance
6	wait queue for donor for 29 day old hangar queen
7	not mission capable due to supply queue
8	air-to-air and air-to-ground PMC queue (air-to-ground nuclear failures)
9	air-to-air PMC queue (air-to-ground and air-to-ground nuclear
J	failures)
10	air-to-ground PMC queue (air-to-air and air-to-ground nuclear failures)
11.	non-critical FMC queue
12	wait queue for equipment due to availability
13	wait queue for shop resources
14	wait queue for next day shop maint
15	wait queue for shop equipment due to availability
16	phase FMC queue
17	cann aircraft queue
18	queue for subroutine parap to get entities in fifo order
19	preflight queue for PMC aircraft
20	memory queue for maintenance times/entities
21	duplication queue for nmcr
22	duplication queue for nmcs

APPENDIX C. COMPUTER CODE - INPUT FILES

APPENDIX C. Computer Code - Input Files

C.1. F15EM.INP

WUC	MTBMTC	(not used)		pares rsk h		ak pro	ob
				F	•		a/a	a/g	dual
****	(beginning	of file)							
TURN	0.0	0.0	0.0	0.0	0	0	0 0.00		
PREFL	0.0	0.0	0.0	0.0	0	0	0 0.00		
BPO	0.0	0.0	0.0	0.0	0	0	0 0.00		
HPO1	0.0	0.0	0.0	0.0	0	0	0.00		
HPO2	0.0	0.0	0.0	0.0	0	0	0 0.00		
HPO3	0.0	0.0	0.0	0.0	0	0	0 0.00		
PE1	0.0	0.0	0.0	0.0	0	0	0 0.00		
PE2	0.0	0.0	0.0	0.0	0	0	0 0.00		
ZERO1	0.0	0.0	0.0	0.0	0	0	0 0.00		
ZERO2	0.0	0.0	0.0	0.0	0	0	0 0.00		
1100	141.3	70.0	70.0	50.0	1	1	1 0.00		
11A09	906.4	350.0	350.0	310.0	1	1	1 0.00		
11AB	184.4	120.0	120.0	90.0	1	1	1 0.00		
11ADE	5438.7	100.0	1.00.0	75.0	1	1	1 0.00		
1laf	10877.3	100.0	100.0	75.0	1	1	1 0.00		
11AJS	69.7	160.0	160.0	140.0	1	1	1 0.00		
11B	2175.5	160.0	160.0	130.0	1	1	1 0.00		
11D0D	1553.9	550.0	550.0	520.0	1	1	1 0.00		
11DGJ	47.7	70.0	70.0	50.0	1	1	1 0.00		
11DK	326.2	70.0	70.0	50.0	1	1	1 0.00		
11DRT	10877.3	70.0	70.0	50.0	1	1	1 0.00		
11G09	2919.3	70.0	70.0	50.0	1	1	1 0.00		
11GA	988.8	100.0	100.0	75.0	1	1	10.00 10.00		
11GBF	2175.5	100.0	100.0	75.0	1	1 1	1 0.00		
11GGK	375.1	100.0	100.0	75.0	1 1	1	1 0.00		
11GQS	37.8	100.0	100.0	75.0 130.0	1	1	1 0.00		
11J	5438.7	160.0	160.0	70.0	1	1.	1 0.00		
11K	5438.7	100.0	$100.0 \\ 100.0$	70.0 75.0	1	1. 1	1 0.00		
11PA	181.3	$100.0 \\ 100.0$	100.0	75.0	1	1	1 0.00		
11PD	181.3	160.0	160.0	140.0	1	1	1 0.00		
11PHP 11X	294.0 988.8	150.0	150.0	115.0	1	î	1 0.00		
112	2719.3	160.0	160.0	130.0	1	1	1 0.00		
		200.0	200.0	160.0	1	ī			
120 12A	2719.3 326.2	400.0	400.0	350.0	1	1	1 0.00		
12C0A		70.0	70.0	50.0	1	1	1 0.00		
12C0A	679.8	70.0	70.0	50.0	1	1	1 0.00		
12CB	10877.3	70.0	70.0	50.0	1	Ī	1 0.00		
12CE	1208.6	70.0	70.0	50.0	1	1	1 0.00		
12CF	1087.7	70.0	70.0	50.0	1	1	1 0.00		
12E09		350.0	350.0	310.0	1	1	1 0.00		
12EA	326.2	350.0	350.0	310.0	1	1	1 0.00		
12EBH		350.0	350.0	310.0	1	1	1 0.07	0.00	0.00
	, - - -								

					_	_	
12X	3625.8	350.0	350.0	310.0	1	1	1 0.00 0.00 0.00
1300	836.7	100.0	100.0	75.0	1	1	1 0.00 0.00 0.00
13A0	572.5	100.0	100.0	75.0	1	1	1 0.00 0.00 0.00
13A4B	169.9	100.0	100.0	75.0	1	1.	1 0.00 0.00 0.00
13ACD	160.0	150.0	150.0	115.0	1	1	1 0.00 0.00 0.00
13AEF	604.3	160.0	160.0	130.0	1	1	1 0.00 0.00 0.00
13AG	1087.7	100.0	100.0	70.0	1	1	1 0.00 0.00 0.00
13AH	326.2	200.0	200.0	160.0	1	1	1 0.00 0.00 1.00
13AK	25.1	400.0	400.0	350.0	3	2	1 0.00 0.00 0.08
13AL	1208.6	550.0	550.0	520.0	1	1	1 0.00 0.00 0.00
13ALY	1359.7	350.0	350.0	320.0	î	ī	1 0.00 0.00 0.00
13B0B	472.9	350.0	350.0	310.0	ī	ī	1 0.00 0.00 0.00
	2175.5	350.0	350.0	310.0	1	î	1 0.00 0.00 0.00
13BC		70.0	70.0	50.0	i	î	1 0.00 0.00 0.00
13BD	1087.7			90.0	1	ī	1 0.00 0.00 0.00
13BEG	302.1	120.0	120.0			1	1 0.00 0.00 0.00
13BJ	54.4	100.0	100.0	75.0	1		
13BKQ	5438.7	100.0	100.0	75.0	1	1	1 0.00 0.00 0.00
13CA	1359.7	200.0	200.0	170.0	1	1	1 0.00 0.00 0.00
13CC	1208.6	200.0	200.0	175.0	1	1	1 0.00 0.00 0.00
13CDF	2719.3	150.0	150.0	115.0	1	1	1 0.00 0.00 0.00
13CG	5438.7	160.0	160.0	130.0	1	1	1 0.00 0.00 0.00
13D0C	271.9	100.0	100.0	70.0	1	1	1 0.00 0.00 0.00
13DD	326.2	100.0	100.0	70.0	1	1	1 0.00 0.00 0.00
13DE	326.2	100.0	100.0	70.0	1	1	1 0.00 0.00 0.00
13E	10877.3	350.0	350.0	320.0	1	1	1 0.00 0.00 1.00
13F09	2175.5	350.0	350.0	310.0	1	1	1 0.00 0.00 0.00
13FA	326.2	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
13FBC	10877.3	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
13H	639.8	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
13K	10877.3	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
13L	2719.3	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
1400	1359.7	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
14A09	1812.9	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
14AA	310.8	100.0	100.0	75.0	1	1	1 0.00 0.00 0.00
14AB	326.2	100.0	100.0	75.0	1	1	1 0.00 0.00 1.00
14AC	213.3	100.0	100.0	75.0	1	1	1 0.00 0.00 0.00
14ADE	2719.4	100.0	100.0	75.0	ī	ī	1 0.00 0.00 0.00
14AD:5	326.2	100.0	100.0	75.0	1	1	1 0.00 0.00 0.00
14AL 14AU	10877.3	100.0	100.0	75.0	ī	1	
		200.0	200.0	1.70.0	ī	î	1 0.00 0.00 0.00
14B	5438.7		200.0	170.0	1	1	1 0.00 0.00 0.00
14CA	153.2	200.0		175.0	1	1	1 0.00 0.00 0.00
14CB	5438.7	200.0	200.0			1	1 0.00 0.00 0.00
14CD	388.5	150.0	150.0	115.0	1		1 0.00 0.00 0.00
14D0A	109.9	160.0	160.0	130.0	1	1	1 0.00 0.00 0.00
14DB	3625.8	100.0	100.0	70.0	1	1	
14DC	10877.3	200.0	200.0	160.0	1	1	1 0.00 0.00 0.00
14DD	1812.9	400.0	400.0	350.0	1	1	1 0.00 0.00 0.00
14E0A	1359.7	150.0	150.0	100.0	1	1	1 0.00 0.00 0.00
14EB	1208.6	350.0	350.0	310.0	1	1	1 0.00 0.00 0.00
14ED	10877.3	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
14G	543.9	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
14H0A	766.9	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00

4 Avm	725.2	100.0	100.0	75.0	1	1	1 0.00 0.00 0.00
14HB	725.2	100.0	$100.0 \\ 100.0$	75.0 75.0	1 1	1	1 0.00 0.00 0.00
14P	5438.7	100.0 100.0	100.0	75.0	î	ì	1 0.00 0.00 0.00
14X 2300	5438.7 988.8	200.0	200.0	175.0	i	1	1 0.00 0.00 0.00
2310A	253.0	150.0	150.0	115.0	ī].	1 0.00 0.00 0.00
2310A 231B	1553.9	100.0	100.0	70.0	ī	1	1 0.00 0.00 0.00
231D	5438.7	200.0	200.0	160.0	ī	ī	1 0.00 0.00 0.00
231F	145.0	400.0	400.0	350.0	ī	1	1 0.00 0.00 0.00
231H	905.4	150.0	150.0	100.0	ī	1	1 0.00 0.00 0.00
231M	326.2	150.0	150.0	100.0	1	1	1 0.00 0.00 0.00
23A	113.3	350.0	350.0	320.0	1	1	1 0.00 0.00 0.00
23B0K	435.1	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
23BP	10877.3	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
23C	3625.8	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
23E	2719.3	350.0	350.0	310.0	1	1	1 0.00 0.00 0.00
23F	87.0	120.0	120.0	90.0	1	1	1 0.00 0.00 1.00
23G	2719.3	100.0	100.0	75.0	1	1	1 0.00 0.00 0.00
23HA	247.2	200.0	200.0	170.0	1	1	1 0.00 0.00 0.00
23HC	1087.7	200.0	200.0	170.0	1	1	1 0.00 0.00 1.00
23HE	5838.7	200.0	200.0	170.0	1	1	1 0.00 0.00 0.00
23HF	418.4	200.0	200.0	170.0	1	1	1 0.00 0.00 0.00
23HJ	3625.8	200.0	200.0	170.0	1	1	1 0.00 0.00 0.00
23J	1812.9	100.0	100.0	70.0	1	1.	1 0.00 0.00 0.00
23KA	1087.7	200.0	200.0	160.0	1	1	1 0.00 0.00 0.00
23KB	1812.9	200.0	200.0	160.0	1	1	1 0.00 0.00 0.00
23KC	518.0	200.0	200.0	160.0	1	1	1 0.00 0.00 0.00 1 0.00 0.00
23P	10877.3	350.0	350.0	320.0	1 1	1 1	1 0.00 0.00 0.00
23Q	217.5	350.0	350.0 70.0	310.0 50.0	1	1	1 0.00 0.00 0.00
23U	10877.3	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
23X	10877.3 53.1	70.0 350.0	350.0	310.0	1	1	1 0.00 0.00 0.00
232	83.7	100.0	100.0	75.0	2	1	1 0.00 0.00 0.00
24A 24B0D	435.1	100.0	100.0	70.0	ì	1	1 0.00 0.00 1.00
24B0D 24BE	326.2	100.0	100.0	70.0	î	î	1 0.00 0.00 0.00
24BF	326.2	100.0	100.0	70.0	1	1	1 0.00 0.00 0.00
24C	3625.8	200.0	200.0	160.0	1	1	1 0.00 0.00 0.00
24D	163.1	150.0	150.0	100.0	ĩ	ī	1 0.00 0.00 1.00
24F	10877.3	150.0	150.0	100.0	1	1	1 0.00 0.00 0.00
24X	1359.7	150.0	150.0	100.0	ī	1	
33	5438.7	150.0	150.0	100.0	1	1	1 0.00 0.00 0.00
41A9	10877.3	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
41AA	326.2	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
4 LAB	326.2	70.0	70.0	50.0	3.	1	1 0.00 0.00 0.00
4 LAC	326.2	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
41ADE	1087.7	70.0	70.0	50.0	1	1	1 0.00 0.00 1.00
41C	5438.7	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
41X	3625.8	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
42A0D	329.6	100.0	100.0	75.0	1	1	1 0.00 0.00 0.75
42AF	725.2	100.0	100.0	75.0	1	1	1 0.00 0.00 0.00
42AH	10877.3	100.0	100.0	75.0	1	1	1 0.00 0.00 0.00
42BA	99999.9	100.0	100.0	75.0	1	1	1 0.00 0.00 0.00
42BB	99999.9	100.0	100.0	75.0	1	1	1 0.00 0.00 0.00

						_		
42BC	326.2	100.0	100.0	75. 0	1	1		0.00 0.00
42C0B	99999.9	200.0	200.0	170.0	1	1		0.00 0.00
42CC	326.2	200.0	200.0	170.0	1	1		0.00 0.00
42CDH	1087.7	200.0	200.0	170.0	1	1	1 0.00	0.00 0.00
42CJ	326.2	200.0	200.0	170.0	1	1	1 0.00	0.00 0.00
42DB	99999.9	200.0	200.0	170.0	1	1		0.00 0.00
42DC	326.2	200.0	200.0	170.0	î	ī		0.00 0.00
			160.0	130.0	1	ī		0.40 0.00
42E	65.2	160.0			1	1		0.00 0.00
42F	10877.3	160.0	160.0	130.0				
440	5438.7	100.0	100.0	70.0	1	1		0.00 0.00
44A	16.0	100.0	100.0	70.0	8	8		0.00 1.00
44B09	1208.6	100.0	100.0	70.0	1	1		0.00 0.00
44BA	108.7	100.0	100.0	70.0	1	1		0.00 0.33
44BBR	1553.9	100.0	100.0	70.0	1	1		0.00 0.00
44E0D	2719.3	100.0	100.0	70.0	1	1	1 0.00	0.00 0.00
44EE	326.2	100.0	100.0	70.0	1	1	1 0.00	0.00 0.00
44EF	326.2	100.0	100.0	70.0	1	1	1 0.00	0.00 0.00
44EG	326.2	100.0	100.0	70.0	1	1.	1 0.00	0.00 0.00
44EH	326.2	100.0	100.0	70.0	1	1		0.00 0.00
44EJ	326.2	100.0	100.0	70.0	ī	1		0.00 0.00
	326.2	100.0	100.0	70.0	î	î		0.00 0.00
44EK			160.0	140.0	2	2		0.00 1.00
45A	201.4	160.0			1			0.00 0.00
45B	543.9	160.0	160.0	130.0		1		0.00 0.00
45C	222.0	70.0	70.0	50.0	1	1		
45X	10877.3	70.0	70.0	50.0	1	1		0.00 0.00
460	1812.9	70.0	70.0	50.0	1	1		0.00 0.00
46A0C	435.1	70.0	70.0	50.0	1	1		0.00 1.00
46AI)	326.2	70.0	70.0	50.0	1	1		0.00 0.00
46 A E	1553.9	70.0	70.0	50.0	1	1		0.00 0.00
46B	205.2	100.0	100.0	75.0	1	1		0.00 0.00
46D09	1359.7	100.0	100.0	75.0	1	1	1 0.00	$0.00 \ 0.00$
46DA	326.2	100.0	100.0	75.0	1	1	1 0.00	$0.00\ 1.00$
46E0A	776.9	200.0	200.0	175.0	1	1	1 0.00	0.00 0.50
46EB	326.2	150.0	150.0	115.0	1	1	1 0.00	0.00 0.00
46EC	3625.8	160.0	160.0	130.0	1	1	1 0.00	0.00 0.00
46ED	836.7	160.0	160.0	130.0	ī	1		0.00 0.00
46EE	1359.7	160.0	160.0	130.0	1	ī		0.00 0.00
		100.0	100.0	70.0	1	1		0.00 0.50
46F	163.1			350.0	1	1		0.00 0.00
46G	10877.3	400.0	400.0		1			0.00 0.00
46K	3625.8	400.0	400.0	350.0		1		0.00 0.00
46X	3625.8	550.0	550.0	520.0	1	1		
47	453.2	70.0	70.0	50.0	1	1		0.00 1.00
49A 0	1553.9	350.0	350.0	310.0	1	1		0.00 0.00
49AA	326.2	350.0	350.0	310.0	1	1		0.00 0.00
49AB	326.2	350.0	350.0	310.0	1	1		0.00 0.00
49AC	5438.7	120.0	120.0	90.0	1	1		0.00 0.00
49AG	10877.3	120.0	120.0	90.0	1	1		0.00 0.00
49AH	326.2	120.0	120.0	90.0	1	1	1 0.00	0.00 0.00
49C	99999.9	100.0	100.0	75.0	1	1	1 0.00	0.00 1.00
49X	10877.3	100.0	100.0	75.0	1	1		0.00 0.00
51A0C	1087.7	160.0	160.0	140.0	ī	ī		0.00 0.00
			200.0	175.0	1	1		0.00 0.00
51AD	375.1	200.0	200.0	1/2.0	7	T	1 0.00	0.00 0.00

51AEF	1208.6	150.0	150.0	115.0	1	1	1 0.00 0.00 0.00
51AG	10877.3	160.0	160.0	130.0	1	1	1 0.00 0.00 0.00
51AH	1208.6	160.0	160.0	130.0	1	1	1 0.00 0.00 0.00
51AJ	1087.7	160.0	160.0	130.0	1	ĩ	1 0.00 0.00 0.00
		400.0	400.0	350.0	1	ī	1 0.00 0.00 0.00
51AKL	988.9				1	1	1 0.00 0.00 0.00
51AM	2175.5	550.0	550.0	520.0		_	
51AN	326.2	550.0	550.0	520.0	1	1	1 0.00 0.00 0.00
51B	326.2	550.0	550.0	520.0	1	1	1 0.00 0.00 0.00
51C	10877.3	350.0	350.0	320.0	1	1	1 0.00 0.00 0.00
51E09	10877.3	350.0	350.0	310.0	1	1	1 0.00 0.00 0.00
51EA	326.2	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
51ED	836.7	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
51EE	3625.8	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
51F	10877.3	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
51M	319.9	70.0	70.0	50.0	ī	ì	1 0.00 0.00 0.00
		70.0	70.0	50.0	ī	ī	1 0.00 0.00 0.00
51N	326.2			310.0	i	1	1 0.00 0.00 0.00
51X	1553.9	350.0	350.0			1	
520	2719.3	120.0	120.0	90.0	1		
52A0	679.8	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
52 AA	1208.6	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
52AB	1208.6	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
52AC	906.4	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
52AD	10877.3	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
52AF	836.7	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
52AH	2719.3	100.0	100.0	75.0	1	1	1 0.00 0.00 0.00
52B	81.5	100.0	100.0	75.0	2	1	1 0.00 0.00 0.25
52F	10877.3	100.0	100.0	75.0	1	1	1 0.00 0.00 0.00
52X	3625.8	160.0	160.0	140.0	1	1	1 0.00 0.00 0.00
54	10877.3	200.0	200.0	170.0	î	ī	1 0.00 0.00 0.00
	2719.3	200.0	200.0	175.0	1	ī	1 0.00 0.00 0.00
55A0A			200.0	175.0	1	ī	1 0.00 0.00 0.00
55AB	326.2	200.0		175.0	1.	ī	1 0.00 0.00 0.00
55AEF	1359.7	200.0	200.0				1 0.00 0.00 0.00
55B	679.8	150.0	150.0	100.0	1	1	
55C	906.4	550.0	550.0	520.0	1	1	1 0.00 0.00 0.00
55D	326.2	550.0	550.0	520.0	1	1	1 0.00 0.00 0.00
55N	164.8	350.0	350.0	320.0	1	1	1 0.00 0.00 0.00
57A0B	453.2	350.0	350.0	310.0	1	1	1 0.00 0.00 0.13
57AC	326.2	350.0	350.0	310.0	1	1	1 0.00 0.00 0.00
57AD	10877.3	350.0	350.0	310.0	1	1	1 0.00 0.00 0.00
57B	326.2	350.0	350.0	310.0	1	1	1 0.00 0.00 0.00
57C	65.2	350.0	350.0	310.0	1	1	1 0.00 0.40 0.00
57D	65.2	350.0	350.0	310.0	1	1	1 0.00 0.00 0.00
57N	10877.3	350.0	350.0	310.0	1	1	1 0.00 0.00 0.00
63	23.3	120.0	120.0	90.0	3	3	1 0.00 0.00 0.36
	5438.7	350.0	350.0	310.0	1	1	1 0.00 0.00 0.00
654			350.0	310.0	1	1	1 0.00 0.00 0.00
65A	48.1	350.0					1 0.00 0.00 0.00
65B0B	81.5	70.0	70.0	50.0	1].	
65BH	326.2	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
65C	326.2	350.0	350.0	310.0	1	1	1 0.00 0.00 0.00
65H	3625.8	350.0	350.0	310.0	1	1	1 0.00 0.00 0.00
65N	10877.3	350.0	350.0	310.0	1	1	1 0.00 0.00 0.00
65X	10877.3	350.0	350.0	310.0	1	1	1 0.00 0.00 0.00

66 710 71A 71B	10877.3 3625.8 35.8 326.2	70.0 100.0 100.0 160.0	70.0 100.0 100.0 160.0	50.0 75.0 75.0 130.0	1 1 4 1	1 1 3 1	1 0.00 0.00 0.00 1 0.00 0.00 0.00 1 0.00 0.00
71C	54.4	160.0	160.0	130.0	1	1	1 0.00 0.00 0.50
71D0	1553.9	550.0	550.0	520.0	1].	1 0.00 1.00 0.00
71DA	326.2	550.0	550.0	520.0	1	1	1 0.00 0.00 0.00
71F0B	151.1	350.0	350.0 120.0	320.0 90.0	1 1	1 1	1 0.00 0.00 0.00 1 0.00 0.00
71FC 71FE	2175.5 326.2	120.0 120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
71FL	5438.7	120.0	120.0	90.0	î	1	1 0.00 0.00 0.00
71M	81.5	120.0	120.0	90.0	ī	1	1 0.00 0.00 0.50
71N	10877.3	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
71Z	350.9	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
72	326.2	100.0	100.0	75.0	1	1	1 0.00 0.00 0.00
744	5438.7	100.0	100.0	75.0	1	1	1 0.00 0.00 0.00
74A	777.0	100.0	100.0	75.0	1	1	1 0.00 0.00 0.00
74C	2719.3	150.0	150.0	115.0	1	1 1	1 0.00 0.00 0.00 1 0.00 0.00
74E	326.2	160.0	160.0 100.0	130.0 70.0	1 1	1	1 0.00 0.00 0.00 1 0.00 0.00
74F0A 74FCD	20.2 278.9	100.0 150.0	150.0	100.0	1	1	1 0.00 0.00 0.00
74FCD 74FH	302.1	350.0	350.0	320.0	î	1	1 0.00 0.00 0.00
74FJ	402.9	350.0	350.0	310.0	ī	ī	1 0.00 0.00 0.00
74FK	2175.5	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
74FLS	95.4	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
74FUW	213.3	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
74FY	639.8	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
74GA	1620.5	70.0	70.0	50.0	1	1	1 0.00 0.00 1.00
74GB	1620.5	70.0	70.0	50.0	1	1 1	1 0.00 0.00 0.00 1 0.00 0.00
74GC	1620.5	70.0 70.0	70.0 70.0	50.0 50.0	1	1	1 0.00 0.00 0.00
74GF 74GH	810.3 1620.5	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
74GK	1620.5	70.0	70.0	50.0	ī	î	1 0.00 0.00 0.00
74GQ	270.1	70.0	70.0	50.0	ī	1	1 0.00 0.00 0.50
74GS	1620.5	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
74GU	1620.5	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
74GY	1620.5	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
74G0	115.8	70.0	70.0	50.0	1	1	1 0.00 0.43 0.07
74G9	1620.5	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
74J	47.1	150.0	150.0	115.0	1	1	1 0.00 0.00 0.00 1 0.00 0.00
74K0	157.6	160.0	160.0 160.0	130.0 130.0	1 1	1 1	1 0.00 0.00 0.00
74KA 74KC	319.9 362.6	160.0 160.0	160.0	130.0	1	1	1 0.00 0.00 0.00
74KE	99999.9	200.0	200.0	160.0	î	1	1 0.00 0.00 0.00
74KF	108.7	200.0	200.0	160.0	1	1	1 0.00 0.00 0.00
74KG	326.2	200.0	200.0	160.0	1	1	1 0.00 0.00 0.00
74KL	10877.3	200.0	200.0	160.0	1	1	1 0.00 0.00 0.00
74L0A	326.2	400.0	400.0	350.0	1	1	1 0.00 0.00 0.00
74LBJ	326.2	550.0	550.0	520.0]	1	1 0.00 0.00 0.00
74MA	326.2	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
74MB	40.8	200.0	200.0	160.0	1	1	1 0.00 0.00 0.88
74MC	25.1	200.0	200.0	160.0	1	1	1 0.00 0.08 0.62

74MD 74ME 74MG	326.2 326.2 7.2	200.0 200.0 200.0	200.0 200.0 200.0	160.0 160.0 160.0	1 1 1	1 1 1	1 0.00 0.00 1.00 1 0.00 0.00 0.00 1 0.00 0.07 0.40
74MM	10877.3	200.0	200.0	160.0	1	1	1 0.00 0.00 0.00
74S	10877.3	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
750	2719.3	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
75A	1812.9	120.0	120.0	90.0 90.0	1 2	1 1	1 0.00 0.00 0.00 1 0.00 0.00
75B0G 75BE	31.4 326.2	120.0 120.0	120.0 120.0	90.0	1	1	1 0.00 0.00 0.00
75BJ	326.2	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
75BK	326.2	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
75BL	326.2	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
75BP	10877.3	120.0	120.0	90.0	1	1.	1 0.00 0.00 0.00
75C	10877.3	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
75D	472.9	120.0	120.0 120.0	90.0 90.0	1 1	1 1	1 0.00 0.00 0.00 1 0.00 0.00
75E 75F	153.2 10877.3	120.0 70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
75£ 75H	205.2	70.0	70.0	50.0	1	î	1 0.00 0.00 0.00
75J	10877.3	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
75M	178.3	120.0	120.0	90.0	1	1.	1 0.00 0.00 0.67
75N	10877.3	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
75P	326.2	120.0	120.0	90.0	1 1	1 1	1 0.00 0.00 0.00 1 0.00 0.00
75R	10877.3 10877.3	120.0 120.0	120.0 120.0	90.0 90.0	1	1	1 0.00 0.00 0.00
75X 76A	27.9	120.0	120.0	90.0	1	1	1 0.00 0.00 0.40
76B	725.2	120.0	120.0	90.0	ī	ì	1 0.00 0.00 0.00
76C	326.2	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
76E	5438.7	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
76F	5438.7	120.0	120.0	90.0	1	1	1 0.08 0.50 0.50
76G0A	418.3	70.0	70.0 70.0	50.0 50.0	1 1	1 1	1 0.00 0.00 0.00 1 0.00 0.00
76GE 76GF	10877.3 518.0	70.0 70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
76GQ	326.2	70.0	70.0	50.0	1	ī	1 0.00 0.00 0.00
76H	56.4	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
76J	10877.3	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
76K0A	81.2	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00
76KC	326.2	70.0	70.0	50.0	1	1	1 0.00 0.00 0.00 1 0.00 0.00
76KDG	5438.7	70.0	70.0 120.0	50.0 90.0	1 1	1 1	1 0.00 0.00 0.00
76LA 76LB	326.2 326.2	120.0 120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
76LCD	99999.9	120.0	120.0	90.0	ī	1	1 0.00 0.00 0.00
76LE	326.2	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
76LF	99999.9	120.0	120.0	90.0	1	1	1 0.08 0.50 0.50
76LG	326.2	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
76LH	326.2	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
76LJK	99999.9	120.0	120.0 120.0	90.0 90.0	1 1	1 1	1 0.00 0.00 0.00 1 0.00 0.00
76LL 76LM	326.2 326.2	120.0 120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
76X	10677.3	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
82A	163.1	70.0	70.0	50.0	1	ī	1 0.00 0.00 0.00
91	3625.8	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00
97A	836.7	120.0	120.0	90.0	1	1	1 0.00 0.00 0.00

```
74NXY
           81.5
                      70.0
                                 70.0
                                            50.0
                                                           1 0.00 1.00 0.00
74PX2
          326.2
                      70.0
                                 70.0
                                                           1 0.00 0.00 0.00
                                            60.0
74N00
          101.8
                      70.0
                                 70.0
                                            50.0
                                                    2
                                                           1 0.00 1.00 0.00
                                                        2
                                                    2
                                                        2
74NA0
          763.7
                      70.0
                                 70.0
                                            50.0
                                                           1 0.00 1.00 0.00
                                                    2
74NB0
         1527.5
                      70.0
                                 70.0
                                            50.0
                                                           1 0.00 1.00 0.00
                                                    2
74ND0
          127.3
                      70.0
                                 70.0
                                            50.0
                                                           1 0.00 1.00 0.00
74NE0
          254.6
                      70.0
                                 70.0
                                                    2
                                                        2
                                                           1 0.00 1.00 0.00
                                            50.0
                                                    2
                                                        2
74NF0
         1527.5
                      70.0
                                 70.0
                                            50.0
                                                           1 0.00 1.00 0.00
                                                    2
74NG0
                                 70.0
                                                        2
                                                           1 0.00 1.00 0.00
          305.5
                      70.0
                                            50.0
                                                    2
74NH0
          509.2
                      70.0
                                 70.0
                                            50.0
                                                           1 0.00 1.00 0.00
                                                    2
                                                        2
74NJ0
           84.9
                                 70.0
                                                           1 0.00 1.00 0.00
                      70.0
                                            50.0
                                                    2
74P00
          439.3
                      70.0
                                 70.0
                                            50.0
                                                        2
                                                           1 0.00 1.00 0.00
74PA0
         1317.9
                      70.0
                                 70.0
                                                    2
                                                           1 0.00 1.00 0.00
                                            50.0
          146.4
                                 70.0
                                                    2
                                                        2
                                                           1 0.00 1.00 0.00
74PB0
                      70.0
                                            50.0
                                                    2
                                                        2
74PC0
         1317.9
                      70.0
                                 70.0
                                                           1 0.00 1.00 0.00
                                            50.0
                                                    2
                                                        2
74PD0
         1317.9
                      70.0
                                 70.0
                                                           1 0.00 1.00 0.00
                                            50.0
                                                   2
74PE0
         1317.9
                      70.0
                                 70.0
                                            50.0
                                                           1 0.00 1.00 0.00
74PF0
         1317.9
                                 70.0
                                                    2
                      70.0
                                            50.0
                                                        2
                                                           1 0.00 1.00 0.00
                                                    2
74PG0
         1317.9
                      70.0
                                 70.0
                                            50.0
                                                        2
                                                           1 0.00 1.00 0.00
74PH0
          164.7
                      70.0
                                 70.0
                                                    2
                                                        2
                                                           1 0.00 1.00 0.00
                                            50.0
                                                    2
74PK0
          659.0
                      70.0
                                 70.0
                                                        2
                                                           1 0.00 1.00 0.00
                                            50.0
                                                    2
                                                        2
                                                           1 0.00 1.00 0.00
74PL0
          219.7
                      70.0
                                 70.0
                                            50.0
                                                    2
                                                        2
74PN0
           659.0
                      70.0
                                 70.0
                                            50.0
                                                           1 0.00 1.00 0.00
                                                    2
74P99
         1317.9
                      70.0
                                 70.0
                                            50.0
                                                           1 0.00 1.00 0.00
```

***** (end of file)

C.2. F15ET.INP

WUC task prob mean sd min max dist AFSC codes and quantity
**** (beginning of file)

```
TURN
             .00
                   0.4
                         .10
                              0.3
                                   0.5 T 452A4 1
      R&R
                              0.5
                                   0.8 T 452A4 2 461E0 1
TURN
      CIND
             .00
                   0.7
                         .17
TURN
      FOM
             .00
                   1.5
                         .25
                              1.2
                                   1.8 T 452A4 2 461E0 1
PREFL R&R
             .50
                   0.5
                         .25
                               .0
                                     .0 T 452A4 1
PREFL CND
            1.00
                   0.5
                         .25
                               .0
                                     .0 T 452A4 1
                               .0
                   2.3
                         .25
                                     .0 T 452A4 1
BPO
      R&R
             .19
             .78
                   2.3
                         .25
                                     .0 T 452A4 1
BPO
      CND
                               .0
                                     .0 T 452A4 1
BPO
      FOM
             .97
                   2.3
                        .25
                               .0
            1.00
                   2.3
                        .25
                                     .0 T 452A4 1
BPO
      RIP
                               .0
      R&R
             .00
                  31.6 1.00
                               .0
                                     .0 T 452EA 3 454EA 1 458E1 1 452A5 1 454C4 1
HPO1
                  47.4 1.0
HPO2
      R&R
             .00
                               .0
                                     .0 T 452EA 3 454EA 1 458E2 1 452A5 1 454C4 1
HPO3
      R&R
             .00
                  63.2 1.00
                               .0
                                     .0 T 452EA 3 454EA 1 458E3 1 452A5 1 ARMAG 1
                               .0
                                     .0 T 452EA 3 454EA 1 458E2 1 452A5 1 454C4 1
PE1
      R&R
             .00
                  94.8 1.00
             .00 160.0 1.00
                                     .0 T 452EA 3 454EA 1 458E2 1 452A5 1 ARMAG 1
PE2
      R&R
                               .0
                               .0
ZERO1 R&R
             .00
                   0.0
                         .0
                                     .0 T 00000 O
                                     .0 T 00000 O
ZERO2 R&R
             .00
                   0.0
                         .0
                               .0
      RIP
            1.00
                   1.7
                         .84
                              0.6
                                   2.5 T 458A2 1 452A4 1
1100
1100
      RTS
            1.00
                   2.0
                         .00
                              1.9
                                   2.1 T 458E0 1
```

```
11A09 R&R
                 1.2 1.82 0.3 6.0 T 458A2 1
            .14
                           0.3 6.0 T 458A2 1
11A09 CND
            .29
                 1.2 1.82
            .30
11A09 FOM
                 1.2 1.82
                           0.3 6.0 T 458A2 1
                 1.2 1.82
                           0.3 6.0 T 458A2 1
11A09 RIP
            .57
                 4.5 5.22
                           2.0 16.0 T 458E2 1
11A09 RTS
           1.00
           .13
                 3.1 3.67
11AB R&R
                           0.1 12.7 L 452AA 1
11AB FOM
            .13
                 3.1 3.67
                           0.1 12.7 L 452A4 2
11AB RIP
            .87
                  3.1 3.67
                           0.1 12.7 L 458A2 1
                           2.0 16.0 T 458E0 1
11AB RTS
                 4.5 5.22
           1.00
11ADE RIP
           1.00
                 0.5 0.05
                           0.5 0.6 T 452A4 2 458A2 1
                           0.9 1.1 T 458A2 1 452EA 2 452A5 1 452AB 1 423E1 1
11AF RIP
           1.00
                 1.0
                     .00
11AJS R&R
                      .40
            .03
                  0.3
                           0.1 2.0 T 452A4 2
                 0.3 .40
11AJS FOM
                           0.1 2.0 T 452A4 2
            .24
11AJS RIP
            .97
                  0.3 .40
                           0.1 2.0 T 452A4 2 458A2 1
11AJS RTS
           1.00
                  4.5 5.22
                           2.0 16.0 T 458E0 1
                 0.7 .28
                           0.5 0.9 T 452A4 1
11B
     RIP
           1.00
           .25
11D0D FOM
                  2.5 2.60
                           2.5 8.0 T 458A2 1 454C3 1
11D0D RIP
                  2.5 2.60
                           2.5 8.0 T 458A2 1
           1.00
11D0D RTS
                  0.0 0.00
                           0.0 0.0 T 454C3 1 458E2 1
            .00
                           0.3 1.8 T 452A4 1
11DGJ R&R
            .00
                  0.3 .78
                           0.1 2.2 T 452A4 1
11DGJ FOM
            .13
                  0.1 .49
11DGJ RIP
                  0.1 .49
                           0.1 2.2 T 452A4 1 458A2 1
           1.00
          .00
11DGJ DCOK
                  4.3 4.97
                           0.3 21.9 L 452A4 1
11DGJ RTS
            .00
                  4.3 4.97
                           0.3 21.9 L 458E0 1
11DGJ NRTS
            .00
                  4.3 4.97
                           0.3 21.9 L 458E0 1
11DK R&R
            .00
                           0.3 1.8 T 452A4 1
                  0.3 .78
                           0.3 1.8 T 452A4 1
11DK FOM
            .00
                  0.3 .78
                  0.3 .07
                           0.2 0.3 T 452A4 1 458A2 1
11DK RIP
           1.00
11DK BCOK
                            0.3 21.9 L 452A4 1
                  4.3 4.97
           .00
11DK RTS
                  4.3 4.97
                           0.3 21.9 L 458E0 1
            .00
                  4.3 4.97
11DK NRTS
            .00
                           0.3 21.9 L 458E0 1
                  0.3 .78
                           0.3 1.8 T 452A4 1
11DRT R&R
            .00
                  0.3 .78
11DRT FOM
            .00
                           0.3 1.8 T 452A4 1
                           0.1 2.4 T 452A4 1 458A2 1
                  0.1 .54
11DRT RIP
           1.00
                           0.3 21.9 L 452A4 1
11DRT BCOK .00
                  4.3 4.97
11DRT RTS
                           0.3 21.9 L 458E0 1
            .00
                  4.3 4.97
                            0.3 21.9 L 458E0 1
11DRT NRTS
            .00
                  4.3 4.97
                            0.3 1.0 T 458A2 1
11G09 CND
            . 34
                  0.5 .26
11G09 RIP
                  0.5 .26
                           0.3 1.0 T 458A2 1
            .66
                                2.0 T 458A2 1
11GA RIP
           1.00
                  0.3 .60
                           0.3
                           0.3 2.0 T 452A4 1
11GA FOM
           0.00
                  0.3 .60
11GA R&R
           0.00
                  0.3 .60
                           0.3 2.0 T 452A4 1
                           0.0 0.0 T 458E2 1
11GA RTS
           0.00
                  0.0 .00
11GBF RIP
           1.00
                  3.2 1.50
                           1.0 8.0 L 458A2 1
11GBF RTS
           0.00
                  0.0 0.00
                           0.0 0.0 L 458E2 1
11GGK FOM
                  3.8 2.94
                           0.5 8.0 T 452A4 1 458A2 1
           .04
                                8.0 T 452A4 1 458A2 1
11GCK RIP
           1.00
                  3.8 2.94
                           0.5
                           0.0 0.0 T 458E2 1
11GGK RTS
           .00
                  0.0 0.00
11GOS CIND
            .02
                  0.1 .77
                            0.1
                                1.9 T 452A4 1 458A2 1
                  0.1 .77
                            0.1 1.9 T 452A4 1
11GOS FOM
           .32
                           0.1 1.9 T 452A4 1 458A2 1
11GQS RIP
          .98
                  0.1 .77
```

```
11J
           1.00
                  1.5 .71
                            1.0 2.0 T 458A2 1
      R&R
                            1.0 2.0 T 458A2 1
11J
                  1.5 .71
      FOM
            .50
                  4.3 4.97
11J
      BCOK
            .24
                            0.3 21.9 L 458E2 1
            .58
11J
      RTS
                  4.3 4.97
                            0.3 21.9 L 458E2 1
11J
      NRTS
            .18
                  4.3 4.97
                            0.3 21.9 L 458E2 1
                  0.1 1.56
11K
                            0.1 10.0 T 458A2 1 452A4 1
      R&R
            .01
11K
      CND
            .01
                  0.1 1.56
                            0.1 10.0 T 458A2 1 452A4 1
11K
                            0.1 10.0 T 458A2 1 452A4 1
      FOM
            .07
                  0.1 1.56
11K
      RIP
            .98
                  0.1 1.56
                            0.1 10.0 T 458A2 1
11K
                                4.1 T 452A4 1
      BCOK
            .24
                  4.0
                       .00
                            3.9
11K
      RTS
            .58
                  4.0
                       .00
                            3.9 4.1 T 458E0 1
                  4.0 .00
11K
      NRTS
            .18
                            3.9 4.1 T 458E0 1
                  6.1 4.33
                            0.1 24.0 L 458E2 1 452EA 2 452A4 1
11PA
            .55
      R&R
     FOM
11PA
                  6.1 4.33
                            0.1 24.0 L 458E2 1 452EA 2 452A4 1
            .31
11PA
                  6.1 4.33
                            0.1 24.0 L 458E2 1 458A2 1
     RIP
            .45
11PA
                  1.0 0.45
                            1.0 1.9 T 458E2 1
     NRTS 1.00
                            1.0 5.5 T 452AB 2
11PD
     R&R
            .90
                  1.0 1.24
11PD
            .05
                  1.0 1.24
                            1.0 5.5 T 452AB 2
     CND
11PD
                  1.0 1.24
     RIP
            .05
                            1.0 5.5 T 452AB 2
11PD
     BCOK
                  4.8 5.47
                            0.3 21.9 L 451CA 1 COMPU 1
            .49
                  4.8 5.47
11PD RTS
            .24
                            0.3 21.9 L 451CA 1 COMPU 1
11PD NRTS
            .27
                  4.9 5.47
                            0.3 21.9 L 451CA 1 COMPU 1
11PHP R&R
            .08
                  0.2 1.53
                            0.2 3.2 T 452A4 1
11PHP FOM
                  0.2 1.53
                            0.2
                                3.2 T 452A4 1
            .07
11PHP RIP
            .92
                  0.2 1.53
                            0.2 3.2 T 452A4 1 458A2 1
                  4.5 5.32
11PHP BCOK
            .24
                            0.3 21.9 L 458E0 1
11PHP RTS
            .58
                  4.5 5.32
                            0.3 21.9 L 458E0 1
                  4.5 5.32
11PHP NRTS
                            0.3 21.9 L 458E0 1
            .18
11X
      R&R
            .09
                  0.5 0.60
                            0.5 2.0 T 452A4 1
11X
      CND
            .18
                  0.5 0.60
                            0.5 2.0 T 452A4 1
11X
                  0.5 0.60
                            0.5 2.0 T 452A4 1
            .73
      RIP
                  4.3 4.97
                             0.3 21.9 L 458E2 1
11X
      BCOK
            .24
11X
            .58
                  4.3 4.97
                            0.3 21.9 L 458E2 1
      RTS
11X
      NRTS
            .18
                  4.3 4.97
                            0.3 21.9 L 458E2 1
                  0.7 0.27
11Z
      CMD
            .50
                            0.5 1.0 T 452A4 1
11Z
            .50
                  0.7 0.27
                            0.5 1.0 T 452A4 1
      RIP
120
                  1.5 1.63
                            0.2 2.5 T 452A4 1
      R&R
            .25
120
      RIP
            .75
                  1.5 1.63
                            0.2 2.5 T 452A4 1
120
                  2.8 2.15
                             1.0 10.0 L 458E2 1
      RTS
            .93
120
            .07
                  2.8 2.15
                            1.0 10.0 L 458E2 1
      NRTS
12A
      R&R
            .17
                  2.3 2.46
                            0.3 8.0 L 452A4 1
                            0.3 8.0 L 452A4 1
12A
                  2.3 2.46
      CND
            .02
12A
                  2.3 2.46
                            0.3 8.0 L 452A4 1
      RIP
            .81
12A
                  1.5
                      .00
                            1.4 1.6 T 458E2 1
      NRTS 1.00
12C0A R&R
            .38
                  2.0 4.26
                            0.3 12.9 L 458E2 1 452A5 1 452A5 1 452EA 2
            .02
12COA CND
                  2.0 4.26
                            0.3 12.9 L 458E2 1 452A5 1 452A5 1 452EA 2
12COA FOM
            .45
                  2.0 4.26
                            0.3 12.9 L 458E2 1 452A5 1 452A5 1 452EA 2
12COA RIP
            .60
                  2.0 4.26
                            0.3 12.9 L 458E2 1 452A5 1 452A5 1 452EA 2
                  7.0 .00
                            6.9 7.1 T 458E2 1 452A5 1 452A5 1 452EA 2
12COA PTS
           1.00
                            0.4 8.0 L 452A4 1
12CB R&R
            .46
                  2.3 2.13
12CB RIP
            .54
                  2.3 2.13
                            0.5 8.0 L 452A4 1
```

```
1.00
                  3.0 2.28
                            1.0 10.0 L 454C4 1
12CB
     RTS
12CC
                                  3.6 T 454C2 1
      RIP
           1.00
                  3.5 .00
                            3.4
12CE
      R&R
            .29
                  2.2 1.07
                            1.0
                                  4.0 T 452A5 2
                            1.0 4.0 T 452A5 2
12CE
      RIP
            .71
                  2.2 1.07
12CE
      RIS
           1.00
                  3.3 2.44
                            1.0 10.0 L 452A5 2
12CF
      R&R
            .10
                  1.0 .85
                            0.3 2.0 T 452A5 1 423E1 1
12CF
            .90
                  1.0 .85
                            0.3 2.0 T 452A5 1
     RIP
12CF
      RTS
                  3.3 2.44
                            1.0 10.0 L 452C5 1
           1.00
12E09 R&R
           .00
                  0.2 1.75
                            0.2 5.0 L 454C2 1
12E09 FOM
           1.00
                  1.8 1.40
                            0.4 10.1 L 454C2 1
12E09 RIP
           1.00
                  1.8 1.40
                            0.4 10.1 L 454C2 1
                  2.0 .45
0.2 1.75
12E09 RTS
                            1.0 2.0 T 454C2 1
           0.00
                                 5.0 L 454C2 1
12EA R&R
            .00
                            0.2
12EA FOM
            .00
                  0.2 1.75
                            0.2
                                 5.0 L 454C2 1
12EA RIP
                  1.9 2.19
           1.00
                            0.2
                                 8.0 L 454C2 1
12EA RTS
                  2.0 .45
                                  2.0 T 454C2 1
           1.00
                            1.0
12EBH R&R
            .33
                      .01
                            1.2
                                  1.4 T 454C2 1
                  1.3
12EBH FOM
            .00
                  0.2 1.75
                            0.2
                                  5.0 L 454C2 1
12EBH RIP
                  1.3
                       .01
            .67
                            1.2
                                  1.4 T 454C2 1
12EBH RTS
           1.00
                  2.0
                       .45
                                  2.0 T 454C2 1
                            1.0
12X
      CND
            .67
                  0.8
                       .29
                            0.5
                                 1.0 T 452C5 1
12X
      RIP
            .33
                  0.8
                       .29
                            0.5
                                 1.0 T 452C5 1
1300 R&R
            .33
                  4.4 3.50
                            0.5 8.0 T 458E2 1
1300 CND
                  4.4 3.50
                            0.5 8.0 T 458E? 1
            .67
1300
     BCOK
            .02
                  0.1
                      .67
                            0.0 11.0 T 458E2 1
1300
            .93
                  0.1
                       .67
                            0.0 11.0 T 458E2 1
     RIS
1300
     NRTS
            .05
                  0.1 .67
                            0.0 11.0 T 458E2 1
                  3.6 3.80
13A0
            .09
                            0.5 13.0 L 458E2 1 452A4 2 452A4 1 452A5 1
      R&R
13A0
      CND
            .27
                  3.6 3.80
                            0.5 13.0 L 458E2 1
13A0
            .15
                            0.5 13.0 L 458E2 1
      FOM
                  3.6 3.80
13A0
     RIP
            .64
                  3.6 3.80
                            0.5 13.0 L 458E2 1
13A0 RTS
            .99
                  0.1 .41
                            0.0 11.0 T 458E2 1
                            0.0 11.0 T 458E2 1
13A0 NRTS
            .01
                  0.1
                       .41
                            0.0 16.0 L 458E2 1
13A4B R&R
            .61
                  4.0 3.94
13A4B FOM
            . 04
                  4.0 3.94
                            0.0 16.0 L 458E2 1
13A4B RIP
                  4.0 3.94
            .39
                            0.0 16.0 L 458E2 1
13A4B RTS
            .99
                  0.1 .41
                            0.0 11.0 T 458E2 1
13A4B NRTS
            .01
                  0.1 .41
                            0.0 11.0 T 458E2 1
13ACD R&R
            .06
                  0.8 3.04
                                 3.5 T 452A4 2
                            0.8
13ACD RIP
                  0.8 3.04
                                  3.5 T 452A4 2
            .94
                            0 8
13ACD RTS
                  0.3 .01
           1.00
                            0.2
                                 0.4 T 454E1 1
13AEF R&R
            .13
                  3.9 2.26
                             1.0
                                 8.0 T 458E2 1
                                 8.0 T 458E2 1
13AEF CND
            .06
                  3.9 2.26
                             1.0
13AEF RIP
                  3.9 2.26
                                  8.0 T 458E2 1
            .81
                             1.0
13AEF NRTS 1.00
                  2.0 .00
                            1.9
                                  2.1 T 458E2 1
13AG R&R
                            0.3 8.0 T 452A5 2
            .60
                  4.0 2.85
13AG RIP
                  4.0 2.85
            .40
                            0.3 8.0 T 452A5 2
                  0.1 0.41
13AG
     RTS
            .99
                            0.0 11.0 T 452A5 2
13AG
     NRTS
            .01
                  0.1 0.41
                            0.0 11.0 T 452A5 2
13AH R&R
            .12
                  4.0 0.00
                            3.9 4.1 T 458E2 1
13AH FOM
            .06
                  4.0 0.00
                            3.9
                                  4.1 T 458E2 1
```

```
4.0 0.00
                             3.9 4.1 T 458E2 1
13AH
      RIP
             .88
13AH
      RTS
             .99
                   0.1 0.41
                             0.0 11.0 T 458E2 1
13AH
      NRTS
            .01
                   0.10.41
                              0.0 11.0 T 458E2 1
13AK
      R&R
             .81
                   0.1 0.40
                             0.0 0.6 T 452A4 2
13AK
      FOM
             .04
                   0.1 0.40
                             0.0 0.6 T 452A4 2
1.3AK
      RIF
             .19
                   0.1 0.40
                             0.0 0.6 T 452A4 2
13AK
      RTS
            1.00
                   0.1 0.40
                             0.1 11.0 T 458E2 1
13AL
            1.00
                   0.6
                             0.2
                                  0.6 T 452A5
      RIP
                       .14
             .42
                        .00
                                  0.2 T 452A5 2
13AXY R&R
                   0.1
                             0.0
                        .00
                                  0.2 T 452A5 2
13AXY CND
             .02
                   0.1
                             0.0
13AXY FOM
             .04
                   0.1
                        .00
                             0.0
                                  0.2 T 452A5 2
13AXY RIP
             .56
                             0.0 0.2 T 452A5 2
                   0.1
                        .00
             .99
                   0.1
                        .41
                              0.0 11.0 T 452A5 2
13AXY RTS
            .01
13AXY NRTS
                   0.1
                        .41
                              0.0 11.0 T 452A5 2
             .21
                   4.0 3.44
                              0.3 16.0 L 458E2 1
13B0B R&R
             .05
                              0.3 16.0 L 458E2 1
13B0B FOM
                   4.0 3.44
13B0B RIP
             .79
                   4.0 3.44
                              0.3 16.0 L 458E2 1
                              3.0
13B0B RTS
            1.00
                   4.0 1.41
                                  5.0 T 458E2 1
13BC
             .25
                   2.6 3.07
                                   8.0 L 452A4 2
      R&R
                              0.5
             .75
13BC
      RIP
                   2.6 3.07
                              0.5
                                   8.0 L 452A4 2
1.3BC
      RTS
             .96
                   0.1 1.00
                              0.0
                                   5.0 T 454E1 1
13BC
      NRTS
             .04
                   0.1 1.00
                              0.0
                                   5.0 T 454E1 1
13BD
      R&R
             .10
                   0.6 1.15
                              0.5
                                   2.5 T 458E2 1
13BD
      RIP
             .90
                   0.6 1.15
                              0.5
                                   2.5 T 458E2 1
13BD
      NRTS 1.00
                        .00
                              4.9
                                   5.1 T 458E2 1
                   5.0
                        .97
13BEG R&R
             .32
                   1.4
                              0.3
                                   4.3 L 452A4 2
13BEG CND
             .07
                   1.4
                        .97
                              0.3
                                   4.3 L 458E2 1
13BEG RIP
             .61
                        .97
                                   4.3 L 452A4 2
                   1.4
                              0.3
13BEG RTS
             .96
                   0.1 1.00
                              0.0
                                   5.0 T 454E1 2
13BEG NRTS
             .04
                   0.1 1.00
                              0.0
                                   5.0 T 454E1 2
13BJ R&R
            1.00
                   0.5 1.03
                              0.5
                                   6.0 T 452A4 1
                   0.5 1.03
                              0.5
13BJ
      FOM
             .02
                                   6.0 T 452A4 1
13BJ RTS
            1.00
                   1.6 1.05
                              0.2
                                   4.9 L 452EA 1
13BKQ R&R
            1.00
                   4.4 5.30
                              0.5
                                   8.0 T 452A5 2
                    .1
13BKO RTS
            1.00
                       .45
                              0.0
                                   2.4 T 452A5 2
             .50
13CA R&R
                  10.0 3.70
                              8.0 16.0 L 452A4 2
13CA RIP
             .50
                  10.0 3.70
                              8.0 16.0 L 452A4 2
1.3CA
      NRTS 1.00
                   1.7 .75
                              0.5
                                   2.0 T 452A4 2
                   1.8 2.87
                              0.2
                                   7.0 T 452A4 2
13CC
      R&R
             .67
             .33
13CC
      RIP
                   1.8 2.87
                              0.2
                                   7.0 T 452A4 1
13CC
      NRTS
           1.00
                   1.7 0.75
                              0.5
                                   2.0 T 454E1 1
13CDF RIP
             .50
                   7.9 1.15
                              6.0
                                   8.0 T 452A5 2
                   7.9 1.15
                                   8.0 T 452A5 2
13CDF R&R
             .50
                              6.0
13CDF NRTS 1.00
                   1.7 0.75
                              0.5
                                   2.0 T 452A5 1
                              0.2 16.0 T 452A4 1
                   5.1 4.21
13CG R&R
             .50
             .50
13CG
     RIP
                   5.1 4.21
                              0.2 16.0 T 458A2 1
           1.00
                                   2.0 T 427C5 1
13CG NRTS
                   1.7 0.75
                              0.5
13D0C R&R
             .26
                   2.1 1.13
                              0.3
                                   5.0 L 452A4 1 452A4 1
13DOC RIP
             .74
                   2.1 1.13
                                   5.0 L 452A4 1 452A4 1
                              0.3
13DOC RTS
             .95
                   2.9 1.50
                              1.0
                                   8.0 L 454E1 2
13D0C NRTS
                                   8.0 L 454E1 2
             .05
                   2.9 1.50
                              1.0
             .24
                              0.3
                                   5.0 L 452A4 1 452A4 1
13DD R&R
                   2.1 1.13
```

```
13DD
     RIP
            .76
                  2.1 1.13 0.3 5.0 L 452A4 1 452A4 1
13DD
     RIS
            .95
                  2.9 1.50
                            1.0 8.0 L 454E1 2
                  2.9 1.50
                                8.0 L 454E1 2
13DD
     NRTS
            .05
                            1.0
13DE
     R&R
                  1.0 1.16
                                 5.0 T 452A4 1 452A4 1
            .00
                            0.3
13DE
     RIP
           1..00
                  2.1 1.13
                            0.3
                                5.0 L 452A4 1 452A4 1
13DE
                  2.9 1.50
                            1.0 8.0 L 454E1 2
     RTS
            .95
13DE
                            1.0 8.0 L 454E1 2
     NRTS
           .05
                  2.9 1.50
13E
      R&R
          1.00
                  0.2 .00
                           0.1 0.3 T 452A4 2
                  0.1 .67
13E
      BCOK
           .02
                            0.0 11.0 T 452A4 2
13E
      RTS
            .93
                  0.1 .67
                            0.0 11.0 T 452A4 2
13E
      NRTS
           .05
                  0.1 .67
                            0.0 11.0 T 452A4 2
13F09 RIP
          1.00
                  4.5 5.73
                            0.3 15.8 L 452A4 2
13FA R&R
            .50
                  0.4 1.68
                            0.3 5.0 T 452A5 2
13FA RIP
                            0.3 5.0 T 452A5 2
            .50
                  0.4 1.68
13FA RTS
           1.00
                  3.5 .00
                            3.4
                                3.6 T 451CB 1 METS 1
13FBC R&R
                  2.0 .00
                                 2.1 T 452A5 2
           1.00
                            1.9
13FBC RTS
                                 3.5 T 452C5 1
            .50
                  2.4 1.77
                            1.0
13FBC NRTS
           .50
                  2.4 1.77
                            1.0
                                 3.5 T 452C5 1
                                 7.0 T 452A5 2
13H
                  0.5 1.64
      R&R
            .50
                            0.5
13H
                  0.5 1.64
                                 7.0 T 452A5 2
      CND
            .33
                            0.5
13H
      RIP
            .17
                  0.5 1.64
                            0.5
                                 7.0 T 452A5 2
13H
     BCOK
            .37
                  1.7 .53
                           0.5
                                 2.0 T 451CA 1 DISPL 1
13H
      RTS
            .50
                  1.7
                      .53
                           0.5
                                 2.0 T 451CA 1 DISPL 1
13H
      NRTS
                  1.7 .53
                           0.5
                                 2.0 T 451CA 1 DISPL 1
            .13
13K
      RIP
           1.00
                  0.3 .00
                            0.2
                                 0.4 T 452A5 2
13L
                  0.5 .00
                                 0.6 T 452A5 2
      RIP
           1.00
                            0.4
                  6.1 2.18
1400
     R&R
            .54
                            3.9
                                 8.0 T 452AB 2
1400
      CND
            .07
                  6.1 2.18
                            3.9
                                 8.0 T 452AB 2
                  6.1 2.18
1400
      FOM
            .02
                            3.9
                                 8.0 T 452AB 2
1400
                  6.1 2.18
                            3.9
                                 8.0 T 452AB 2
     RIP
            .39
1400
     BCOK
            .03
                  2.2 2.20
                            0.5
                                 8.5 L 452AB 2
1400
     RIS
            .59
                  2.2 2.20
                            0.5
                                 8.5 L 452AB 2
                  2.2 2.20
1400 NRTS
                            0.5
                                 8.5 L 452AB 2
            .38
14A09 R&R
            .20
                  2.9 1.93
                            1.0
                                 9.0 L 452AB 2
14A09 CND
            .20
                  2.9 1.93
                            1.0
                                9.0 L 452AB 2
14A09 RIP
                  2.9 1.93
                            1.0
                                 9.0 L 452AB 2
            .60
14A09 BCOK
            .02
                  2.9 2.27
                            0.5
                                 8.5 L 452AB 2
1.4A09 RTS
                  2.9 2.27
            .93
                            0.5
                                 8.5 L 452AB 2
14A09 NRTS
                  2.9 2.27
                                 8.5 L 452AB 2
                            0.5
            .05
14AA R&R
                  0.5 1.90
                            0.5
                                 8.0 T 452AB 2
            .42
14AA CND
            .06
                  0.5 1.90
                            0.5
                                 8.0 T 452AB 2
14AA FOM
            .03
                  0.5 1.90
                            0.5
                                 8.0 T 452AB 2
14AA RIP
                  0.5 1.90
                            0.5
                                 8.0 T 452AB 2
            .52
14AA BCOK
                  0.9 2.47
                            0.5 8.5 T 451CB 1 METS
            .07
                                                     i
14AA RTS
                  0.9 2.47
            .93
                            0.5 8.5 T 451CB 1 METS 1
                            0.5 16.0 L 452A4 2 452AB 2 452A5 1
14AB
     R&R
            .70
                  7.4 3.63
14AB
            .20
                            0.5 16.0 L 452A4 2
      CND
                  7.4 3.63
14AB RIP
            .10
                  7.4 3.63
                           0.5 16.0 L 452A4 2
14AB
      RTS
            .40
                  2.3 1.60
                            0.5 6.0 L 452A4 2
14AB
     NRTS
            .60
                  2.3 1.60
                            0.5 6.0 L 452A4 2
14AC R&R
            .66
                  6.6 2.28 2.0 12.0 L 452A4 2 452AB 2 452A5 1
```

```
14AC
                   6.6 2.28
                              2.0 12.0 L 452A4 2
      CND
             .17
                   6.6 2.28
                              2.0 12.0 L 452A4 2
14AC
      RIP
             .17
                   2.3 1.60
                              0.5
                                   6.0 L 452A4 2
14AC
      RTS
             .40
      NRTS
                   2.3 1.60
                                   6.0 L 452A4 2
14AC
             .60
                              0.5
                   8.0 2.40
                              8.0 16.0 T 458E2 1
14ADE R&R
            1.00
                   2.9 2.27
14ADE BCOK
                                   8.5 L 458E2 1
             .04
                              0.5
14ADE RTS
                   2.9 2.27
                                   8.5 L 458E2 1
             .65
                              0.5
                   2.9 2.27
                                   8.5 L 458E2 1
14ADE NRTS
             .31
                              0.5
14AF
      R&R
             .67
                   2.0 1.62
                              0.5
                                   3.8 T 452AB 2
14AF
      RIP
             .33
                   2.0 1.62
                              0.5
                                   3.8 T 452AB 2
14AF
           1.00
                   0.5
                        .00
                              0.4
                                   0.6 T 451CB 1 METS
      NRTS
                        .00
                   0.5
14AU
      RIP
            1.00
                              0.4
                                   0.6 T 454E1 1
                   5.4 5.44
14B
      RIP
            1.00
                              0.3 28.0 L 454E1 1
             .70
                   1.3 3.19
14CA
      R&R
                              1.0 16.0 T 458E2 1
14CA
      RIP
             .30
                    1.3 3.19
                              1.0 16.0 T 458A2
14CA
      NRTS
           1.00
                   1.0
                        .00
                              0.9
                                   1.1 T 458A2
14CB
             .50
                   4.9 2.52
                                   8.0 T 458E2 1
      R&R
                              3.0
             .50
14CB
                   4.9 2.52
      RIP
                              3.0
                                   8.0 T 458E2
14CB
           1.00
                   0.5 1.86
      NETS
                              0.5
                                   5.0 T 458E2
                                                1
14CD
             .46
                    3.9 4.40
                              0.5 16.0 L 452A4 2
      R&R
             .54
14CD
      RIP
                    3.9 4.40
                              0.5 16.0 L 452A4 2
14CD NRTS
           1.00
                   0.5 2.10
                              0.5
                                   5.0 T 452A4 2
                    6.8 3.99
                              0.3 28.0 1 458E2 1
14D0A R&R
             .77
                    6.8 3.99
14D0A CND
             .05
                              0.3 28.0 L 458A2 1
14DCA FOM
                    6.8 3.99
                              0.3 28.0 L 458E2 1
             .02
                    6.8 3.99
14D0A RIP
             .18
                              0.3 28.0 L 458A2 1
14D0A RTS
             .50
                    2.4 1.59
                              1.0
                                    3.8 T 458E0 1
14DOA NRTS
             .50
                    2.4 1.59
                              1.0
                                   3.8 T 458E0 1
14DB
      RIP
            1.00
                    8.6 3.38
                              2.5 12.0 T 458E2 1
                                    2.1 T 458E2
14DC
      R&R
            1.00
                    2.0
                         .00
                              1.9
14DC
            1.00
                                    3.9 T 458E2 1
      RTS
                    3.8
                         .00
                              3.7
14DD
            1.00
                    3.4 1.19
                              1.9
                                    5.5 T 452A4 2
      R&R
                    1.0
                              0.9
14DD
      NRTS 1.00
                        .00
                                    1.1 T 452A4 2
                    1.9 1.52
14E0A RIP
            1.00
                              0.3
                                    8.0 L 458E2 1
                              2.9
            1.00
                    3.0
                         .00
                                    3.1 T 458E2 1
14E0A RTS
14EB
      R&R
             .12
                    2.3
                         .14
                              2.0
                                    2.3 T 452A4
                                                 1
14EB
      CND
             .12
                    2.3
                         .14
                              2.0
                                    2.3 T 452A4 1
             .76
                    2.3
14EB
      RIP
                         .14
                              2.0
                                    2.3 T 452A4 1
14EB
      RTS
            1.00
                    3.0
                         .00
                              2.9
                                    3.1 T 452A4 1
14ED
      RIP
            1.00
                    2.0 2.20
                              0.3
                                   8.0 L 458A2 1
14G
      R&R
             .70
                    6.8 2.88
                              0.5 11.0 T 458E2 1
                    6.8 2.88
14G
      RIP
             .30
                              0.5 11.0 T 452A4 2
14G
      BCOK
             .03
                    2.8 2.20
                              0.5
                                   8.5 L 454E1 2
      RTS
             .59
                    2.8 2.20
                              0.5
                                    8.5 L 454E1 2
14G
             .38
                    2.8 2.20
                              0.5
                                    8.5 L 454E1 2
14G
      NRIS
                              0.3 12.0 L 458E2 1
14H0A R&R
             .17
                    2.4 1.05
14H0A CND
             .17
                    2.4 1.05
                              0.3 12.0 L 458E2 1
14H0A RIP
             .66
                    2.4 1.05
                              0.3 12.0 L 458E2 1
                    2.8 2.20
14H0A BCOK
             .03
                              0.5
                                   8.5 L 458E2 1
             .59
                    2.8 2.20
                              0.5
14H0A RTS
                                    8.5 L 458E2 1
                    2.8 2.20
                              0.5
14HOA NRTS
             .38
                                    8.5 L 458E2 1
```

```
14HB
                   0.6 1.63
                             0.3
      R&R
             .22
                                  6.0 T 452A5 2
14HB
             .11
      CND
                   0.6 1.63
                             0.3
                                   6.0 T 452A5 2
14HB
      RIP
                   0.6 1.63
                                   6.0 T 452A5 2
             .67
                             0.3
1.4HB
      BCOK
             .03
                   2.8 2.20
                             0.5
                                   8.5 L 454E1 2
14HB
             .59
                   2.8 2.20
                                   8.5 L 454E1 2
      RTS
                             0.5
14HB
                                   8.5 L 454E1 1
      NRTS
            .38
                   2.8 2.20
                             0.5
                   8.0 1.73
                             5.0
14P
      R&R
           1.00
                                   8.0 T 452A5 2
14P
                   2.8 2.20
                                   8.5 L 452A5 2
      BCOK
            .03
                             0.5
14P
                             0.5
                                   8.5 L 452A5 2
      RTS
             .59
                   2.8 2.20
                                   8.5 L 452A5 2
14P
      NRTS
            .38
                   2.8 2.20
                             0.5
14X
      CND
           1.00
                   1.0 .00
                             0.9
                                   1.1 T 452A5 2
2300
                                   4.0 T 452A4 1 454C0 1
      R&R
             .43
                   2.0 1.20
                             0.3
2300
      CND
             .57
                   2.0 1.20
                             0.3
                                   4.0 T 452A4 1 454C0 1
2300
                   0.2 1.44
                                   8.5 T 454C0 1
      BCOK
             .21
                             0.2
2300
                   0.2 1.44
                                   8.5 T 454C0 1
      RTS
             .32
                             0.2
2300 NRTS
                   0.2 1.44
                                   8.5 T 454C0 1
             .47
                             0.2
2310A R&R
                   3.1 1.86
                                   8.0 L 452A4 1 452AB 2
             .86
                             1.0
                   3.1 1.86
                                   8.0 L 452A4 1 452AB 2
2310A CND
             .03
                             1.0
2310A RIP
             .11
                   3.1 1.86
                             1.0
                                   8.0 L 452A4 1 452AB 2
                   0.3 1.84
                                   8.5 T 451CB 1 METS
2310A BCOK
             .28
                             0.3
                                                        1
2310A NRTS
                   0.3 1.84
                             0.3 8.5 T 451CB 1 METS
             .72
             .25
                             1.0 11.6 T 458E2 1
231B CND
                   1.0 4.58
231B
      RIP
             .75
                   0.3 1.34
                             0.3 8.5 T 458E2 1
231D
                   5.1 4.66
                             1.0 32.0 L 452A4 1
      RIP
            1.00
                   5.7 3.94
231F
      RER
             .89
                             1.0 16.0 I. 458E2 1
231F
      RIP
             .11
                   5.7 3.94
                             1.0 16.0 L 458E2 1
231F
                    .3 .47
      BCOK
             .11
                              .3 2.0 T 458E2 1 451CB 1 METS
                              .3 2.0 T 458E2 1 451CB 1 METS
231F
      NRTS
                    .3 .47
             .89
231H
      R&R
             .50
                   7.4 7.30
                             1.0 32.0 L 458E2 1
231H
      RIP
             .50
                   7.4 7.30
                             1.0 32.0 L 458E2 1
231H
      NRTS 1.00
                   1.0
                        .00
                             0.9
                                   1.1 T 451CB 1 METS
231M
      R&R
             .77
                        .01
                             4.9
                                   5.1 T 458E2 1
                   5.0
231M
      CND
             .03
                        .01
                             4.9
                                   5.1 T 458E2 1
                   5.0
                                   5.1 T 458E2 1
231M
      RIP
             .20
                        .01
                             4.9
                   5.0
231M
      NRTS 1.00
                   1.0
                       .00
                             0.9
                                  1.1 T 451CB 1 METS
23A
                   0.2 2.10
                             0.2 15.0 T 452A4 1
      R&R
             .11
23A
                   0.2 2.10
      CND
             .04
                             0.2 15.0 T 452A4 1
23A
                   0.2 2.10
      FOM
             .04
                             0.2 15.0 T 452A4 1
23A
             .85
                   0.2 2.10
                             0.2 15.0 T 452A4 1
      RIP
23A
                   0.5 1.49
                                  3.8 T 454C0 1
      RTS
             .75
                             0.5
23A
                   0.5 1.49
                             0.5
                                   3.8 T 454C0 1
      NRTS
             .25
23B0K R&R
             .33
                   2.9
                        .64
                             0.5
                                   8.0 L 454C0 1
23BOK RIP
             .67
                   2.9
                        .64
                             0.5
                                   8.0 L 454C0 1
23B0K BCOK
             .21
                   0.5
                        .00
                             0.4
                                   0.6 T 454C0 1
23BOK RTS
             .32
                   0.5
                        .00
                             0.4
                                   0.6 T 454C0 1
23BOK NRTS
            .47
                   0.5
                        .00
                             0.4
                                   0.6 T 454C0 1
23BP
      R&R
            1.00
                   1.5
                        .00
                                   1.6 T 452A4 1
                             1.4
23BP
                                   0.6 T 452A4 1
      BCOK
            .21
                   0.5
                        .00
                             0.4
             .32
23BP
                   0.5
                        .00
                             0.4
                                   0.6 T 452A4 1
      RTS
2.3BP
      NRTS
             .47
                   0.5
                        .00
                             0.4
                                   0.6 T 452A4 1
23C
                                   2.1 T 452A4 1
      R&R
             .48
                   2.0
                        .00
                             1.9
```

```
23C
      CND
             .06
                   2.0
                         .00
                              1.9
                                    2.1 T 452A4 1
23C
      FOM
             .06
                   2.0
                         .00
                              1.9
                                    2.1 T 452A4 1
23C
                              1.9
                                    2.1 T 452A4 1
      RIP
             .46
                   2.0
                         .00
23C
             .21
                   0.2 1.44
                                .2
                                    8.5 T 454C0 1
      BCOK
23C
                                .2
      RTS
             .32
                   0.2 1.44
                                    8.5 T 454C0 1
23C
             .47
                   0.2 1.44
                                . 2
                                    8.5 T 454C0 1
      NRTS
23E
      R&R
            1.00
                   0.5 .00
                              0.4
                                    0.6 T 452A4 1
23E
      BCOK
             .21
                   0.2 1.44
                              0.2
                                    8.5 T 452A4 1
             .32
                              0.2
                                    8.5 T 452A4 1
23E
                   0.2 1.44
      RTS
23E
      NRTS
             .47
                   0.2 1.44
                              0.2
                                    8.5 T 452A4 1
23F
      R&R
             . 56
                   1.5 1.47
                              0.3
                                    8.0 L 452A4 1
23F
      FOM
                   1.5 1.47
                              0.3
                                    8.0 L 452A4 1
             .05
23F
             .44
                   1.5 1.47
                              0.3
                                    8.0 L 452A4 1
      RIP
23F
                        .00
      RTS
            1.00
                   3.0
                              2.9
                                    3.1 T 454C0 1
23G
                   3.2 2.51
                                   8.0 T 454C0 1
      R&R
             .67
                              2.0
                   3.2 2.51
23G
      FOM
                              2.0
                                    8.0 T 454C0 1
             .25
23G
      RIP
             .33
                   3.2 2.51
                              2.0
                                    8.0 T 454C0 1
23G
      BCOK
             .21
                   0.2 1.44
                              0.2
                                    8.5 T 454C0 1
23G
                   0.2 1.44
                                    8.5 T 454C0 1
      RTS
                              0.2
             .32
23G
             .47
                   0.2 1.44
                              0.2
                                    8.5 T 454C0 1
      NRTS
23HA
      R&R
             .71
                   4.4 2.67
                               0.3
                                    9.9 T 452A4 1
23HA
      CND
             .13
                   4.4 2.67
                               0.3
                                    9.9 T 452A4 1
23HA
                   4.4 2.67
                                    9.9 T 452A4 1
      FOM
             .07
                               0.3
23HA
      RIP
             .87
                   4.4 2.67
                               0.3
                                    9.9 T 452A4 1
23HA
      F COK
             .00
                   2.0 1.44
                               0.4
                                    4.5 T 454C0 1
                   2.0 1.44
                                    4.5 T 454C0 1
23HA
      RTS
                               0.4
             .00
23HC
             .00
                   2.0 2.53
                               0.5
                                    8.0 T 452A4 1
      R&R
                   2.0 2.53
                                    8.0 T 452A4 1
23HC
      CND
             .00
                               0.5
                   2.0 2.53
23HC
                                    8.0 T 452A4 1
      FOM
             .11
                               0.5
                   2.0 2.53
23HC
      RIP
            1.00
                               0.5
                                    8.0 T 452A4 1
             .00
                   0.0 1.44
                                    4.5 T 454C0 1
23HC
      BCOK
                               0.4
                                    4.5 T 454C0 1
23HC
      RIS
             .00
                   0.0 1.44
                               0.4
                    3.3 0.35
                                    3.5 T 452A4 1
23HE
            1.00
                               3.0
      R&R
23HE
      CND
             .00
                   0.9 2.46
                               0.3
                                    9.9 T 452A4 1
                   0.9 2.46
23HE
             .00
                                    9.9 T 452A4 1
      FOM
                               0.3
23HE
      RIP
             .00
                   0.9 2.46
                               0.3
                                    9.9 T 452A4 1
23HE
      BCOK
                    2.0 1.44
                               0.4
                                    4.5 T 454C0 1
             ٠ÛÛ
23HE
      RTS
             .00
                   2.0 1.44
                               0.4
                                    4.5 T 454C0 1
                                    5.5 T 452A4 1
23HF
      R&R
             .78
                    3.1 1.36
                               1.0
23HF
                    3.1 1.36
                                    5.5 T 452A4 1
      CND
             .17
                               1.0
                                    5.5 T 452A4 1
23HF
      FOM
             .00
                    3.1 1.36
                               1.0
23HF
      RIP
             .05
                    3.1 1.36
                               1.0
                                    5.5 T 452A4 1
23HF
      BCOK
             .57
                    2.3 1.44
                               0.4
                                    4.5 T 451CB 1 METS
23HF
                    2.3 1.44
                                    4.5 T 451CB 1 METS
      RTS
             .43
                               0.4
      R&R
             .00
                    2.5 0.71
                               2.0
                                    3.0 T 452A4 1
23HJ
23HJ
      CND
             .00
                    2.5 0.71
                               2.0
                                    3.0 T 452A4 1
                    2.5 0.71
                               2.0
23HJ
      FOM
             .00
                                    3.0 T 452A4 1
23HJ
      RIP
            1.00
                    2.5 0.71
                               2.0
                                    3.0 T 452A4 1
23HJ
      BCOK
             .00
                    2.0 1.44
                               0.4
                                    4.5 T 454CU 1
                                    4.5 T 454C0 1
23HJ
      RTS
             .00
                    2.0 1.44
                               0.4
23J
                    0.3 2.59
                               0.3
                                   7.0 T 452A4 1
      R&R
             .67
```

```
0.3
23J
      RIP
             .33
                   0.3 2.59
                                   7.0 T 452A4 1
23J
             .21
                   0.2 1.44
                              0.2
                                   8.5 T 452A4 1
      BCOK
23J
                   0.2 1.44
                              0.2
                                   8.5 T 452A4 1
      RTS
             .32
23J
      NRTS
             .47
                   0.2 1.44
                              0.2
                                   8.5 T 452A4 1
             .00
                   2.0 0.82
                              1.5
                                   4.0 T 452A4 1
23KA
      R&R
23KA
             .14
                   2.0 0.82
                              1.5
                                   4.0 T 452A4 1
      CND
             .30
                   2.0 0.82
                              1.5
                                   4.0 T 452A4 1
23KA
      FOM
                   2.0 0.82
                              1.5
                                   4.0 T 452A4 1
23KA
      RIP
             .86
                                   5.5 T 454C0 1
23KA
      BCOK
             .00
                   1.0 1.37
                              1.0
23KA
             .00
                   1.0 1.37
                                   5.5 T 454C0 1
      RTS
                              1.0
23KB
      R&R
             .00
                   1.9 0.85
                              1.0
                                   3.0 T 452A4 1
23KB
      CND
             .00
                   1.9 0.85
                              1.0
                                   3.0 T 452A4 1
23KB
      FOM
             .50
                   1.9 0.85
                              1.0
                                   3.0 T 452A4 1
23KB
            1.00
                   1.9 0.85
                              1.0
                                   3.0 T 452A4 1
      RIP
                                   1.1 T 454C0 1
23KB
      BCOK 1.00
                   1.0 0.01
                              0.9
23KB
             .00
                   1.0 0.01
                              0.9
                                   1.1 T 454C0 1
      RTS
                                   5.0 T 452A4 1
23KC
      R&R
             .28
                   1.5 1.07
                              0.5
23KC
             .28
                   1.5 1.07
                              0.5
                                   5.0 T 452A4 1
      CND
23KC
                   1.5 1.07
      FOM
                              0.5
                                   5.0 T 452A4 1
             .05
23KC
      RIP
             .44
                   1.5 1.07
                              0.5
                                   5.0 T 452A4 1
             .29
                                   5.5 T 451CB 1 METS
23KC
                   2.6 1.35
                              1.6
      BCOK
                                   5.5 T 454C0 1 METS
23KC
      RTS
             .71
                   2.6 1.35
                              1.6
                                   7.0 T 452A4 1
23P
           1.00
                   3.9 1.67
                              2.0
      R&R
                                   8.5 T 452A4 1
23P
                   0.2 1.44
      BCOK
             .21
                               .2
23P
             .32
                   0.2 1.44
                               .2
                                   8.5 T 452A4 1
      RTS
                               .2
23P
      NRTS
             .47
                   0.2 1.44
                                   8.5 T 452A4 1
230
             .79
                   1.8 1.28
                                   5.0 L 452A4 1
      R&R
                              0.3
2.3Q
                   1.8 1.28
      FOM
             .09
                              0.3
                                   5.0 L 452A4 1
230
      RIP
             .21
                   1.8 1.28
                              0.3
                                   5.0 L 452A4 1
230
      BCOK
             .21
                   0.2 1.44
                              0.2
                                   8.5 T 452A4 1
23Q
             .32
                   0.2 1.44
                              0.2
                                   8.5 T 452A4 1
      RTS
23Q
      NRTS
             .47
                   0.2 1.44
                              0.2
                                   8.5 T 452A4 1
23U
            1.00
                       .00
                                   2.6 T 452A4 1
                   2.5
                              2.4
      R&R
23U
                                   8.5 T 452A4 1
      BCOK
             .21
                   0.2 1.44
                              0.2
23U
                   0.2 1.44
                              0.2
                                   8.5 T 452A4 1
      RTS
             .32
                              0.2
                                   8.5 T 452A4 1
23U
                   0.2 1.44
      NRTS
             .47
23X
            1.00
                        .00
                              2.9
                                   3.1 T 452A4 1
                   3.0
      R&R
             .21
                              0.2
                                   8.5 T 454C0 1
23X
      BCOK
                   0.2 1.44
                                   8.5 T 454C0 1
23X
                   0.2 1.44
                              0.2
      RTS
             .32
                                  8.5 T 454C0 1
                   0.2 1.44
                              0.2
23X
             .47
      NRTS
                   3.7 2.46
                              0.5 14.0 L 452A4 3 452A4 1 452A5 1
23Z
             .53
      R&R
23Z
                   3.7 2.46
                              0.5 14.0 L 452A4 3 452A4 1 452A5 1
      CND
             .14
23Z
      FOM
             .11
                   3.7 2.46
                              0.5 14.0 L 452A4 3 452A4 1 452A5 1
23Z
      RIP
             .33
                   3.7 2.46
                              0.5 14.0 L 452A4 3 452A4 1 452A5 1
232
      RTS
            1.00
                   0.2 .00
                              0.1
                                   0.3 T 454C0 4
24A
             .45
                   2.5 1.78
                              0.1
                                   8.0 L 452A4 1
      R&R
                   2.5 1.78
                                   8.0 L 452A4 1
24A
      CND
             .24
                              0.1
             .03
                   2.5 1.78
24A
      FOM
                              0.1
                                   8.0 L 452A4 1
24A
      RIP
             .31
                   2.5 1.78
                              0.1
                                   8.0 L 452A4 1
24A
                   2.2 1.42
           1.00
                              0.5
                                   6.0 L 454C0 1
      NRTS
                       .58
                              0.5
24B0D R&R
             .83
                   1.8
                                   3.0 L 452A4 1
```

```
24BOD CND
             .04
                   1.8
                       .58
                              0.5
                                   3.0 L 452A4 1
24B0D RIP
             .13
                   1.8 .58
                              0.5
                                   3.0 L 452A4 1
24B0D NRTS 1.00
                   3.0 1.39
                              0.5
                                   4.0 T 454C0 1
24BE
      R&R
            .00
                   2.6 1.77
                              0.3
                                   8.0 L 452A4 1
                   2.6 1.77
24BE
      CND
             .00
                              0.3
                                   8.0 L 452A4 1
24BE
      RIP
           1.00
                   2.6 1.77
                              0.3
                                   8.0 L 452A4 1
24BE
      NRTS 1.00
                   3.0 1.39
                              0.5
                                   4.0 T 454C0 1
24BF
      R&R
            .00
                   2.6 1.77
                              0.3
                                   8.0 L 452A4 1
24BF
             .00
                   2.6 1.77
                              0.3
                                   8.0 L 452A4 1
      CND
24BF
           1.00
                   2.6 1.77
                              0.3
                                   8.0 L 452A4 1
      RIP
24BF
      NRTS 1.00
                   3.0 1.39
                              0.5
                                   4.0 T 454C0 1
24C
            .67
                   1.1 .76
                                   2.0 T 452A4 1
      R&R
                              0.5
             .33
                        .76
24C
      RIP
                   1.1
                              0.5
                                   2.0 T 452A4 1
24C
      RTS
             .45
                   2.6 1.68
                              0.5
                                   7.2 L 452A4 1
24C
      NRTS
            .53
                   2.6 1.68
                              0.5
                                   7.2 L 452A4 1
24C
            .02
                   2.6 1.68
                                   7.2 L 452A4 1
      COND
                              0.5
24D
      R&R
             .15
                   1.8 1.70
                              0.1
                                   8.0 L 452A4 2 462A0 2 452A4 2
24D
             .03
      CND
                   1.8 1.70
                              0.1
                                   8.0 L 452A4 2 462A0 2 452A4 2
24D
      RĩP
             .82
                   1.8 1.70
                              0.1
                                   8.0 L 452A4 2 462A0 2 452A4 2
                                   7.2 T 454E1 1
24D
             .78
                   1.6 1.99
      RTS
                              0.5
24D
      NRTS
             .18
                   1.6 1.99
                              0.5
                                   7.2 T 454E1 1
24D
            .04
                                   7.2 T 454E1 1
      COND
                   1.6 1.99
                              0.5
24F
      CND
           1.00
                   1.0
                       .00
                              0.9
                                   1.1 T 454El 1
24X
      CND
           1.00
                   1.4 1.75
                              0.1
                                   1.8 T 454E1 1
33
      R&R
             .50
                    .7
                         .00
                              0.6
                                    .8 T 452A5 1
33
      CND
             .50
                    .7
                         .00
                              0.6
                                    .8 T 452A5 1
33
      RTS
            1.00
                    .7
                         .00
                              0.6
                                    .8 T 452A5 1
41A9
                        .00
      CND
           1.00
                              0.9
                                   1.1 T 452A5 1
                   1.0
             .88
41AA
      R&R
                   0.7 1.53
                              0.3
                                   5.0 T 452A5 1
41AA
      CND
             .06
                   0.7 1.53
                              0.3
                                   5.0 T 452A5 1
41AA
      RIP
             .06
                   0.7 1.53
                              0.3
                                   5.0 T 452A5 1
41AA
            .40
                   1.3 .82
                                   3.5 T 451CA 1 COMPU 1
      BCOK
                              1.5
41AA
      RTS
             .20
                   1.3
                         .82
                              1.5
                                   3.5 T 451CA 1 COMPU 1
41AA
      NRTS
             .40
                   1.3
                        .82
                              1.5
                                   3.5 T 451CA 1 COMPU 1
                                   7.5 L 452A5 1
41AB
             .70
                   2.6 1.91
      R&R
                              0.3
41AB
                   2.6 1.91
                                   7.5 L 452A5 1
      CND
             .07
                              0.3
             .04
41AB
                   2.6 1.91
                                   7.5 L 452A5 1
      MOT
                              0.3
41AB
      RJP
             .23
                   2.6 1.91
                              0.3
                                   7.5 L 452A5 1
41AB
      RTS
            1.00
                   3.3
                       .00
                              3.2
                                   3.4 T 451CA 1 COMPU 1
41AC
             .70
                   0.8 2.44
                              0.5
                                   8.0 T 452A5 2
      R&R
41AC
      CND
             .20
                   0.8 2.44
                              0.5
                                   8.0 T 452A5 2
41AC
      FOM
             .09
                   0.8 2.44
                              0.5
                                   8.0 T 452A5 2
             .10
41AC
      RIP
                   0.8 2.44
                              0.5 8.0 T 452A5 2
                              1.5 14.9 T 452A5 2
41AC
      PCOK
             .33
                   1.5 4.83
41AC
             .34
                   1.5 4.83
                              1.5 14.9 T 452A5 2
      RTS
41AC
      NRTS
             .33
                   1.5 4.83
                              1.5 14.9 T 452A5 2
                   2.2
                        .92
41ADE R&R
             .17
                              1.0 4.0 T 452A5 2
                              1.0 4.0 T 452A5 2
41ADE RIP
             .83
                   2.2
                        .92
41ADE BCOK
             .33
                   1.5 4.83
                              1.5 14.9 T 452A5 2
4 LADE RTS
             .34
                   1.5 4.83
                              1.5 14.9 T 452A5 2
             .33
                   1.5 4.83
                              1.5 14.9 T 452A5 2
4 LADE NRTS
```

```
41C
      R&R 1.00
                   1.5
                        .92
                              0.7 2.0 T 452A5 1
                   1.5 4.83
                               1.5 14.9 T 452A5 1
41C
             .33
      BCOK
             .34
41C
      RTS
                   1.5 4.83
                               1.5 14.9 T 452A5
             .33
                   1.5 4.83
                               1.5 14.9 T 452A5
41C
      NRTS
                        .00
41X
      R&R
             .67
                   1.0
                              0.9
                                    1.1 T 452A5
                                    1.1 T 452A5 1
41X
      CND
             .33
                   1.0
                        .00
                               0.9
41X
             .33
                   1.5 4.83
                               1.5 14.9 T 452A5
      BCOK
             .34
                    1.5 4.83
                                  14.9 T 452A5
41X
      RTS
                               1.5
             .33
                   1.5 4.83
                               1.5 14.9 T 452A5
41X
      NRTS
42A0D R&R
             .79
                   2.0 1.99
                               0.2
                                    8.0 L 452A5
                   2.0 1.99
                                    8.0 L 452A5
42A0D CND
             .07
                               0.2
                   2.0 1.99
42A0D RIP
             .14
                              0.2
                                    8.0 L 452A5
42A0D BCOK
             .20
                   2.4 1.47
                               1.0
                                    6.0 L 452C5 1
42A0D RTS
             .20
                   2.4 1.47
                                    6.0 L 452C5 1
                               1.0
42A0D NRTS
                    2.4 1.47
                                    6.0 L 452C5
             .60
                               1.0
                                                 1
42AF
            1.00
                    1.2
                        .78
                               0.4
                                    3.0 L 452A5 1
      R&R
42AF
      NRTS 1.00
                   2.6 2.12
                               0.3
                                    8.0 L 451CB 1 METS
                        .00
42AH
            1.00
                   0.5
                                    0.6 T 452A5 1
      R&R
                               0.4
                   2.5 1.92
42AH
      BCOK
             .06
                               0.3
                                    8.0 L 452C5
42AH
             .06
                    2.5 1.92
                               0.3
                                    8.0 L 452C5
      RTS
                                                 1
                    2.5 1.92
42AH
      NRTS
             .88
                               0.3
                                    8.0 L 452C5
             .68
                   2.0 2.34
                               0.2 16.0 L 452A5
42BA
      R&R
             .02
                   2.0 2.34
                               0.2 16.0 L 452A5
42BA
      CND
             .30
42BA
                    2.0 2.34
                               0.2 16.0 L 452A5 2
      RIP
                    2.5 1.87
42BA
      BCOK
             .09
                               0.3
                                    8.0 L 452C5
                    2.5 1.87
42BA
      RTS
             .12
                               0.3
                                    8.0 L 452C5
             .79
                    2.5 1.87
42BA
                               0.3
                                    8.0 L 452C5 1
      NRTS
42BB
             .68
                    2.0 2.34
                               0.2 16.0 L 452A5 2
      R&R
                    2.0 2.34
                               0.2 16.0 L 452A5
42BB
             .02
      CND
42BB
      RIP
             .30
                    2.0 2.34
                               0.2 16.0 L 452A5 2
                                    8.0 I, 452C5
42BB
      BCOK
             .09
                    2.5 1.87
                               0.3
42BB
      RTS
             .12
                    2.5 1.87
                               0.3
                                    8.0 L 452C5 1
42BB
             .79
                    2.5 1.87
                                    8.0 L 452C5
      NRTS
                               0.3
42BC
             .68
                    2.0 2.34
                               0.2 16.0 L 452A5 2
      R&R
             .02
                    2.0 2.34
                               0.2 16.0 L 452A5 2
42BC
      CND
42BC
             .30
                    2.0 2.34
                               0.2 16.0 L 452A5 2
      RIP
42BC
             .09
                    2.5 1.87
                               0.3
                                    8.0 L 452C5
      BCOK
42BC
      RTS
             .12
                    2.5 1.87
                               0.3
                                    8.0 L 452C5 1
42BC
      NRTS
             .79
                    2.5 1.87
                               0.3
                                    8.0 L 452C5
42C0B R&R
             .00
                         .74
                    1.0
                               0.4
                                    2.5 T 452A5
            1.00
42C0B RIP
                    0.5
                         .01
                               0.4
                                    0.6 T 452A5 2
42C0B BCOK
             .09
                    2.5 1.87
                               0.3
                                    8.0 L 452C5 1
                    2.5 1.87
                                    8.0 L 452C5
42C0B RTS
             .12
                               0.3
42C0B NRTS
             .79
                    2.5 1.87
                               0.3
                                    8.0 L 452C5 1
42CC
      R&R
             .00
                    1.0
                         .74
                               0.4
                                    2.5 T 452A5 2
42CC
            1.00
                    0.5
                         .01
                                    0.6 T 452A5
      RIP
                               0.4
                    2.5 1.87
42CC
      BCOK
             .09
                               0.3
                                    8.0 L 452C5
                    2.5 1.87
42CC
             .12
                               0.3
                                    8.0 L 452C5 1
      RTS
42CC
      NRTS
             .79
                    2.5 1.87
                               0.3
                                    8.0 L 452C5
             .00
                                    2.5 T 452A5
42CDH R&R
                    1.0
                         .74
                               0.4
                                    2.5 T 452A5 2
            1.00
                         .74
                               0.4
42CDH RIP
                    1.4
```

```
.09
                    2.5 1.87
                               0.3
                                    8.0 L 452C5 1
42CDH BCOK
                               0.3
                                    8.0 L 452C5 1
                    2.5 1.87
42CDH RTS
             .12
             .79
                    2.5 1.87
                               0.3
                                    8.0 L 452C5 1
42CDH NRTS
                         .74
             .00
                    1.0
                               0.4
                                    2.5 T 452A5 2
42CJ
      R&R
                    2.0
                         .01
                               1.9
                                    2.1 T 452A5 2
42CJ
            1.00
      RIP
                               0.3
                                    8.0 L 452C5 1
             .09
                    2.5 1.87
42CJ
      BCOK
                    2.5 1.87
                               0.3
                                    8.0 L 452C5 i.
42CJ
             .12
      RTS
                    2.5 1.87
                               0.3
                                    8.0 L 452C5 1
42CJ
             .79
      NRTS
                    2.0 2.34
                               0.2 16.0 T 452A5 2
42DB
      R&R
             .68
                               0.2 16.0 T 452A5 2
                    2.0 2.34
42DB
      CND
             .02
42DB
      RIP
             .30
                    2.0 2.34
                               0.2 16.0 T 452A5 2
                    2.5 1.87
                               0.3
                                    8.0 L 452A5 2
42DB
             .09
      BCOK
                    2.5 1.87
                                    8.0 L 452A5 2
                               0.3
42DB
      RTS
             .12
                    2.5 1.87
                                   8.0 L 452A5 2
             .79
                               0.3
42DB
      NRTS
                    2.0 2.34
                               0.2 16.0 T 452A5 2
             .68
42DC
      R&R
                               0.2 16.0 T 452A5 2
                    2.0 2.34
42DC
      CND
              .02
                               0.2 16.0 T 452A5
42DC
              .30
                    2.0 2.34
      RIP
                    2.5 1.87
                                    8.0 L 452A5 2
42DC
      BCOK
              .09
                               0.3
                    2.5 1.87
                                    8.0 L 452A5 2
             .12
                               0.3
42DC
      RTS
                                    8.0 L 452A5 2
                    2.5 1.87
                               0.3
42DC
      NRTS
              .79
                               0.7 16.0 T 452A5 2
              .20
                    0.7 4.16
42E
      R&R
                    0.7 4.16
                               0.7 16.0 T 452A5 2
42E
      RIP
              .80
                                    8.0 L 452A5 2
42E
       BCOK
              .09
                    2.5 1.87
                               0.3
                    2.5 1.87
                               0.3
                                    8.0 L 452A5 2
42E
       RIS
              .12
                                    8.0 L 452A5 2
42E
       NRTS
              .79
                    2.5 1.87
                               0.3
                         .76
                                     2.0 T 452A4 2
42F
            1.00
                    1.1
                               0.5
       R_{k}R
                               1.3
                                     5.0 T 451CB 1 METS
42F
              .33
                    1.5 1.62
                                                           1
       BCOK
                                     5.0 T 451CB 1 METS
                                                           ].
42F
       RTS
              .67
                    1.5 1.62
                               1.3
                    0.7 0.12
                                     1.0 T 452A5 1
440
       R&R
              .00
                               0.4
440
       CND
              .50
                    0.7 0.12
                               0.4
                                     1.0 T 452A5 1
                    0.7 0.12
                               0.4
                                     1.0 T 452A5 1
440
       RIP
              .50
              .50
                    2.0 1.83
                               0.5
                                     8.9 T 451CB 1 METS
440
       BCOK
                                     8.9 T 451CE 1 METS
                    2.0 1.83
                               0.5
440
              .50
       RTS
                                     8.9 T 451CB 1 METS
440
              .00
                    2.0 1.83
                               0.5
       COND
                                     1.8 T 452A5 1
44A
       R&R
              .57
                    0.2 0.40
                               0.1
44A
              .02
                    0.2 0.40
                               0.1
                                     1.8 T 452A5 1
       CNI)
                                     1.8 T 452A5 1
              ,41
                    0.2 0.40
                               0.1
44A
       RJP
                                     8.9 T 451CB 1 METS
                    2.0 1.83
                                                           1
              .50
                               0.5
44A
       BCOK
                                     8.9 T 451CB 1 METS
              .50
                    2.0 1.83
                               0.5
44A
       RTS
                                     8.9 T 451CB 1 METS
                    2.0 1.83
                               0.5
                                                           1
44A
       COND
              .00
                    0.2 0.71
                                     3.2 T 452A5 1
44B09 R&R
              .00
                               0.2
44B09 CND
              .00
                    0.2 0.71
                               0.2
                                     3.2 T 452A5 1
                               0.2
                                     3.2 T 452A5 1
44B09 RIP
                    0.2 0.71
             1.00
                                     8.9 T 451CB 1 METS
                    2.0 1.83
                               0.5
                                                           1
44B09 BCOK
              .50
                                     8.9 T 451CB 1 METS
                                                           1
44B09 RTS
              .50
                    2.0 1.83
                               0.5
                                     8.9 T 451CB 1 METS
                                                           1
44B09 COND
                    2.0 1.83
                               0.5
              .00
44BA
       R&R
              .00
                    0.3 0.19
                               0.1
                                     1.0 T 452A5 1
                                     1.0 T 452A5 1
                    0.3 0.19
                                0.1
44BA
       CND
              .00
                     0.3 0.19
                               0.1
                                     1.0 T 452A5 1
             1.00
44BA
       RIP
                                     8.9 T 451CB 1 METS
              .50
                     2.0 1.83
                               0.5
44BA
       BCOK
                                     8.9 T 451CB 1 METS
44BA
       RTS
              .50
                     2.0 1.83
                               0.5
```

```
44BA COND
             .00
                    2.0 1.83
                              0.5
                                    8.9 T 451CB 1 METS
44BBR R&R
             .67
                    1.0 0.81
                               0.9
                                    4.4 T 452A5 1
             .00
                               0.9
44BBR CND
                    1.0 0.81
                                    4.4 T 452A5 1
             .33
                    1.0 0.81
                                    4.4 T 452A5 1
44BBR RIP
                               0.9
             .33
                    2.0 1.83
                               0.5
                                    8.9 T 451CB 1 METS
44BBR BCOK
                                                          1
44BBR RTS
             .67
                    2.0 1.83
                               0.5
                                    8.9 T 451CB 1 METS
                                                          1
44BBR COND
             .00
                    2.0 1.83
                               0.5
                                    8.9 T 451CB 1 METS
                               1.0
44ECD R&R
            1.00
                    2.2 0.60
                                    4.0 T 452A5 1
44E0D CND
             .00
                    2.2 0.60
                               1.0
                                    4.0 T 452A5 1
             .00
44EOD RIP
                    2.2 0.60
                               1.0
                                    4.0 T 452A5 1
44EOD BCOK
             .50
                    2.0 1.83
                               0.5
                                    8.9 T 451CB 1 METS
                                                          1
             .50
44EOD RTS
                    2.0 1.83
                               0.5
                                    8.9 T 45JCB 1 METS
                                                          1
44EOD COND
             .00
                    2.0 1.83
                               0.5
                                    8.9 T 451CB 1 METS
                                                          1
44EE
      R&R
            1.00
                    2.2 0.60
                               1.0
                                    4.0 T 452A5 1
44EE
      CND
             .00
                    2.2 0.60
                               1.0
                                    4.0 T 452A5 1
44EE
      RIP
              .00
                    2.2 0.60
                               1.0
                                    4.0 T 452A5 1
44EE
             .50
                    2.0 1.83
                               0.5
                                    8.9 T 451CB 1 METS
      BCOK
                                                          1
44EE
             .50
                    2.0 1.83
                               0.5
                                    8.9 T 451CB 1 METS
      RTS
                                                          1
44FE
      COND
             .00
                    2.0 1.83
                               0.5
                                    8.9 T 451CB 1 METS
                                                          1
44EF
            1.00
                    2.2 0.60
                                    4.0 T 452A5 1
      R<sub>N</sub>R
                               1.0
44EF
      CND
              .CO
                    2.2 0.60
                               1.0
                                    4.0 T 452A5 1
44EF
      RIP
              .00
                    2.2 0.60
                               1.0
                                    4.0 T 452A5 1
              .50
                    2.0 1.83
                               0.5
                                    8.9 T 451CB 1 METS
44EF
      BCOK
                                                          1
44EF
              .50
                    2.0 1.83
                               0.5
                                    8.9 T 451CB 1 METS
      RIS
                                                          1
44EF
      COND
             .00
                    2.0 1.83
                               0.5
                                    8.9 T 451CB 1 METS
                                                          1
44EG
                    2.2 0.60
                                    4.0 T 452A5 1
      RAR
            1.00
                               1.0
44EG
      CND
              .00
                    2.2 0.60
                               1.0
                                    4.0 T 452A5 1
44EG
      RIP
              .00
                    2.2 0.50
                               1.0
                                    4.0 T 452A5 1
44EG
             .50
                    2.0 1.83
                                    8.9 T 451CB 1 METS
      BCOK
                               0.5
                                                          1
                    2.0 1.83
                               0.5
              .50
                                    8.9 T 451CB 1 METS
44EG
      RTS
                                                          1
44EG
             .00
                    2.0 1.83
                               0.5
                                    8.9 T 451CB 1 METS
      COND
                                                          1
44EH
      R&R
            1.00
                    2.2 0.60
                               1.0
                                    4.0 T 452A5 1
44EH
              .00
      CND
                    2.2 0.60
                               1.0
                                    4.0 T 452A5 1
44EH
              .00
                    2.2 0.60
                               1.0
                                    4.0 T 45245 1
      RIP
             .50
44EH
                    2.0 1.83
                               0.5
                                    8.9 T 451CB 1 METS
      BCOK
                                                          1
44EH
      RTS
              .50
                    2.0 1.83
                               0.5
                                    8.9 T 451CD 1 METS
                                                          1
                    2.0 1.83
                               0.5
                                    8.9 T 451CB 1 METS
44EH
      COND
              .00
                                                          1
            1.00
                                    4.0 T 452A5 1
44EJ
      R&R
                    2.2 0.60
                               1.0
44EJ
      CND
              .00
                    2.2 0.60
                               1.0
                                    4.0 T 452A5 1
44EJ
              .00
                    2.2 0.60
                                    4.0 T 452A5 1
      RIP
                               1.0
44EJ
              .50
                    2.0 1.83
                               0.5
                                    8.9 T 451CB 1 METS
      BCOK
                                                          1
             .50
                    2.0 1.23
44EJ
                               0.5
                                    8.9 T 451CB 1 METS
      RIS
                                                          1
44EJ
              .00
                    2.0 1.83
                               0.5
                                    8.9 T 451CB 1 METS
      COND
                                                          1
                    2.2 0.60
                                    4.0 T 452A5 1
44EK
      R&R
            1.00
                               1.0
44EK
              .00
                    2.2 0.60
                               1.0
                                    4.0 T 452A5 1
      CND
44EK
              .00
                    2.2 0.60
                                    4.0 T 452A5 1
      RIP
                               1.0
                               U.5
                                    8.9 T 451CB 1 METS
44EK
              .50
                    2.0 1.83
      BCOK
                                                          1
              .50
                               0.5
44EK
      RTS
                    2.0 1.83
                                    8.9 T 451CB 1 METS
                                                          1
             .00
44EK
      COND
                    2.0 1.83
                               0.5
                                    8.9 T 451CB 1 METS
                                                           1
45A
              .54
                    1.7 1.73
                               0.4
                                    8.0 L 452AB 2
      R&R
              .17
45A
      CND
                    1.7 1.73
                               0.4
                                    8.0 L 452AB 2
```

```
8.0 L 452AB 2
45A
      FOM
             .03
                   1.7 1.73
                              0.4
45A
      RIP
             .29
                   1.7 1.73
                              0.4
                                   8.0 L 452AB 2
                   0.5 1.59
                                   5.0 T 451CB 1 METS
45A
      RTS
             .29
                              0.5
                                                         1
                   0.5 1.59
                              0.5
                                   5.6 T 451CB 1 METS
45A
      NRTS
             .71
                                                         1
45B
      R&R
             .38
                   0.5 1.12
                              0.5
                                   7.0 T 452AB 2
                   0.5 1.12
                              0.5
                                   7.0 T 452AB 2
45B
      RIP
             .62
                   2.4 2.50
                              0.5
                                   4.0 T 451CB 1 MEIS
45B
      RTS
             .50
                                                         1
                   2.4 2.50
                              0.5
                                   4.0 T 451CB 1 METS
                                                         1
45B
             .50
      NRTS
45C
      R&R
             .35
                   0.5 2.13
                              0.5 14.0 T 452AB 2
                   0.5 2.13
                              0.5 14.0 T 452AB 2
45C
      CND
             .02
                              0.5 14.0 T 452AB 2
45C
      RIP
             .63
                   0.5 2.13
45C
      NRTS 1.00
                    .8
                        .00
                               .7
                                    .9 T 454E1 1
                        .00
                                   1.1 T 454E1 1
45X
                              0.9
      R&R
           1.00
                   1.0
             .30
                   0.5 1.59
                              0.5
                                   5.0 T 454E1 1
45X
      RTS
                   0.5 1.59
                              0.5
                                   5.0 T 454E1 1
45X
             .70
      NRTS
                   2.0 3.21
                              0.3
                                   7.9 T 454C3 3
460
      R&R
             .50
                   2.0 3.21
                                   7.9 T 454C3 3
460
      CND
             .25
                              0.3
460
      FOM
             .33
                   2.0 3.21
                              0.3
                                   7.9 T 454C3 3
                                   7.9 T 454C3 3
460
      RIP
             .25
                   2.0 3.21
                              0.3
      RTS
            1.00
                   0.8 1.00
                              0.2
                                   3.5 T 454C3 3
460
             .00
                   2.6 2.10
                              0.3 12.6 L 454C3 3
46A0C R&R
                              0.3 12.6 L 454C3 3
                   2.6 2.10
46A0C CND
             .25
46A0C RIP
                   2.6 2.10
                              0.3 12.6 L 454C3 3
             .75
                   0.8 1.00
46A0C RTS
            1.00
                              0.2
                                   3.5 T 454C3 3
46AD
             .00
                   3.3 1.84
                              0.7
                                   7.5 L 454C3 3
      R&R
                   3.3 1.94
46AD
                                   7.5 L 454C3 3
      CIVID
             .06
                              0.7
46AD
      RIP
             .94
                   3.3 1.84
                              0.7
                                   7.5 L 454C3 3
                   0.8 1.00
                                   3.5 T 454C3 3
46AD
      RTS
            1.00
                              0.2
46AE
             .00
                   5.9 4.00
                              0.5 13.0 L 454C3 3
      R&R
             .00
46AE
      CMD
                   5.9 4.00
                              0.5 13.0 L 454C3 3
46AE
      RIP
            1.00
                   5.9 4.00
                              0.5 13.0 L 454C3 3
                   0.8 1.00
                              0.2
                                   3.5 T 454C3 3
46AE
      RTS
            1.00
                   1.8 1.82
                                   8.0 L 452A4 2
46B
      R&R
             .48
                              0.2
                                   8.0 L 452A4 2
46B
      CND
             .28
                   1.8 1.82
                              0.2
46B
      FOM
             .19
                   1.8 1.82
                              0.2
                                   8.0 L 452A4 2
46B
      RIP
             .24
                   1.8 1.82
                              0.2
                                   8.0 L 454C3 3
46B
                   3.5
                        .00
                              3.4
                                    3.6 T 454C3 3
      RTS
            1.00
46D09 R&R
                   1.8 0.94
                              0.5
                                   4.0 L 454C3 3 454E1 1
             .00
                                   4.0 L 454C3 3 454E1 1
46D09 CND
                   1.8 0.94
             .40
                              0.5
46D09 RIP
                   1.8 0.94
             .60
                              0.5
                                   4.0 L 454C3 3 454E1 1
                        .71
46D09 NRTS
                                   2.0 T 454C3 3 454E1 1
           1.00
                   1.5
                              1.0
                                   5.5 T 454C3 3 454E1 1
46DA R&R
             .83
                   2.7 1.02
                              0.5
                   2.7 1.02
                              0.5
                                   5.5 T 454C3 3 454E1 1
46DA
      CND
             .17
                   2.7 1.02
                                    5.5 T 454C3 3 454E1 1
46DA RIP
             .00
                              0.5
                                    2.0 T 454C3 3 454E1 1
                   1.5
                         .71
                              1.0
46DA RTS
            0.00
                        .71
                   1.5
                                   2.0 T 454C3 3 454E1 1
46DA BCOK 0.00
                              1.0
46DA NRTS 1.00
                   1.5
                        .71
                              1.0
                                   2.0 T 454C3 3 454E1 1
                   3.3 2.43
                              0.3 13.0 L 452A5 2 454C3 1
45EOA R&R
             .22
                   3.3 2.43
                              0.3 13.0 L 452A5 2 454C3 1
46EOA CND
             .22
                              0.3 13.0 L 452A5 2 454C3 1
                   3.3 2.43
46EOA RIP
             .56
                   0.5
                                  3.2 T 454C3 1 454E1 1
            1.00
                        .88
                              0.2
46EOA RTS
```

```
.96
                    2.1 1.79
                               0.5
                                    7.0 T 452AB 2
46EB
      R&R
                                     7.0 T 432AB 2
46EB
      CND
             .04
                    2.1 1.79
                               0.5
                                     3.2 T 451CB 2 METS
46EB
      BCOK
             .15
                    1.0 0.90
                               0.3
                                                           1
             .85
                    1.0 0.90
                               0.3
                                     3.2 T 451CB 2 METS
                                                           1
46EB
      NRTS
                    2.4 1.15
                               0.5
                                     2.5 T 454C3 3
            1.00
46EC
      R&R
                                     3.2 T 451CB 2 METS
46EC
      RTS
            1.00
                    0.5 0.88
                               0.2
                                                           1
             .75
                    2.7 1.89
                                     7.9 L 452AB 2
                               0.5
46ED
      R&R
                                     7.9 L 452AB 2
46ED
      CND
             .08
                    2.7 1.89
                               0.5
                                     7.9 L 452AB 2
             .17
                    2.7 1.89
                               0.5
46ED
      RIP
                                .2
             .20
                     .6
                         .36
                                     1.0 T 451CB 2 METS
46ED
      BCOK
                                                           1
                     .6
                         .36
                                .2
                                     1.0 T 451CB 2 METS
                                                           1
46ED
      NRTS
             .80
             .40
                    0.8 2.42
                                .8
                                     8.0 T 452A5 2
46EE
       R&R
                                     8.0 T 452A5 2
                    0.8 2.42
46EE
       CND
             .40
                                .8
                                     8.0 T 452A5 2
             .20
                    0.8 2.42
                                .8
46EE
       RIP
                                     3.2 T 451CB 2 METS
46EE
       RIS
            1.00
                    0.5 0.88
                               0.2
             .18
                    0.8
                          .47
                                .5
                                     2.0 T 452A4 2
46F
       R&R
                    0.8
                         .47
                                .5
                                     2.0 T 452A4 2
46F
             .82
       RIP
                                     3.5 T 454C3 3
                    0.8 1.00
                               0.2
46F
       RTS
            1.00
                                     1.1 T 454C3 1
                    1.0
                         .00
                               0.9
            1.00
46G
       CND
                    0.8 1.21
                                     3.0 T 452A5 1
              .50
                               0.4
46K
       CND
                                     3.0 T 452A5 1
              .50
                    0.8 1.21
                               0.4
46K
       RIP
       CND
            1.00
                    1.0
                         .00
                               0.9
                                     1.1 T 452AB 2
46X
                                     4.3 T 452A5 1
                    0.3 0.94
                               0.3
47
       R&R
              .63
                    0.3 0.94
                                     4.3 T 452A5 1
47
                               0.3
       CMD
              .16
                                     4.3 T 452A5 1
                    0.3 0.94
                               0.3
47
       RIP
              .21
                    0.4 1.14
                                     2.0 T 452C5 1
47
                                0.0
       RTS
             1.00
                                     1.0 L 452A5 2
49A0
       R&R
              .00
                    0.9
                          .20
                               0.5
                               0.5
                                     1.0 L 452A5 2
       CND
             1.00
                    0.9
                          .20
49A0
                          .20
                               0.5
                                     1.0 L 452A5 2
49A0
       FOM
              .00
                    0.9
                                     4.1 T 452C5 1
                                3.9
49A0
       RTS
            0.00
                    4.0
                          .00
                                     2.2 L 452A5 2
                                0.3
49AA
       R&R
              .00
                    1.1
                          .69
                                     2.2 L 452A5
              .50
                          .69
                                0.3
49AA
       CND
                    1.1
                                     2.2 L 452A5 2
49AA
       FOM
              .33
                    1.1
                          .69
                                0.3
                                     2.2 L 452A5 2
49AA
       RIP
              .50
                    1.1
                          .69
                                0.3
                          .00
                                3.9
                                     4.1 T 452C5
49AA
       RTS
             0.00
                    4.0
                                     7.5 L 452A5 2
                    4.8 2.33
                                2.0
49AB
              .00
       R&R
49AB
       CND
              .00
                    4.8 2.33
                                2.0
                                     7.5 L 452A5 2
                    4.8 2.33
                                2.0
                                     7.5 L 452A5 2
              .00
49AB
       FOM.
                                     7.5 L 452A5 2
             1.00
                    4.8 2.33
                                2.0
49AB
       RIP
                                3.9
                                     4.1 T 451CB 1 METS
                    4.0
                         .00
                                                           1
49AB
       RTS
             0.00
49AC
              .34
                    1.9 1.86
                                Ú.1
                                     7.5 L 452A5 1
       R&R
              .50
                                     7.5 L 452A5 1
49AC
                     1.9 1.86
                                0.1
       CND
                                     7.5 L 452A5 1
                                0.1
49AC
                     1.9 1.86
       FOM
              .14
                                     7.5 L 452A5 1
49AC
       RIP
              .16
                     1.9 1.86
                                0.1
                                     4.1 T 452C5 1
49AC
       RIS
             1.00
                     4.0
                          .00
                                3.9
                                     2.1 T 452A5 1
49AG
       RIP
             1.00
                     2.0
                          .01
                                1.9
             1.00
                     4.0
                          .00
                                3.9
                                     4.1 T 452C5 1
49AG
       RTS
             1.00
                     3.0
                          .01
                                2.9
                                     3.1 T 452A5 1
49AH
       RIP
             1.00
                          .00
                                3.9
                                     4.1 T 452C5 1
49AH
       RTS
                     4.0
49C
       CND
             1.00
                     1.0
                          .00
                                0.9
                                     1.1 T 452A5 1
                                0.9
                                      1.1 T 451CA 1 COMPU
49C
       RTS
             0.00
                     1.0
                          .00
```

```
49X
      CND
           1.00
                  1.0 .00 0.9
                                1.1 T 452A5 1
49X
           0.00
                  1.0 .00 0.9
                                 1.1 T 451CA 1 COMPU
      RTS
51AOC R&R
            .14
                  2.4 1.10
                            1.0
                                 5.0 T 452AB 2
51AOC CND
            .72
                  2.4 1.10
                            1.0
                                 5.0 T 452AB 2
51AOC RIP
            .14
                  2.4 1.10
                            1.0
                                 5.0 T 452AB 2
51A0C BCOK 1.00
                  2.1 .00
                            2.0
                                2.2 T 451CB 1 METS
51AD R&R
            .90
                  0.7 1.57
                            0.5
                                6.0 T 452AB 2
51AD
                  0.7 1.57
      CND
            .03
                            0.5
                                 6.0 T 452AB 2
51AD RIP
            .07
                  0.7 1.57
                            0.5
                                 6.0 T 452AB 2
51AD BCOK
            .27
                  0.3
                      .66
                            0.3
                                 3.5 T 451CA 1 COMPU 1
51AD NRIS
            .73
                  0.3
                       .66
                            0.3
                                 3.5 T 451CA 1 COMPU 1
51AEF R&R
            .88
                  0.4
                       .83
                            0.4
                                 3.0 T 452AB 2
51AEF RIP
                  0.4 .83
            .12
                            0.4
                                 3.0 T 452AB 2
            .40
51AEF BCOK
                  2.6 2.14
                            0.7
                                8.0 L 451CB 1 METS
                                                      1
51AEF NRTS
            .60
                  2.6 2.14
                            0.7 8.0 L 451CB 1 METS
51AC
     R&R
            .00
                  2.0 0.01
                            1.9
                                 2.1 T 452AB 2
51AG
            .00
     CND
                  2.0 0.01
                            1.9
                                2.1 T 452AB 2
51AG RIP
           1.00
                  2.0 0.01
                            1.9 2.1 T 452AB 2
51AG
     BCOK
           .00
                  1.8 1.09
                            0.3
                                 3.5 T 451CB 1 METS
                                                      1
51AG
     NRTS
            .00
                  1.8 1.09
                            0.3
                                 3.5 T 451CB 1 METS
51AH R&R
            .00
                  2.3 1.43
                            0.5
                                 4.5 T 452AB 2
51AH
     CND
            .00
                  2.3 1.43
                            0.5 4.5 T 452AB 2
51AH RIP
           1.00
                  2.3 1.43
                            0.5
                                4.5 T 452AB 2
51AH BCOK
           .00
                  1.8 1.09
                            0.3
                                 3.5 T 451CA 1 COMPU 1
                            0.3
51AH NRTS
            .00
                  1.8 1.09
                                 3.5 T 451CA 1 COMPU 1
51AJ
            .70
                  1.8 0.84
                            0.5
                                 3.0 T 452AB 2
      RAR
51AJ
            .30
                  1.8 0.84
                            0.5
                                 3.0 'T 452AB 2
      CND
51AJ
     RIP
            .00
                  1.8 0.84
                            0.5
                                 3.0 T 452AB 2
51AJ BCOK
            .30
                  1.8 1.09
                            0.3 3.5 T 451CA 1 COMPU 1
                                 3.5 T 451CA 1 COMPU 1
51AJ NRTS
            .70
                  1.8 1.09
                            0.3
51AKL R&R
            .82
                  1.0
                      .60
                            1.0
                                2.6 T 452AB 2
            .09
51AKL CND
                  1.0
                       .60
                            1.0
                                 2.6 T 452AB 2
51AKL RIP
            .09
                      .60
                                 2.6 T 452AB 2
                  1.0
                            1.0
51AKL NRTS 1.00
                  0.5
                      .54
                            0.5
                                2.0 T 451CB 1 METS
           1.00
                  1 0 1.24
51AM R&R
                            1.0 4.0 T 452AB 2
                  0.7 .43
51AM BCOK
           .27
                            0.5
                                1.5 T 451CA 1 COMPU 1
                  0.7 .43
                                 1.5 T 451CA 1 COMPU 1
51AM
      NRTS
            .73
                            0.5
51AN
                  2.1 1.33
     R&R
            .73
                            0.4
                                6.0 L 452AB 2
51AN
      CND
            .12
                  2.1 1.33
                            0.4
                                 6.0 L 452AB 2
51AN
      FOM
            .00
                  2.1 1.33
                            0.4
                                 6.0 L 452AB 2
51AN
                  2.1 1.33
      RIP
            .15
                            0.4
                                6.0 L 452AB 2
5.1AN
      BCOK
            .27
                  0.7
                      .43
                            0.5
                                 1.5 T 451CA 1 COMPU 1
                      .43
51AN
      NRTS
            .73
                  0.7
                            0.5
                                1.5 T 451CA 1 COMPU 1
                  2.0 1.33
                                 7.5 L 452AB 2
51B
      R&R
            .76
                            0.1
518
                  2.0 1.33
                                 7.5 L 452AB 2
      CND
            .17
                            0.1
51B
      RIP
            .07
                  2.0 1.33
                            0.1
                                 7.5 L 452AB 2
51.B
      BCOK
            .23
                  0.7
                       .43
                            0.5
                                 1.5 T 451CA 1 COMPU 1
            .07
51B
      RTS
                  0.7
                       .43
                            0.5
                                 1.5 T 451CA 1 COMPU 1
51B
      NRTS
           .70
                  0.7
                       .43
                            0.5
                                 1.5 T 451CA 1 COMPU 1
51C
      CND
           1.00
                  0.5
                       .00 0.4 0.6 T 452AB 2
                       .00
          1.00
                  6.0
                            5.9 6.1 T 452AB 2
51E09 R&R
```

```
51E09 RTS
           1.00
                  4.6 4.42
                            0.2 16.0 L 451CA 1 COMPU 1
51EA
      R&R
           1.00
                  1.0 1.28
                            0.5 4.5 T 452AB 2
51EA
      BCOK
           .60
                  6.4 4.37
                            1.5 16.0 L 451CA 1 COMPU 1
51EA
      RTS
            .27
                  6.4 4.37
                            1.5 16.0 L 451CA 1 COMPU 1
51EA
      NRTS
            .13
                  6.4 4.37
                            1.5 16.0 L 451CA 1 COMPU 1
51ED
                  2.8 1.03
                            1.0 4.0 T 452AB 2
      R&R
            .85
            .08
51ED
      CND
                  2.8 1.03
                            1.0
                                 4.0 T 452AB 2
51ED
            .07
                  2.8 1.03
                                 4.0 T 452AB 2
      RIP
                            1.0
51ED
      BCOK
           .13
                  0.2
                       .74
                                 2.5 T 451CB 1 METS
                            0.2
           .87
                       .74
51ED
      NRTS
                  0.2
                            0.2
                                 2.5 T 451CB 1 METS
      RIP 1.00
                       .71
                                 2.0 T 452AB 2
51EE
                 1.5
                            1.0
51F
      R&R 1.00
                                1.1 T 452AB 2
                  1.0 .00
                            0.9
51F
      RTS
           1.00
                  0.2 2.42
                            0.2 16.0 T 451CB 1 METS
51M
      R&R
            .88
                  0.1 1.32
                                 7.5 T 452AB 1
                            0.1
51M
      CND
            .09
                  0.1 1.32
                                 7.5 T 452AB 2
                            0.1
51M
      RIP
            .03
                                 7.5 T 452AB 2
                  0.1 1.32
                            0.1
51M
      BCOK 1.00
                  2.0 .00
                            1.9
                                  2.1 T 451CB 1 METS
51N
      R&R
            .78
                  2.3 1.22
                            0.7
                                 7.0 L 452AB 2
51N
      CND
            .20
                  2.3 1.22
                            0.7
                                 7.0 L 452AB 2
51N
                                 7.0 L 452AB 2
      RIP
            .02
                  2.3 1.22
                            0.7
51N
      BCOK
            .08
                  0.3 .64
                            0.3
                                 4.0 T 451CA 1 DISPL 1
51N
      RTS
                       .64
                            0.3
                                 4.0 T 451CA 1 DISPL 1
            .10
                  0.3
                       .54
51N
      NRTS
            .82
                  0.3
                            0.3
                                 4.0 T 451CA 1 DISPL 1
51X
           1.00
                      .69
                                 2.5 T 452AB 2
      CND
                  1.0
                             1.0
520
      R&R
            .50
                  3.5 2.20
                            0.5
                                 5.0 T 452AB 2
520
                                 5.0 T 452AB 2
      CND
            .25
                  3.5 2.20
                            0.5
                                 5.0 T 452AB 2
520
      RIP
            .25
                  3.5 2.20
                            0.5
520
                  6.9 5.02
      RTS
           1.00
                             0.2 29.6 L 451CA 1 COMPU 1
52A0
            .00
                  2.9 1.56
                                 8.0 L 452AB 2
      R&R
                             0.7
52A0
            .58
                  2.9 1.56
                             0.7
                                 8.0 L 452AB 2
      CND
52A0
      RIP
            .42
                  2.9 1.56
                             0.7 8.0 L 452AB 2
52A0
      BCOK
           .00
                  7.0 4.20
                             0.2 29.6 L 451CA 1 COMPU 1
52A0
      RTS
            .00
                  7.0 4.20
                             0.2 29.6 L 451CA 1 COMPU 1
52A0
      NR1'S
            .00
                  7.0 4.20
                             0.2 29.6 L 451CA 1 COMPU 1
52AA
      R&R
            .78
                  2.9 1.56
                             0.7
                                 8.0 L 452AB 2
52AA
            .22
                  2.9 1.56
                                 8.0 L 452AB 2
      CND
                             0.7
52AA RIP
            .00
                  2.9 1.56
                             0.7 8.0 L 452AB 2
52AA
            .47
                  7.0 4.20
                             0.2 29.6 L 451CA 1 COMPU 1
      BCOK
52AA RTS
            .41
                  7.0 4.20
                             0.2 29.6 L 451CA 1 COMPU 1
52AA
      NRTS
                  7.0 4.20
                             0.2 29.6 L 451CA 1 COMPU 1
            .12
52AB
                             0.7 8.0 L 452AB 2
      R&R
            .00
                  2.9 1.56
52AB
            .00
                  2.9 1.56
                                 8.0 L 452AB 2
      CND
                             0.7
52AB
      RIP 1.00
                  2.9 1.56
                                 8.0 L 452AB 2
                             0.7
52AB
      BCOK
            .30
                             0.2 29.6 L 451CA 1 COMPU 1
                  7.0 4.20
52AB
      RTS
            .60
                  7.0 4.20
                             0.2 29.6 L 451CA 1 COMPU 1
52AB
      NRTS
            .10
                  7.0 4.20
                             0.2 29.6 L 451CA 1 COMPU 1
52AC
      R&R 1.00
                  2.9 1.56
                             0.7 8.0 L 452AB 2
52AC
      CND
            .00
                  2.9 1.56
                             0.7
                                 8.0 L 452AB 2
52AC
      RIP
            .00
                  2.9 1.56
                             0.7 8.0 L 452AB 2
52AC
      BCOK
           .45
                  7.0 4.20
                             0.2 29.6 L 451CA 1 COMPU 1
            .45
                            0.2 29.6 L 451CA 1 COMPU 1
52AC
      RTS
                  7.0 4.20
```

```
0.2 29.6 L 451CA 1 COMPU 1
             .05
                   7.0 4.20
52AC
      NRTS
52AD
                   2.9 1.56
                              0.7
                                   8.0 L 452AB 2
      R&R
             .00
                   2.9 1.56
                              0.7
                                   8.0 L 452AB 2
52AD
      CND
             .00
                   2.9 1.56
                              0.7
                                   8.0 L 452AB 2
52AD
      RIP
            1.00
52AD
      BCOK
             .00
                   7.0 4.20
                              0.2 29.6 L 451CA 1 COMPU 1
52AD
      RTS
             .00
                   7.0 4.20
                              0.2 29.6 L 451CA 1 COMPU 1
                   7.0 4.20
                              0.2 29.6 L 451CA 1 COMPU 1
52AD
      NRTS
             .00
52AF
      R&R
             .67
                   2.9 1.56
                              0.7
                                   8.0 L 452AB 2
                   2.9 1.56
                              0.7
                                   8.0 L 452AB 2
52AF
      CND
             .33
52AF
                   2.9 1.56
                              0.7
                                   8.0 L 452AB 2
      RIP
             .00
                   7.0 4.20
                              0.2 29.6 L 451CB 1 METS
52AF
      BCOK
             .00
52AF
             .00
                   7.0 4.20
                              0.2 29.6 L 451CB 1 METS
                                                          1
      RTS
52AF
      NRTS
             .00
                   7.0 4.20
                              0.2 29.6 L 451CB 1 METS
                                    3.5 T 452AB 2
             .25
                   2.3 0.75
                              2.0
52AH
      R&R
                   2.3 0.75
                                    3.5 T 452AB 2
52AH
      RIP
             .75
                              2.0
                    3.5 2.12
                              2.0
                                    5.0 T 451CB 1 METS
52AH
      RTS
            1.00
52B
      R&R
            1.00
                    2.9 1.62
                              0.5
                                    8.0 T 452AB 2
52B
      RTS
            1.00
                    3.5 2.12
                              2.0
                                    5.0 T 451CB 1 METS
                    4.0
                         .00
                              3.9
                                    4.1 T 452AB 2
52F
            1.00
      CND
                                    1.5 T 452AB 2
52X
             .33
                    1.2
                         .29
                               1.0
      R&R
                         .29
                    1.2
                                   1.5 T 452AB 2
52X
      CND
             .67
                               1.0
52X
            1.00
                    6.9 5.02
                               0.2 29.6 L 451CB 1 METS
      RTS
                                    1.1 T 452AB 2
54
      RIP
            1.00
                    1.0
                         .00
                               0.9
55A0A R&R
             .00
                    1.3
                         .23
                               0.9
                                    2.0 T 452AB 2
                         .23
                                    2.0 T 452AB 2
55AUA CND
             .25
                    1.3
                               0.9
                                    2.0 T 452AB 2
55A0A RIP
             .75
                    1.3
                         .23
                              0.9
                    1.5 2.43
                                    7.5 T 451CB 1 METS
55A0A BCOK
             .40
                               0.3
55A0A RTS
             .60
                    1.5 2.43
                               0.3
                                    7.5 T 451CB 1 METS
                                                          1
                    0.6
                         .40
                                    2.0 T 452AB 2
55AB R&R
             .03
                               0.1
                         .40
55AB
      CND
             .07
                    0.6
                               0.1
                                    2.0 T 452AB 2
55AB
      RIP
             .90
                    0.6
                         .40
                               0.1
                                    2.0 T 452AB 2
                    1.5 2.43
                                    7.5 T 451CB 1 METS
55AB
      BCOK
             .40
                               0.3
                                                          1
                              0.3
55AB
      RTS
             .60
                    1.5 2.43
                                    7.5 T 451CB 1 METS
                                                          1
                    2.2
                                    4.0 T 452AB 2
55AEF R&R
            1.00
                         .60
                               1.0
                         .60
                    2.2
                                    4.0 T 452AB 2
55AEF CND
             .00
                               1.0
55AEF RIP
                    2.2
                         .60
                                    4.0 T 452AB 2
             .00
                               1.0
             .40
                    1.5 2.43
                               0.3
                                    7.5 T 451CB 1 METS
55AEF BCOK
                                                          1
55AEF RTS
             .60
                    1.5 2.43
                               0.3
                                    7.5 T 451CB 1 METS
                    2.4 1.89
                                    8.0 L 452AB 2
55B
             .67
                               0.7
      R&R
55B
             .33
                    2.4 1.89
                               0.7
                                    8.0 L 452AB 2
      CND
             .05
                    3.1 8.55
                               0.7 32.2 T 451CA 1 COMPU 1
55B
      BCOK
                               0.7 32.2 T 451CA 1 COMPU 1
55B
      RTS
             .76
                    3.1 8.55
             .19
                               0.7 32.2 T 451CA 1 COMPU 1
55B
      NRTS
                    3.1 8.55
                                   5.0 T 452AB 2
            1.00
                    1.0 1.35
                               1.0
55C
      R&R
                                    6.5 T 451CA 1 COMPU 1
55C
      BCOK
             .70
                    0.2 1.33
                               0.2
                    0.2 1.33
                                    6.5 T 451CA 1 COMPU 1
55C
      RTS
             .13
                               0.2
                    0.2 1.33
55C
      NRTS
             .17
                               0.2
                                    6.5 T 451CA 1 COMPU 1
55D
             .16
                    0.1 0.78
                               0.1
                                    3.4 T 452AB 2
      R&R
             .08
                    0.1 0.78
                               0.1
                                    3.4 T 452AB 2
55D
      CND
                                    3.4 T 452AB 2
55D
       RIP
             .76
                    0.1 \ 0.78
                               0.1
                                    6.5 T 451CA 1 COMPU 1
             .39
                               0.2
55D
       BCOK
                    0.2 1.33
```

```
55D
      RTS
             .46
                   0.2 1.33
                             0.2
                                  6.5 T 451CA 1 COMPU 1
55D
             .15
                             0.2
                                   6.5 T 451CA 1 COMPU 1
      NRTS
                   0.2 1.33
55N
             .01
                        .73
                             0.1
                                   5.0 T 452AB 2
      R&R
                   0.1
55N
      CND
             .05
                        .73
                             0.1
                                  5.0 T 452AB 2
                   0.1
55N
             .94
                        .73
                                   5.0 T 452AB 2
      RIP
                   0.1
                             0.1
55N
           1.00
                   5.7 7.21
                             0.2 32.2 L 451CA 1 COMPU 1
      RTS
             .10
57A0B R&R
                   1.6
                        .87
                             0.5
                                   4.9 L 452AA 2
57A0B CND
                             0.5
                                   4.9 L 452AA 2
             .70
                   1.6
                         .87
                        .87
57A0B RIP
             .20
                   1.6
                             0.5
                                  4.9 L 452AA 2
57A0B BCOK
            .00
                   4.0 4.07
                             0.5 16.0 L 451CA 1 COMPU 1
57A0B RTS
           1.00
                   4.0 4.07
                             0.5 16.0 L 451CA 1 COMPU 1
57AC
             .78
      R&R
                   1.5 1.03
                             0.3
                                  6.0 L 452AA 2
57AC
      CND
             .00
                   1.5 1.03
                             0.3
                                  6.0 L 452AA 2
57AC
             .22
      RIP
                   1.5 1.03
                             0.3
                                  6.0 L 452AA 2
57AC
      BCOK
             .49
                   4.0 4.07
                             0.5 16.0 L 451CA 1 COMPU 1
57AC
      RTS
             .51
                   4.0 4.07
                             0.5 16.0 L 451CA 1 COMPU 1
57AD
      R&R
             .00
                       .01
                             0.9
                                  1.1 T 452AA 2
                   1.0
                        .01
57AD
      CND
           1.00
                   1.0
                             0.9
                                  1.1 T 452AA 2
57AD
      RIP
             .00
                        .01
                             0.9
                                  1.1 T 452AA 2
                   1.0
             .50
57AD
      BCOK
                   4.0 4.07
                              0.5 16.0 L 451CA 1 COMPU 1
57AD
             .50
      RTS
                   4.0 4.07
                             0.5 16.0 L 451CA 1 COMPU 1
57B
      R&R
             .00
                   1.0
                         .01
                             0.9
                                   1,1 L 452AA 2
57B
      CND
             .00
                   1.0
                         .01
                              0.9
                                   1.1 L 452AA 2
57B
      RIP
           1.00
                   1.0
                        .01
                             0.9
                                  1.1 L 452AA 2
57B
             .00
      BCOK
                   4.0 4.07
                              0.5 16.0 L 451CA 1 MICRO 1
57B
                   4.0 4.07
      RTS
             .00
                              0.5 16.0 L 451CA 1 MICRO 1
57C
      R&R
             .55
                   1.5
                         .98
                              0.3
                                  6.0 L 452AA 2
57C
      CND
             .23
                   1.5
                        .98
                              0.3
                                   6.0 L 452AA 2
57C
      RIP
             .22
                   1.5
                        .98
                              0.3
                                  6.0 L 452AA 2
57C
             .49
                   4.0 4.07
                              0.5 16.0 L 451CA 1 COMPU 1
      BCOK
57C
      RTS
             .51
                   4.0 4.07
                              0.5 16.0 L 451CA 1 COMPU 1
57D
             .55
                         .98
      R&R
                   1.5
                              0.3
                                  6.0 L 452AA 2
57D
      CND
             .23
                   1.5
                        .98
                              0.3 6.0 L 452AA 2
57D
             .22
      RIP
                   1.5
                        .98
                              0.3
                                  6.0 L 452AA 2
57D
      BCOK
             .49
                   4.0 4.07
                              0.5 16.0 L 451CA 1 COMPU 1
                   4.0 4.07
57D
      RTS
             .51
                              0.5 16.0 L 451CA 1 COMPU 1
57N
                         .01
                              0.9
      R&R
             .00
                   1.0
                                   1.1 L 452AA 2
57N
      CND
             .00
                   1.0
                         .01
                              0.9
                                   1.1 L 452AA 2
57N
                        .01
      RIP
            1.00
                   1.0
                              0.9
                                  1.1 L 452AA 2
57N
      BCOK
             .00
                   4.0 4.07
                              0.5 16.0 L 451CA 1 COMPU 1
57N
      RTS
             .00
                   4.0 4.07
                              0.5 16.0 L 451CA 1 COMPU 1
63
             .35
                   1.3 0.69
                              0.2
                                  6.0 L 452AC 2
      R&R
63
             .50
                   1.3 0.69
                              0.2
                                   6.0 L 452AC 2
      CND
63
                              0.2
                                   6.0 L 452AC 2
      RIP
             .15
                   1.3 0.69
63
                   4.6 3.38
                              0.5 17.5 L 451CB 1 METS
      BCOK
             .25
                                                         1
63
      RTS
             .74
                   4.6 3.38
                              0.5 17.5 L 451CE 1 METS
63
      NRTS
                   4.6 3.38
                              0.5 17.5 L 451CB 1 METS
             .01
654
            1.00
                   0.3
                         .00
                              0.2
                                  0.4 T 452AC 2
      RIP
                                   5.0 T 452AC 2
65A
             .09
                        .71
      R&R
                   0.1
                              0.1
65A
      CND
             .21
                   0.1
                         .71
                              0.1
                                   5.0 T 452AC 2
65A
      RIP
             .70
                   0.1
                         .71
                             0.1
                                  5.0 T 452AC 2
```

```
65A
      BCOK
            ,16
                  7.7 6.00
                             0.9 31.4 L 451CB 1 METS
                  7.7 6.00
                             0.9 31.4 L 451CB 1 METS
                                                       1
65A
      RTS
             .€5
65A
      NRTS
            .19
                  7.7 6.00
                             0.9 31.4 L 451CB 1 METS
                             0.5
                                 5.0 L 452AC 2
                  1.2
                       .60
65B0B R&R
            .12
                       .60
                                  5.0 L 452AC 2
65B0B CND
                  1.2
                             0.5
             .31
                             0.5 5.0 L 452AC 2
                  1.2
                       .60
65B0B RIP
             .57
65B0B BCOK
                  9.8 6.28
                             1.0 23.7 L 451CB 1 METS
            .17
                             1.0 23.7 L 451CB 1 METS
65B0B RTS
             .78
                  9.8 6.28
65B0B NRTS
                  9.8 6.28
                             1.0 23.7 L 451CB 1 METS
             .05
                       .95
                             1.0
                                 4.0 T 452AC 2
65BH R&R
             .90
                  1.0
                  1.0
                       .95
                             1.0
                                  4.0 T 452AC 2
65BH
      CND
             .05
                   1.0 .95
                                 4.0 T 452AC 2
65BH
                             1.0
      RIP
             .05
65BH
             .32
                  7.0 4.25
                             1.7 18.9 L 451CA 1 DISPL 1
      BCOK
             .56
                             1.7 19.9 L 451CA 1 DISPL 1
65BH
      RTS
                  7.0 4.25
65BH
      NRTS
             .12
                  7.0 4.25
                             1.7 18.9 L 451CA 1 DISPL 1
             .33
65C
      CND
                  0.7
                       .29
                             0.5
                                  1.0 T 452AC 2
65C
      RIP
             .67
                  0.7
                        .29
                             0.5
                                  1.0 T 452AC 2
65H
      CND
           1.00
                   1.0
                        .00
                             0.9
                                  1.1 T 452AC 2
65N
                        .00
                             0.2
                                  0.4 T 452AC 2
      RIP
           1.00
                   0.3
                             0.9
                                   1.1 T 452AC 2
65X
      RIP
           1.00
                   1.0
                        .00
                        .00
                                  0.6 T 452AA 2
66
      RIP
           1.00
                   0.5
                             0.4
                                  1.1 T 452AA 2
710
      CND
           1.00
                   1.0
                        .00
                             0.9
71A
             .53
                        .30
                             0.1 5.5 L 452AA 2
      R&R
                   1.6
             .42
                        .80
                   1.6
                             0.1 5.5 L 452AA 2
71A
      CND
                             0.1 5.5 L 452AA 2
71A
             .05
                   1.6
                       .80
      RIP
                             0.3 82.5 L 451CA 1 COMPU 1
71A
      BCOK
             .38
                   9.4 7.91
                   9.4 7.91
                             0.3 82.5 L 451CA 1 COMPU 1
71A
      KTS
             .43
71A
                   9.4 7.91
                             0.3 82.5 L 451CA 1 COMPU 1
      NRTS
             .19
                             1.5 2.0 T 452AB 2
71B
      R&R
             .50
                   1.7
                       .29
71B
             .50
                   1.8
                        .29
                             1.5
                                  2.0 T 452AB 2
      CND
                                  5.0 T 451CB 1 METS1
                   5.0 1.44
                             2.0
71B
      BCOK
             .33
                   5.0 1.44
                             2.0
                                   5.0 T 451CB 1 METS1
71B
      RTS
             .67
             .27
                   0.7 0.60
                                   3.0 T 452AC 2
71C
      R&R
                             0.5
71C
      CND
             .73
                   0.7 0.60
                             0.5 3.0 T 452AC 2
                   3.6 3.51
                             0.5 12.5 L 451CB 1 METS
71C
      BCOK
             .33
                   3.6 3.51
                             0.5 12.5 L 451CB 1 METS
                                                       1
71C
      RTS
             . 34
                             0.5 12.5 L 451CB 1 METS
71C
             .33
                   3.6 3.51
      NRTS
                       .35
                             0.5 2.0 T 452AC 2
71D0
             .00
                   0.5
      R&R
71D0
             .86
                   0.5
                        .35
                             0.5
                                  2.0 T 452AC 2
      CND
                             0.5 2.0 T 452AC 2
71D0
      RIP
             .14
                   0.5
                        .35
                   7.8 5.80
                             0.3 82.5 L 451CB 1 METS
71D0
      RTS
            1.00
                             0.9 1.1 T 452AC 2
71DA
                   1.0
                        .01
      R&R
             .00
                                  1.1 T 452AC 2
                   1.0
                        .01
                             0.9
71DA
      CND
             .00
                                  1.1 T 452AC 2
71DA
      RIP
            1.00
                   1.0
                        .01
                             0.9
                             0.3 82.5 L 451CB 1 METS
71DA RTS
            1.00
                   7.8 5.80
71F0B R&R
             .81
                   0.8
                        .94
                             0.5
                                 5.0 T 452AB 2
                        .94
71F0B CND
             .18
                   0.8
                             0.5
                                  5.0 T 452AB 2
71F0B RIP
             .01
                   0.8 .94
                             0.5 5.0 T 452AB 2
                   3.4 2.72
                             0.5 23.9 L 451CA 1 COMPU 1
71F0B BCOK
             .53
                   3.4 2.72
                             0.5 23.9 L 451CA 1 COMPU 1
71F0B RTS
             .23
             .24
                   3.4 2.72
                             0.5 23.9 L 451CA 1 COMPU 1
71F0B NRTS
```

```
71FC
      R&R
             .80
                   0.7
                        .30
                              0.7
                                   2.0 T 452AB 2
71FC
      RIP
             .20
                   0.7
                        .30
                              0.7
                                   2.0 T 452AB 2
                   0.7 2.29
                                   7.5 T 451CB 1 METS
- 1FC
      BCOK
                              0.5
             .10
71FC
      RTS
             .90
                   0.7 2.25
                              0.5
                                   7.5 T 451CB 1 METS
                                                         1
                                   5.0 T 452AB 2
 1FE
      R&R
            1,00
                   0.7 1.04
                              0.5
             .00
                   0.7 1.04
                              0.5
                                   5.0 T 452AB 2
 1FE
      RIP
                   0.7 2.29
                                   7.5 T 451CB 1 METS
71FE
      BCOK 1.00
                              0.5
                                                         1
             .00
                   0.7 2.29
                              0.5
                                   7.5 T 451CB 1 METS
                                                         1
 1FE
      RTS
             .00
                   4.0
                       .01
                              3.9
                                   4.1 T 452AB 2
 1FL
      R&R
                              3.9
                                   4.1 T 452AB 2
            1.00
                   4.0 .01
 1FL
      RIP
             .18
                              0.5
                                   7.5 T 451CB 1 METS
      BCOK
                   0.7 2.29
 1FL
                                                         1
                                   7.5 T 451CB 1 METS
                              0.5
 1FL
      RTS
             .82
                   0.7 2.29
                                                         1
             .54
                   1.6 0.85
                              0.1
                                   5.5 L 452AC 2
 1M
      R&R
 1M
      CND
             .42
                   1.6 0.85
                              0.1
                                   5.5 L 452AC 2
 1M
             .04
                   1.6 0.85
                              0.1
                                  5.5 L 452AC 2
      RIP
             .40
                              0.3 12.5 T 452AC 2
                  10.6 5.80
 Ш
      BCOK
                              0.3 12.5 T 452AC 2
                  10.6 5.80
 1M
      RIS
             .41
                  10.6 5.80
                              0.3 12.5 T 452AC 2
 1M
      NRTS
             .19
                                  3.0 T 452AC 2
 1N
      R&R
            1.00
                   2.1 1.06
                              1.5
                              0.3 12.5 T 452AC 2
 1N
      RTS
            1.00
                  10.6 5.80
                                   4.0 T 452AC 2
 12
      R&R
             .26
                   0.9
                         .69
                              0.9
                              0.9
                                   4.0 T 452AC 2
 17,
             .71
                   0.9
                         .69
      CND
             .03
                   0.9
                         .69
                              0.9
                                   4.0 T 452AC 2
 1Z
      RIP
                   2.2 4.10
                              1.0 15.7 T 451CB 1 METS
 1z
             .50
      BCOK
                                                         1
                              1.0 15.7 T 451CB 1 METS
 12
      RTS
             .44
                   2.2 4.10
                                                         1
             .06
                              1.0 15.7 T 451CB 1 METS
                                                         1
 1Z
      NRTS
                   2.2 4.10
                                   0.8 T 452AC 2
 2
      CND
            1.00
                   0.7
                         .00
                              0.6
 14
             .50
                              0.9
                                   1.1 T 452AA 2
      CND
                   1.0
                         .00
 14
      RIP
             .50
                         .00
                              0.9
                                   1.1 T 452AA 2
                   1.0
 ŧΑ
      R&R
             .33
                    1.0
                         .62
                              1.0
                                   3.0 T 452AA 2
                                    3.0 T 452AA 2
 ŧΑ
      CND
             .59
                         .62
                              1.0
                    1.0
 4A
      RIP
             .08
                   1.0
                        .62
                              1.0
                                    3.0 T 452AA 2
             .67
                   2.1 1.76
                              0.5
                                   4.0 T 451CA 1 COMPU 1
 1A
      BCOK
 1A
      NRTS
             .33
                    2.1 1.76
                              0.5
                                   4.0 T 451CA 1 COMPU 1
                         .00
                                   0.6 T 452AA 2
 1C
      CND
            1.00
                   0.5
                              0.4
             .82
                         .66
                              1.0
                                    3.0 T 452AA 2
 1E
      R&R
                    1.1
 1E
      CIND
             .18
                    1.1
                         .66
                              1.0
                                   3.0 T 452AA 2
                              1.5 16.9 L 451CA 1 COMPU 1
 1E
      BCOK
             .39
                    6.3 4.08
 1E
      RTS
             .46
                   6.3 4.08
                              1.5 16.9 L 451CA 1 COMPU 1
                   6.3 4.08
                              1.5 16.9 L 451CA 1 COMPU 1
 1E
             .15
      NRTS
 4FOA R&R
             .12
                    1.7 1.16
                              0.5
                                   5.0 L 452AA 2
                                   5.0 L 452AA 2
 1FOA CND
             .86
                    1.7 1.16
                              0.5
                                   5.0 I, 452AA 2
             .02
                    1.7 1.16
                              0.5
 1FOA RIP
 1FOA BCOK
             .05
                    9.2 7.12
                              1.0 47.2 L 451CB 1 IANT
                                                         1
             .90
                   9.2 7.12
                              1.0 47.2 L 451CB 1 IANT
74F0A RTS
                                                          1
             .05
                    9.2 7.12
                              1.0 47.2 L 451CB 1 IANT
74FOA NRTS
                                                         1
74FCD R&R
             .97
                    1.9 0.71
                              0.5
                                   5.0 L 452AA 2
                    1.9 0.71
74FCD CND
             .03
                              0.5 5.0 L 452AA 2
                              1.1 47.2 L 451CA 1 MICRO 1
74FCD BCOK
             .33
                  11.1 9.12
                  11.1 9.12
                              1.1 47.2 L 451CA 1 MICRO 1
74FCD RTS
             .64
                  11.1 9.12
                             1.1 47.2 L 451CA 1 MICRO 1
74FCD NRTS
             .03
```

```
1.0 0.71 1.0 4.0 T 452AA 2
74FH
     R&R
            .94
74FH
                            1.0 4.0 T 452AA 2
     RIP
            .06
                  1.0 0.71
            .44
74FH
     BCOK
                  3.4 1.83
                            1.0 10.0 L 451CB 1 IANT
74FH
            .56
                            1.0 10.0 L 451CB 1 IANT
     RTS
                  3.4 1.83
74FJ
     R&R
           1.00
                  2.1 .89
                            1.0 5.0 L 452AA 2
74FJ
     BCOK
                  9.1 7.06
                           0.5 33.5 L 451CA 1 MICRO 1
           .17
74FJ
            .77
                  9.1 7.06
                           0.5 33.5 L 451CA 1 MICRO 1
     RTS
74FJ
     NRTS
            .06
                  9.1 7.06
                           0.5 33.5 L 451CA 1 MICRO 1
74FK
     RIP
           1.00
                  .9
                       .25
                           0.5
                                1.0 T 452AA 2
                                5.1 T 451CB 1 METS
74FK RTS
           1.00
                  5.0
                       .00
                           4.9
74FLS R&R
            .92
                  1.4
                      .63
                            1.0
                                 3.0 T 452AA 2
74FLS CND
            .08
                  1.4 .63
                            1.0 3.0 T 452AA 2
74FLS BCOK
            .42
                  5.9 7.68
                           0.7 70.8 L 451CA 1 MICRO 1
74FLS RTS
            .56
                  5.9 7.68
                           0.7 70.8 L 451CA 1 MICRO 1
74FLS NRTS
            .02
                  5.9 7.68 0.7 70.8 L 451CA 1 MICRO 1
74FUW R&R
            .94
                           0.5
                                7.5 T 452AA 2
                  1.6 1.52
74FUW CND
            .04
                  1.6 1.52
                           0.5
                                7.5 T 452AA 2
74FUW RIP
            .02
                  1.6 1.52
                           0.5 7.5 T 452AA 2
                 12.2 9.99
74FUW BCOK
                            1.5 40.0 L 451CB 1 IANT
            .15
                                                     1
74FUW RTS
            .81
                 12.2 9.99
                            1.5 40.0 L 451CB 1 IANT
74FUW NRTS
            .04
                 12.2 9.99
                           1.5 40.0 L 451CB 1 LANT
74FY R&R
           1.00
                  1.2 0.65 0.6 3.0 T 452AA 2
74FY
     BCOK
           .52
                  6.2 5.20
                           1.0 23.4 L 451CA 1 DISPL 1
74FY
            .48
                  6.2 5.20
                           1.0 23.4 L 451CA 1 DISPL 1
     RTS
74GA
     R&R
            .00
                  1.9 1.03 0.1 8.0 L 452AA 2
74GA
                           0.1 8.0 L 452AA 2
      CND
            .00
                  1.9 1.03
74GA
                  2.6 1.25
     RIP
           1.00
                           2.0 4.5 L 452AA 2
74GA
     RTS
            .00
                  3.2 8.05
                           0.2 15.5 T 451CB 1 IANT 1
74GA
     NRTS
            .00
                  3.2 8.05
                           0.2 15.5 T 451CB 1 IANT 1
74GB
      R&R
            .00
                  1.9 1.03
                           0.1 8.0 L 452AA 2
74GB
      CND
            .00
                  1.9 1.03
                           0.1
                                 8.0 L 452AA 2
     RIP
74GB
           1.00
                  1.5 0.01
                                1.6 L 452AA 2
                            1.4
74GB
                            0.2 15.5 T 451CA 1 MICRO 1
      RTS
            .00
                  3.2 8.05
74GB
           .00
     NRTS
                  3.2 8.05
                            0.2 15.5 T 451CA 1 MICRO 1
74GC
      R&R
           1.00
                  2.9 1.10
                            1.0 4.0 L 452AA 2
74GC
      CND
            .00
                  1.9 1.03 0.1 8.0 L 452AA 2
74GC
      RIP
            .ÛÛ
                  1.9 1.03
                           0.1 8.0 L 452AA 2
74GC
      RTS
            .00
                  3.2 8.05
                           0.2 15.5 T 451CA 1 MICRO 1
74GC
      NRTS 1.00
                  0.2 0.01
                           0.2 0.3 T 451CA 1 MICRO 1
74GF
                  1.9 1.03
                                 8.0 L 452AA 2
      R&R
            .00
                           0.1
74GF
            .00
      CND
                  1.9 1.03
                           0.1
                                 8.0 L 452AA 2
74GF
      RIP
           1.00
                  2.6 0.01
                           2.5 2.7 L 452AA 2
74GF
            .00
                           0.2 15.5 T 451CA 1 DISPL 1
      RIS
                  3.2 8.05
            .00
74GF
      NRTS
                  3.2 8.05
                           0.2 15.5 T 451CA 1 DISPL 1
74GH
            .00
                                8.0 L 452AA 2
     R&R
                  1.9 1.03 0.1
74GH
     CND
            .00
                  1.9 1.03
                           0.1
                                 8.0 L 452AA 2
74GH
      RIP
           1.00
                  2.3 0.35
                           2.0 2.5 L 452AA 2
74GH
     RTS
            .00
                  3.2 8.05
                           0.2 15.5 T 451CB 1 IANT 1
74GH
     NRTS
            .00
                  3.2 8.05 0.2 15.5 T 451CB 1 IANT 1
74GK
                  1.9 1.03 0.1 8.0 L 452AA 2
      R&R
            .00
74GK
     CND
           1.00
                  0.5 0.01 0.4
                                 0.6 L 452AA 2
```

```
74GK
      RIP
             .00
                   1.9 1.03
                             0.1 8.0 L 452AA 2
74GK
      RTS
                   3.2 8.05
                             0.2 15.5 T 451CA 1 MICRO 1
             .00
74GK
                   3.2 8.05
                             0.2 15.5 T 451CA 1 MICRO 1
      NRTS
             .00
74G0
      R&R
             .82
                   1.9 0.92
                             1.0
                                  3.7 L 452AA 2
74GQ
                             0.1 8.0 L 452AA 2
      CND
             .00
                   1.9 1.03
                                  3.7 L 452AA 2
74GQ
      RIP
             .18
                   1.9 0.92
                             1.0
           1.00
                   0.7 0.01
                             0.6
                                  0.8 T 451CA 1 MICRO 1
74G0
      RTS
74GQ
      NRTS
             .00
                   3.2 8.05
                             0.2 15.5 T 451CA 1 MICRO 1
74GS
                   1.9 1.03
                             0.1 8.0 L 452AA 2
      R&R
             .00
74GS
                   1.9 1.03
                             0.1 8.0 L 452AA 2
      CND
             .00
74GS
                   2.4 1.03
                             1.0 5.0 L 452AA 2
      RIP
           1.00
                             0.2 15.5 T 451CA 1 M1CRO 1
74G3
             .00
                   3.2 8.05
      RIS
74GS
            .00
                   3.2 8.05
                             0.2 15.5 T 451CA 1 MICRO 1
      NRTS
           1.00
74GU
      R&R
                   3.7 3.79
                             1.0 8.0 L 452AA 2
74GU
      CND
             .00
                   1.9 1.03
                             0.1 8.0 L 452AA 2
74GU
                   1.9 1.03
                             0.1 8.0 L 452AA 2
      RIP
             .00
74GU
      RTS
           1.00
                  12.1 7.64
                             6.7 17.5 T 451CB 1 IANT
                                                        1
74GU
                   3.2 8.05
                             0.2 15.5 T 451CB 1 IANT
      NRTS
             .00
                                                        1
74GY
             .00
      R&R
                   1.9 1.03
                             0.1 8.0 L 452AA 2
                   1.9 1.03
                             0.1 8.0 L 452AA 2
74GY
      CND
             .00
74GY
           1.00
                   1.7 0.88
                             0.5
                                  3.5 L 452AA 2
      RIP
74GY
                   3.2 8.05
                             0.2 15.5 T 451CA 1 MICRO 1
      RTS
             .00
74GY
             .00
                   3.2 8.05
                             0.2 15.5 T 451CA 1 MICRO 1
      NRTS
74G0
      R&R
             .00
                   1.7 1.03
                             0.1 8.0 L 452AA 2
                                  4.3 L 452AA 2
74G0
                             0.1
      CND
             .97
                   1.7 0.73
                             0.1 4.3 L 452AA 2
74G0
      RIP
             .03
                   1.7 0.73
74G0
                   3.2 8.05
                             0.2 15.5 T 451CA 1 MICRO 1
      RTS
             .00
74G0
             .00
                   3.2 8.05
                             0.2 15.5 T 451CA 1 MICRO 1
      NRTS
                   1.9 1.03
                             0.1 8.0 L 452AA 2
74G9
             .00
      R&R
74G9
      CND
             .00
                   1.9 1.03
                             0.1 8.0 L 452AA 2
                   1.7 0.58
                             1.0 2.0 L 452AA 2
74G9
      RIP
           1.00
74G9
             .00
                   3.2 8.05
                             0.2 15.5 T 451CA 1 MICRO 1
      RTS
74G9
      NRTS
             .00
                   3.2 8.05
                             0.2 15.5 T 451CA 1 MICRO 1
74J
                   0.2 1.01
                             0.2
                                  8.0 T 452AA 2
      R&R
             .13
74J
      CND
             .19
                   0.2 1.01
                             0.2
                                  8.0 T 452AA 2
74J
             .68
                   0.2 1.01
                              0.2 8.0 T 452AA 2
      RIP
74J
                   8.9 7.42
                              1.3 51.8 L 451CA 1 DISPL 1
      BCOK
             .18
             .60
                   8.9 7.42
                              1.3 51.8 L 451C<sup>n 1</sup> TSPL 1
74J
      RTS
74J
             .22
                   8.9 7.42
                              1.3 51.8 L 451CA ± DISPL 1
      NRTS
74K0
             .00
                   1.3 0.84
                             0.3 4.0 L 452AA 2
      R&R
                              0.3
74K0
                   1.3 0.84
                                  4.0 L 452AA 2
      CND
             .36
                   1.3 0.84
                              0.3
                                  4.0 L 452AA 2
74K0
      RIP
             .64
             .00
                   7.3 5.83
                              1.0 44.8 L 451CA 1 DISPL 1
74K0
      BCOK
74K0
             .00
                   7.3 5.83
                              1.0 44.8 L 451CA 1 DISPL 1
      RTS
74K0
      NRTS
             .00
                   7.3 5.83
                              1.0 44.8 L 451CA 1 DISPL 1
                              1.0 4.5 T 452AA 2
74KA
      R&R
             .72
                   1.7 0.85
74KA
      CND
                   1.7 0.85
                              1.0
                                  4.5 T 452AA 2
             .12
                                  4.5 T 452AA 2
74KA
      RIP
             .16
                   1.7 0.85
                              1.0
                              1.0 44.8 T 451CA 1 DISPL 1
74KA
      BCOK
             .10
                  10.8 8.76
74KA
      RTS
             .77
                  10.8 8.76
                             1.0 44.8 T 451CA 1 DISPL 1
                             1.0 44.8 T 451CA 1 DISPL 1
74KA
      NRTS
             .13
                  10.8 8.76
```

```
74KC
                             0.5
                                  3.0 L 452AA 2
      R&R
             .56
                   1.6 0.63
74KC
      CND
             .36
                   1.6 0.63
                             0.5
                                  3.0 L 452AA 2
74KC
      RIP
             .08
                   1.6 0.63
                             0.5 3.0 L 452AA 2
            .23
74KC
      BCOK
                   4.0 3.03
                            1.3 12.9 L 451CA 1 DISPL 1
74KC
      RTS
             .67
                   4.0 3.03
                             1.3 12.9 L 451CA 1 DISPL 1
74KC
                             1.3 12.9 L 451CA 1 DISPL 1
      NRTS
             .10
                   4.0 3.03
                             0.1 5.5 L 452AA 2
74KE
             .57
      R&R
                   1.6
                       .85
74KE
      CND
             .35
                   1.6
                       .85
                             0.1 5.5 L 452AA 2
74KE
      RIP
             .08
                   1.6 .85
                             0.1 5.5 L 452AA 2
74KE
             .23
                   7.3 7.28
      BCOK
                             1.0 44.8 L 451CB 1 METS
74KE
      RTS
             .67
                   7.3 7.28
                             1.0 44.8 L 451CB 1 METS
                                                       1
74KE
                             1.0 44.8 L 451CB 1 METS
      NRTS
             .10
                   7.3 7.28
74KF
      R&R
             .57
                   1.6 .85
                             0.1 5.5 L 452AA 2
74KF
                                  5.5 L 452AA 2
      CND
             .35
                   1.6 .85
                             0.1
74KF
      RIP
             .08
                   1.6 .85
                             0.1 5.5 L 452AA 2
             .23
74KF
      BCOK
                   7.3 7.28
                             1.0 44.8 L 451CB 1 METS
74KF
      RTS
             .67
                   7.3 7.28
                             1.0 44.8 L 451CB 1 METS
                                                       1
7 4KF
      NRTS
             .10
                   7.3 7.28
                             1.0 44.8 L 451CB 1 METS
                                                       1
             .57
74KG
                             0.1 5.5 L 452AA 2
      R&R
                   1.6
                       .85
74KG
      CND
             .35
                   1.6 .85
                             0.1 5.5 L 452AA 2
74KG
      RIP
                             0.1 5.5 L 452AA 2
             .08
                   1.6 .85
74KG
      BCOK
             .23
                   7.3 7.28
                             1.0 44.8 L 451CB 1 METS
                                                       1
74KG
      RIS
             .67
                   7.3 7.28
                             1.0 44.8 L 451CB 1 METS
                                                       1
74KG
      NRTS
             .10
                   7,3 7,28
                             1.0 44.8 L 451CB 1 METS
                                                       1
74KL
                             0.1 5.5 L 452AA 2
      R&R
             .57
                   1.6
                       .85
74KL
      CND
             .35
                   1.6
                       .85
                             0.1
                                 5.5 L 452AA 2
74KL
      RIP
             .08
                   1.6 .85
                                 5.5 L 452AA 2
                             0.1
74KL
                   7.3 7.28
      BCOK
             .23
                             1.0 44.8 L 451CB 1 METS
74KL
                   7.3 7.28
     RTS
             .67
                             1.0 44.8 L 451CB 1 METS
                                                       1
74KL NRTS
             .10
                   7.3 7.28
                             1.0 44.8 L 451CB 1 METS
74L0A R&R
             .19
                   9.5 1.03
                             0.5
                                  7.3 T 452AA 2
74L0A CND
             .59
                   0.5 1.03
                                  7.3 T 452AA 2
                             0.5
74L0A FOM
             .25
                             0.5
                                  7.3 T 452AA 2
                   0.5 1.03
74LOA RIP
             .22
                   0.5 1.03
                             0.5
                                  7.3 T 452AA 2
74L0A RTS
                   0.4 0.34
                             0.5
                                  1.5 T 451CB 1 METS
           1.00
74LBJ R&R
             .67
                   0.5 0.45
                             0.5
                                  2.0 T 452AA 2
74LBJ CND
             .07
                   0.5 0.45
                                  2.0 T 452AA 2
                             0.5
74LBJ FOM
             .58
                   0.5 0.45
                             0.5
                                  2.0 T 452AA 2
74LBJ RIP
             .26
                   0.5 0.45
                             0.5
                                  2.0 T 452AA 2
74LBJ BCOK
             .29
                             0.5
                                  1.5 T 455CB 1
                   0.4 0.18
74LBJ RTS
             .71
                   0.4 0.19
                             0.5
                                  1.5 T 455CB 1
74MA
             .40
                             0.3
                                  2.2 T 452AA 2
     R&R
                   0.2
                       .47
74MA
      CND
             .30
                   0.2
                       .47
                                  2.2 T 452AA 2
                             0.3
74MA
      FOM
             .20
                   0.2
                       .47
                             0.3
                                  2.2 T 452AA 2
74MA
      RIP
             .30
                   0.2
                       .47
                             0.3 2.2 T 452AA 2
74MA
                   4.3 4.30
      BCOK
             .15
                             0.3 17.2 L 451CA 1 DISPL 1
74MA
      RTS
             ,70
                   4.3 4.30
                             0.3 17.2 L 451CA 1 DISPL 1
74MA
      NRTS
             .15
                   4.3 4.30
                             0.3 17.2 L 451CA 1 DISPL 1
                                  2.7 T 452AA 2
74MB
      R&R
             .00
                   0.5
                       .55
                             0.3
74MB
             .00
                       .55
                                  2.7 T 452AA 2
      CND
                   0.5
                             0.3
74MB
      FOM
             .00
                   0.5
                       .55
                             0.3 2.7 T 452AA 2
```

```
1.00
                  0.5 .55
                           0.3 2.7 T 452AA 2
74MB
     RIP
                  4.3 4.30
                            9.3 17.2 L 451CA 1 DISPL 1
74MB
     BCOK
           .15
74MB
     RTS
            .70
                  4.3 4.30
                            0.3 17.2 L 451CA 1 DISPL 1
'4MB
     NRTS
           .15
                  4.3 4.30
                            0.3 17.2 L 451CA 1 DISPL 1
'4MC
                  1.5
                       .01
                                1.6 T 452AA 2
     R&R
            .00
                            1.4
                                1.6 T 452AA 2
                  1.5
'4MC
     CND
            .00
                       .01
                            1.4
'4MC
     FOM
            .00
                  1.5
                       .01
                            1.4
                                 1.6 T 452AA 2
'4MC
                      .01
                                1.6 T 452AA 2
    RIP
          1.00
                  1.5
                            1.4
                  4.3 4.30
                            0.3 17.2 L 451CA 1 DISPL 1
'4MC
     BCOK
           .15
'4MC
     RTS
            .70
                  4.3 4.30
                            0.3 17.2 L 451CA 1 DISPL 1
'4MC NRTS
           .15
                  4.3 4.30
                            0.3 17.2 L 451CA 1 DISPL 1
74MD R&R
            .00
                  0.2
                      .49
                            0.3 2.3 T 452AA 2
'4MD
            .00
                  0.2
                            0.3 2.3 T 452AA 2
    CND
                       .49
'4MD FOM
                  0.2
                       .49
                            0.3 2.3 T 452AA 2
            .00
74MD RIP 1.00
                  0.2
                      .49
                            0.3 2.3 T 452AA 2
74MD
     BCOK
                  4.3 4.30
                            0.3 17.2 L 451CA 1 DISPL 1
           .15
            .70
74MD RTS
                  4.3 4.30
                            0.3 17.2 L 451CA 1 DISPL 1
74MD
            .15
                  4.3 4.30
                            0.3 17.2 L 451CA 1 DISPL 1
     NRTS
74ME
            .00
                  0.2
                       .49
                            0.3 2.3 T 452AA 2
     R&R
74ME
            .00
                  0.2
                       .49
                            0.3 2.3 T 452AA 2
     CND
                      .49
74ME
     FOM
            .00
                  0.2
                            0.3 2.3 T 452AA 2
74ME
           1.00
                  0.2
                      .49
                            0.3 2.3 T 452AA 2
     RIP
           .15
                            0.3 17.2 L 451CA 1 DISPL 1
74ME
     BCOK
                  4.3 4.30
                  4.3 4.30
                            0.3 17.2 L 451CA 1 DISPL 1
74ME
     RTS
            .70
74ME
                  4.3 4.30
                            0.3 17.2 L 451CA 1 DISPL 1
     NRTS
            .15
74MG
     R&R
            .00
                  0.2
                       .49
                            0.3 2.3 T 452AA 2
            .00
'4MG
    CND
                  0.2
                       .49
                            0.3 2.3 T 452AA 2
            .00
'4MG
     FOM
                  0.2
                       .49
                            0.3 2.3 T 452AA 2
74MG
     RIP
          1.00
                  0.2
                       .49
                            0.3 2.3 T 452AA 2
74MG BCOK
           .15
                  4.3 4.30
                            0.3 17.2 L 451CA 1 DISPL 1
'4MG RTS
            .70
                  4.3 4.30
                            0.3 17.2 L 451CA 1 DISPL 1
'4MG NRTS
                  4.3 4.30
                            0.3 17.2 L 451CA 1 DISPL 1
            .15
            .00
'4MM
                  2.0
                      .01
                            1.9 2.1 T 452AA 2
     R&R
'4MM
     CND
            .00
                  2.0
                      .01
                            1.9 2.1 T 452AA 2
'4MM
     FOM
            .00
                  2.0
                      .01
                            1.9 2.1 T 452AA 2
                      .01
                            1.9 2.1 T 452AA 2
'4MM
     RIP
          1.00
                  2.0
'4MM
     BCOK
           .15
                  4.3 4.30
                            0.3 17.2 L 451CA 1 DISPL 1
74MM
     RTS
            .70
                  4.3 4.30
                            0.3 17.2 L 451CA 1 DISPL 1
           .15
                  4.3 4.30
74MM NRTS
                            0.3 17.2 L 451CA 1 DISPL 1
74S
     RIP 1.00
                  0.3
                      .00
                            0.2 0.4 T 452AA 2
750
            .20
                      .87
                            0.3 3.0 T 462A0 3
     R&R
                  0.3
                      .87
750
     CND
            .40
                  0.3
                            0.3 3.0 T 462A0 3
            .40
                      .87
750
     RIP
                  0.3
                            0.3 3.0 T 462A0 3
750
           1.00
                  3.1 3.62
                            0.2 30.7 L 462E0 3
     RTS
                  1.0 1.13
                                4.0 T 462A0 3
75A
     R&R
            .17
                            1.0
75A
      CND
                  1.0 1.13
                            1.0 4.0 T 462A0 3
            .83
75A
     RTS
           1.00
                  3.1 3.52
                            0.2 30.8 L 462E0 3
75B0G R&R
            .64
                  0.2 0.60
                            0.1 2.7 T 462A0 2 ARMFF 1
'5B0G CND
            .22
                  0.2 0.60
                            0.1 2.7 T 462A0 2 ARMFF 1
                            0.1 2.7 T 462A0 2 ARMFF 1
75BOG FOM
            .23
                  0.2 0.60
                            0.1 2.7 T 462A0 2 ARMFF 1
75BOG RIP
            . 14
                  0.2 0.60
```

```
0.2 30.7 L 462E0 1
75B0G BCOK
            .08
                  2.8 3.88
                             0.2 30.7 L 462E0 1
                  2.8 3.88
75B0G RIS
            .85
                             0.2 30.7 L 462E0 1
75BOG NRTS
            .07
                  2.8 3.88
75BH R&R
                  0.5 0.01
                             0.4
                                  0.6 T 462A0 2 ARMFF 1
            .00
                                  0.6 T 462A0 2 ARMFF 1
75BH CND
            .00
                  0.5 0.01
                             0.4
                                 0.6 T 462A0 2 ARMFF 1
<sup>7</sup>5BH FOM
                  0.5 0.01
                             0.4
            .00
                                 0.6 T 462A0 2 ARMFF 1
75BH
                  0.5 0.01
                             0.4
     RIP
           1.00
                  2.8 3.88
                             0.2 30.7 L 462E0 1
75BH
     BCOK
            .08
75BH
     RTS
                  2.8 3.88
                             0.2 30.7 L 462E0 1
            .85
                             0.2 30.7 L 462E0 1
<sup>7</sup>5BH NRTS
                  2.8 3.88
            .07
                             0.4 0.6 T 462A0 2 ARMFF 1
75BJ
            .00
                  0.5 0.01
     R&R
                  0.5 0.01
                                  0.6 T 462A0 2 ARMFF 1
75BJ
     CND
            .00
                             0.4
75BJ
                  0.5 0.01
                             0.4 0.6 T 462A0 2 ARMFF 1
     FOM
            .00
'5BJ
      RIP
           1.00
                  0.5 0.01
                             0.1 0.6 T 462A0 2 ARMFF 1
75BJ
      BCOK
            .08
                  2.8 3.88
                             0.2 30.7 L 462E9 1
'5BJ
            .85
                  2.8 3.88
                             0.2 30.7 L 462E0 1
      RTS
/5BJ
                  2.8 3.88
                             0.2 30.7 L 462E0 1
      NRTS.
            .07
75BK
            .00
                  0.5 0.01
                             0.4 0.6 T 462A0 2 ARMFF 1
      R&R
75BK
            .00
                  0.5 0.01
                             0.4
                                  0.6 T 462A0 2 ARMFF 1
      CND
75BK
     FOM
            .00
                  0.5 0.01
                             0.4 0.6 T 462A0 2 ARMFF 1
                             0.4 0.6 T 462A0 2 ARMFF 1
75BK
                  0.5 0.01
      RIP
           1.00
     BCOK
            .08
                  2.8 3.88
75BK
                             0.2 30.7 L 462E0 1
75BK
      RTS
            .85
                  2.8 3.88
                             0.2 30.7 L 462E0 1
75BK
      NRTS
            .07
                  2.8 3.88
                             0.2 30.7 L 462E0 1
                             0.4 0.6 T 462A0 2 ARMFF 1
75BL
                  0.5 0.01
      R&R
            .00
                  0.5 0.01
                                 0.6 T 462A0 2 ARMFF 1
75BL
      CND
            .00
                             0.4
                             0.4 0.6 T 462A0 2 ARMFF 1
75BL
                   0.5 0.01
      FOM
            .00
                  0.5 0.01
                             0.4 0.6 T 462A0 2 ARMFF 1
75BL RIP
           1.00
75BL
                   2.8 3.88
                             0.2 30.7 L 462E0 1
      BCOK
            .08
                             0.2 30.7 L 462E0 1
75BL
      RTS
             .85
                   2.8 3.88
                             0.2 30.7 L 462E0 1
75BL
      NRTS
            .07
                   2.8 3.88
75BP
      R&R
            .00
                  0.7 0.42
                             0.4 1.0 T 462A0 2 ARMFF 1
                   0.7 0.42
                             0.4 1.0 T 462A0 2 ARMFF 1
75BP
      CND
             .00
75BP
      FOM
             .00
                   0.7 0.42
                             0.4 1.0 T 462A0 2 ARMFF 1
                             0.4 1.0 T 462A0 2 ARMFF 1
75BP
      RIP
            1.00
                   0.7 0.42
75BP
                   2.8 3.88
                             0.2 30.7 L 462E0 1
      BCOK
            .08
                             0.2 30.7 L 462E0 1
75BP
             .85
                   2.8 3.88
      RTS
75BP
                             0.2 30.7 L 462E0 1
                   2.8 3.88
            .07
      NRTS
                   1.0 .00
                             0.9 1.1 T 462A0 3
75C
      RIP
           1.00
                                  7.0 T 462A0 3 ARMAG 1
75D
                   0.21.27
                             0.2
      R&R
             .25
                                  7.0 T 462A0 3 ARMAG 1
75D
      CND
             .12
                   0.2 1.27
                             0.2
                                  7.0 T 462A0 3 ARMAG 1
75D
                   0.2 1.27
                             0.2
      FOM
             .27
                                  7.0 T 462A0 3 ARMAG 1
75D
             .63
                   0.2 1.27
                             0.2
      RIP
                                  4.5 T 462E0 2
                   1.0 1.60
75D
      RTS
            1.00
                             1.0
                                  7.0 T 452A4 3 ARMAG 1
75E
             .08
                   0.2 0.85
                             0.2
      CND
75E
      FOM
             .75
                   0.2 0.85
                             0.2
                                  7.0 T 452A4 3 ARMAG 1
75E
            .92
                   0.2 0.85
                             0.2
                                  7.0 T 452A4 3 ARMAG 1
      RIP
                             2.0
                                  3.0 T 454EA 1
75E
            1.00
                   2.50.71
      RTS
                                  0.4 T 452A4 2
                   0.3 .00
75F
            1.00
                             0.2
      R&R
75F
                   6.5 .00
                             6.4
                                  6.6 T 454EA 1
            1.00
      RTS
                             0.3 14.0 L 452A4 3
75H
             .68
                   2.1 2.28
      R&R
```

```
0.3 14.0 L 452A4 3
             .14
                    2.1 2.28
75H
      CND
             .24
                    2.1 2.28
                               0.3 14.0 L 452A4 3
75H
      FOM
                    2.1 2.28
                               0.3 14.0 L 452A4 3
75H
             .18
      RIP
             .95
                               0.5
                                    8.0 L 454EA 1
75H
                    2.3 1.88
      RTS
                               0.5
                                    8.0 L 454EA 1
75H
      NRTS
             .05
                    2.3 1.88
75J
                         .00
                               1.9
                                    2.1 T 452A4 3
      RIP
            1.00
                    2.0
            1.00
                    6.9
                         .00
                               6.8
                                    7.0 T 454EA 1
75J
      RTS
             .90
                         .51
                                    2.5 T 462A0 1
75M
                    0.1
                               0.1
      R&R
             .10
                         .51
                                    2.5 T 462A0 1
75M
                    0.1
                               0.1
      CND
                         .51
                                    2.5 T 462A0 1
             .42
                    0.1
                               0.1
75M
      FOM
                    1.0 2.15
                               1.0 11.6 T 451CA 1 DISPL 1
             .70
75M
      BCOK
             .30
                    1.0 2.15
                               1.0 11.6 T 451CA 1 DISPL 1
75M
      RTS
75N
            1.00
                    4.8
                         .00
                               4.7
                                    4.9 T 462A0 2
      R&R
            1.00
                    3.1 3.62
                               0.2 30.8 L 451CB 1 METS
75N
      RTS
                                    4.0 T 462A0 2
             .59
                    0.5
                         .78
                               0.5
75P
      R&R
                                    4.0 T 462AC 2
             .36
                    0.5
                         .78
                               0.5
75P
      CND
                                    4.0 T 462A0 2
                    0.5
                         .78
                               0.5
75P
      FOM
             .10
                         .78
                                    4.0 T 462A0 2
75P
              .05
                    0.5
                               0.5
      RIP
                               1.0 18.5 L 451CA 1 DISPL 1
75P
       BCOK
             .42
                    4.4 3.70
             .58
                    4.4 3.70
75P
                               1.0 18.5 L 451CA 1 DISPL 1
       RTS
                    1.0
                         .00
75R
            1.00
                               0.9
                                    1.1 T 462A0 3
       RIP
                                    0.6 T 462A0 3
                         .00
            1.00
                    0.5
                               0.4
75X
       RIP
76A
              .41
                    1.5 0.82
                               0.5
                                    7.5 L 452AC 2
       R&R
              .54
                                    7.5 L 452AC 2
                    1.5 0.82
                               0.5
76A
       CND
              .01
                    1.5 0.82
                               0.5
                                    7.5 L 452AC 2
76A
       FOM
              .05
                    1.5 0.82
                               0.5
                                     7.5 L 452AC 2
76A
       RIP
                    2.0 2.51
                               0.4
                                     9.3 T 451CB 1 TISS
76A
       BCOK
             .16
                                     9.3 T 451CB 1 TISS
              .74
                    2.0 2.51
                               0.4
                                                          1
76A
       RTS
                                     9.3 T 451CB 1 TISS
                    2.0 2.51
              .10
                               0.4
76A
       NRTS
                          .47
                                     2.0 T 452AC 2
              .13
                               0.5
76B
       R&R
                    1.1
                               0.5
                          .47
                                     2.0 T 452AC 2
              .80
76B
       CND
                    1.1
                          .47
                                     2.0 T 452AC 2
              .07
                    1.1
                               0.5
76B
       RIP
            1.00
                    3.7
                          .00
                               3.6
                                     3.8 T 452AC 2
76B
       RTS
                          .00
                                     1.1 T 452AC 2
                               0.9
            1.00
                    1.0
76C
       CND
                               3.6
                                     3.8 T 451CA 1 MICRO 1
            1.00
                    3.7
                          .00
76C
       RTS
                          .29
                               0.5
                                     1.0 T 452AC 2
76E
       RER
              .50
                    0.8
                          .29
                               0.5
                                     1.0 T 452AC 2
76E
              .50
                    0.8
       RIF
                                     8.1 T 452AC 2
             1.00
                    8.0
                          .00
                               7.9
76E
       RTS
              .50
                          .29
                                     1.0 T 452AC 2
                    0.8
                               0.5
76F
       R&R
                          .29
                               0.5
                                     1.0 T 452AC 2
76F
       RIP
              .50
                    0.8
                          .00
                               7.9
                                     8.1 T 451CB 1 METS
76F
       RTS
             1.00
                    8.0
              .67
                    1.5
                          .89
                               0.5
                                     5.0 T 452AC 2
76G0A CND
                               0.5
                                     5.0 T 452AC 2
76GOA RIP
              .33
                    1.5
                          .89
                          .00
76GE
             1.00
                    1.5
                               1.4
                                     1.6 T 452AC 2
       R&R
                               1.0 19.0 L 451CB 1 METS
             1.00
                    6.0 3.90
76GE
       RTS
                                     4.0 L 452AC 2
76GF
       R&R
              .68
                    1.8
                          .86
                               0.5
                               0.5
                                     4.0 L 452AC 2
              .21
                          .86
76GF
       CND
                    1.8
                                    4.0 L 452AC 2
                          .86
                               0.5
76GF
       RIP
              .11
                    1.8
                    6.0 3.90
                               1.0 19.0 L 451CB 1 TISS
76GF
       RTS
              .88
                    6.0 3.90
                               1.0 19.0 L 451CB 1 TISS
       NRTS
              .12
76GF
                                    3.1 T 452AC 2
76GQ
       R&R
              .00
                    3.0
                         .01
                               2.9
```

```
.00
76GQ
      CND
                   3.0
                        .01
                             2.9
                                  3.1 T 452AC 2
                             2.9
                                  3.1 T 452AC 2
                       .01
76GQ
      RIP
           1.00
                   3.0
             .88
                   5.0 3.90
                             1.0 19.0 L 451CB 1 TISS
76GQ
      RTS
                             1.0 19.0 L 451CB 1 TISS
      NRTS
                   6.0 3.90
76GO
            .12
                       .77
                                  5.0 L 452AC 2
                   1.5
                             0.5
76H
      R&R
            .29
                                  5.0 L 452AC 2
76H
      CND
             .63
                   1.5
                       .77
                             0.5
                   1.5
                       .77
                             0.5
                                  5.0 L 452AC 2
76H
      RIP
             .08
             .07
                   2.9 2.47
                             0.5
                                  8.0 T 451CB 1 TISS
76H
      BCOK
                                                        1
                   2.9 2.47
                             0.5
                                  8.0 T 451CB 1 TISS
76H
      RTS
             .82
                                                        1
                   2.9 2.47
                             0.5
                                  8.0 T 451CB 1 TISS
76H
      NRTS
            .11
76J
      R&R
           1.00
                   2.0
                       .00
                             1.9
                                   2.1 T 452AC 2
                                  8.0 T 451CA 1 COMPU 1
76J
                   8.0 2.47
                             0.5
      RTS
           1.00
76KOA R&R
             .10
                   1.2
                       .57
                             0.3
                                   3.0 L 452AC 2
76KOA CND
                   1.2
                       .57
                                  3.0 L 452AC 2
             .84
                             0.3
76KOA RIP
             .06
                       .57
                             0.3
                                  3.0 L 452AC 2
                   1.2
                             0.5 21.9 L 451CA 1 MICRO 1
76KGA BCOK
             .57
                   4.1 5.99
             .43
                   4.1 5.99
                             0.5 21.9 L 451CA 1 MICRO 1
76KOA RTS
                             0.5 21.9 L 451CA 1 MICRO 1
76KOA NRTS
             .00
                   4.1 5.99
                             0.9 1.1 T 452AC 2
76KC R&R
           1.00
                   1.0 .01
                                  1.1 T 452AC 2
76KC
      CND
             .00
                   1.0 .01
                             0.9
76KC
             .00
                   1.0 .01
                             0.9 1.1 T 452AC 2
      RIP
                   4.1 5.99
                             0.5 21.9 L 451CA 1 MICRO 1
76KC
     BCOK
             .40
                   4.1 5.99
                             0.5 21.9 L 451CA 1 MICRO 1
76KC
     RTS
             .40
             .20
                             0.5 21.9 L 451CA 1 MICRO 1
76KC NRTS
                   4.1 5.99
                             1.0 2.0 T 452AC 2
                   1.5
                       .71
76KDG R&R
             .00
                                  2.0 T 452AC 2
76KDG CND
            1.00
                   1.5 .71
                             1.0
                   1.5 .71
                             1.0 2.0 T 452AC 2
76KDG RIP
             .00
                             0.5 21.9 L 451CA 1 MICRO 1
76KLG BCOK
             .50
                   4.1 5.99
                             0.5 21.9 L 451CA 1 MICRO 1
             .42
                   4.1 5.99
76KDG RTS
76KDG NRTS
             .08
                   4.1 5.99
                             0.5 21.9 L 451CA 1 MICRO 1
                        .00
                             2.4
                                  2.6 T 452AC 2
76LA CND
           1.00
                   2.5
                                   2.6 T 452AC 2
76LB CND
           1.00
                   2.5
                         .00
                             2.4
                                   2.6 T 452AC 2
                   2.5
                             2.4
76LCD CND
            1.00
                        .00
                   2.5
                         .00
                             2.4
                                   2.6 T 452AC 2
76LE
      CND
            1.00
                             2.4
                                   2.6 T 452AC 2
                   2.5
                         .00
76LF
      CND
           1.00
                   2.5
                         .00
                             2.4
                                   2.6 T 452AC 2
76LG
      CND
            1.00
76LH CND
            1.00
                   2.5
                         .00
                             2.4
                                   2.6 T 452AC 2
                             2.4
                                   2.6 T 452AC 2
                         .00
76LJK CND
           1.00
                   2.5
                         .00
                             2.4
                                   2.6 T 452AC 2
76LL
      CND
           1.00
                   2.5
                             2.4
                                   2.6 T 452AC 2
76LM
      CND
            1.00
                   2.5
                         .00
                         .00
                             0.9
                                   1.1 T 452AC 2
76X
      CND
            1.00
                   1.0
82A
      R&R
             .37
                   1.5
                         .71
                              1.0
                                   2.0 T 454C2 1
82A
      CND
             .23
                   1.5
                         .71
                             1.0
                                   2.0 T 454C2 1
             .07
                         .71
                                   2.0 T 454C2 1
82A
      FOM
                   1.5
                             1.0
                         .71
                              1.0
                                   2.0 T 454C2 1
82A
             .40
                   1.5
      RIP
                         .25
                                   1.0 T 451CB 1 METS
82A
             .23
                   0.5
                              0.5
                                                        1
      BCOK
                              0.5
                                   1.0 T 451CB 1 METS
                                                        1
             .60
                   0.5
                         .25
82A
      RTS
                   0.5
                        .25
                              0.5
                                   1.0 T 451CB 1 METS
82A
      NRTS
             .17
                   0.5 3.67
                                   8.0 T 454C2 1
91
      RIP
            1.00
                              0.5
                   0.5
                         .25
                              0.5
                                   1.0 T 451CB 1 METS
91
      NRTS 1.00
97A
                                   3.0 T 454C2 1 452A5 1
      RIP
            1.00
                   1.7
                         .72
                              1.0
                         .00
                             0.8
                                   2.0 T 452AX 2
74NXY RIP
             .67
                   1.3
```

```
74NXY CND
             .33
                    1.3
                         .00
                              0.8
                                    2.0 T 427A5 2
74PX2 CND
             .33
                    1.3
                         .00
                              0.8
                                    2.0 T 427A5 2
74PX2 RIP
             .67
                    1.3
                         .00
                              0.8
                                    2.0 T 452AX 2
74NAO RRS
             .00
                    1.8
                         .45
                              0.0
                                    0.0 L 455CA 2
74NBO RRS
             .00
                    1.9
                         .48
                              0.0
                                    0.0 L 455CA 2
             .00
                         .49
                                    0.0 L 455CA 2
74ND0 RRS
                    2.0
                              0.0
                                    0.0 L 455CA 2
             .00
                         .50
74NEO RRS
                    2.0
                              0.0
74NFO RRS
             .00
                    1.8
                         .46
                                    0.0 L 455CA 2
                              0.0
74N00 CND
            1.00
                    0.2
                         .42
                              0.0
                                    0.0 L 452AA 2
74NAO CND
             .41
                    0.2
                         .42
                              0.0
                                    0.0 L 452AA 2
74NB0 CND
             .33
                    0.2
                         .42
                              0.0
                                    0.0 L 452AA 2
             .18
                         .42
                                    0.0 L 452AA 2
74ND0 CND
                    0.2
                              0.0
             .24
                         .42
74NEO CND
                    0.2
                              0.0
                                    0.0 L 452AA 2
74NF0 CND
             .24
                    0.2
                         .42
                              0.0
                                    0.0 L 452AA 2
                                    0.0 L 452AA 2
74NG0 CND
             .01
                    0.2
                         .42
                              0.0
74NH0 CND
             .07
                    0.2
                         .42
                               0.0
                                    0.0 L 452AA 2
74NJO CND
             .07
                         .42
                                    0.0 L 452AA 2
                    0.2
                               0.0
74NA0 R&R
             .12
                    0.2
                         .05
                              0.0
                                    0.0 L 452AA 2
             .20
74NBO R&R
                    0.3
                         .03
                              0.0
                                    0.0 L 452AA 2
                                    0.0 L 452AA 2
             .35
                         .08
74ND0 R&R
                    0.3
                              0.0
74NEO R&R
                              0.0
                                    0.0 L 452AA 2
             .29
                    0.3
                         .09
             .29
74NFO R&R
                    0.2
                         .05
                              0.0
                                    0.0 L 452AA 2
74NAO DOWN
             .47
                    0.2
                         .05
                                    0.0 L 452AA 2
                              0.0
                         .05
74NBO DOWN
             .47
                    0.2
                               0.0
                                    0.0 L 452AA 2
                                    0.0 L 452AA 2
74NDO DOWN
             .47
                    0.2
                         .05
                               0.0
                    0.2
                         .05
                                    0.0 L 452AA 2
74NEO DOWN
             .47
                               0.0
             .47
                         .05
                               0.0
                                    U.O L 452AA 2
74NFU DOWN
                    0.2
                         .05
74NGO R&R
             .99
                    0.2
                               0.0
                                    0.0 L 452AA 2
74NHO R&R
             .93
                    0.2
                         .05
                               0.0
                                    0.0 L 452AA 2
                         .05
74NJO R&R
             .93
                    0.2
                               0.0
                                    0.0 L 452AA 2
                         .08
74NAO BCOK
             .68
                    0.3
                               0.0
                                    0.0 L 455CA 1 TEST2 1
74NB0 BCOK
             .50
                    0.4
                         .10
                               0.0
                                    0.0 L 455CA 1 TEST2 1
             .22
                                    0.0 L 455CA 1 TEST4 1
74ND0 BCOK
                    0.5
                          .12
                               0.0
                         .08
74NEO BCOK
             .22
                    0.3
                               0.0
                                    0.0 L 455CA 1 TEST2 1
74NFO BCOK
             .31
                    0.8
                         .21
                               0.0
                                    0.0 L 455CA 1 TEST3 1
74NGO BCOK
                    1.2
                         .31
                                    0.0 L 455CA 1 TEST2 1
             .01
                               0.0
                                    0.0 L 455CA 1 TEST2 1
74NHO BCOK
             .08
                    1.2
                         .31
                               0.0
                    1.2
                                    0.0 L 455CA 1 TEST2 1
74NJO BCOK
             .08
                         .31
                               0.0
74NAO RTS
             .22
                    0.5
                               0.0
                                    0.0 L 455CA 1 TEST2 1
                         .11
74NBO RTS
              .46
                    0.7
                          .17
                               0.0
                                    0.0 L 455CA 1 TEST2 1
74ND0 RTS
             .60
                    0.8
                         .21
                                    0.0 L 455CA 1 TEST4 1
                               0.0
                         .14
74NEO RTS
             .75
                                    0.0 L 455CA 1 TEST2 1
                    0.6
                               0.0
                         .48
                                    0.0 L 455CA 1 TEST3 1
74NFO RTS
             .33
                    1.9
                               0.0
                                    0.0 L 455CA 1 TEST2 1
74NGO RTS
             .99
                    2.6
                          .65
                               0.0
74NHO RTS
              .88
                    3.9
                         . 97
                               0.0
                                    0.0 L 455CA 1 TEST2 1
74NJO RTS
             .70
                    2.8
                          .71
                               0.0
                                    0.0 L 455CA 1 TEST2 1
             .10
                    0.3
                          .06
                               0.0
                                    0.0 L 455CA 1 TEST2 1
74NAO NRTS
             .04
                    0.2
                          .06
                                    0.0 L 455CA 1 TEST2 1
74NBO NRTS
                               0.0
74ND0 NRTS
                    0.3
                          .08
                                    0.0 L 455CA 1 TEST4 1
             .18
                               0.0
                                    0.0 L 455CA 1 TEST2 1
                         .06
74NEO NRTS
             .03
                    0.2
                               0.0
             . 36
                          .15
                                    0.0 L 455CA 1 TEST3 1
74NFO NRTS
                    0.6
                               0.0
                                    0.0 L 455CA 1 TEST2 1
74NHO NRTS
             .04
                    0.7
                          .18
                               0.0
```

```
74NJO NRTS
             .22
                    0.7
                         .18
                               0.0
                                    0.0 L 455CA 1 TEST2 1
74PAO RRS
             .00
                    2.4
                         .59
                               0.0
                                    0.0 L 455CA 2
74PB0 RRS
                         .61
             .00
                    2.4
                               0.0
                                    0.0 L 455CA 2
74PC0 RRS
                    2.4
                         .59
                                    0.0 L 455CA 2
             .00
                               0.0
74PD0 RRS
             .00
                    2.3
                         .59
                               0.0
                                    0.0 L 455CA 2
74PEO RRS
                   2.3
                         .58
             .00
                               0.0
                                    0.0 L 455CA 2
74PFO RRS
             .00
                   2.3
                         .57
                               0.0
                                    0.0 L 455CA 2
74PCO RRS
             .00
                   2.4
                         .59
                               0.0
                                    0.0 L 455CA 2
74PHO RRS
             .00
                    2.3
                         .56
                                    0.0 L 455CA 2
                               0.0
74PKO RRS
                    2.2
                         .54
                                    0.0 L 455CA 2
             .00
                               0.0
74PLO RRS
                   2.2
                         .54
                                   0.0 L 455CA 2
             .00
                               0.0
74P00 CND
                   0.2
                         .42
            1.00
                               0.0
                                   0.0 L 452AA 2
74PA0 CND
                   0.2
                         ، 42
                                    0.0 L 452AA 2
             .22
                               0.0
74PBC CND
                   0.2
                         .42
                                    0.0 L 452AA 2
             .16
                               0.0
74PC0 CND
                    0.2
                         .42
             .12
                               0.0
                                    0.0 L 452AA 2
74PD0 CND
             .50
                    0.2
                         .42
                               0.0
                                    0.0 L 452AA 2
74PE0 CND
             .41
                   0.2
                         .42
                                    0.0 L 452AA 2
                               0.0
74PF0 CND
             .01
                   0.2
                         .42
                               0.0
                                    0.0 L 452AA 2
74PGO CND
                   0.2
                         .42
                                    0.0 L 452AA 2
             .19
                               0.0
74PHO CND
                   0.2
             .34
                         .42
                               0.0
                                    0.0 L 452AA 2
74PK0 CND
             .24
                   0.2
                         .42
                               0.0
                                    0.0 L 452AA 2
74PLO CND
                   0.2
                         .42
                                    0.0 L 452AA 2
             .11
                               0.0
74PNO CND
             .01
                   0.2
                         .42
                               0.0
                                    0.0 L 452AA 2
74P99 CND
             .50
                   0.2
                         .42
                               0.0
                                    0.0 L 452AA 2
74PA0 R&R
             .73
                   0.3
                         .08
                                    0.0 L 452AA 2
                               0.0
74PB0 R&R
             .79
                   0.4
                         .10
                               0.0
                                    0.0 L 452AA 2
74PC0 R&R
             .83
                   0.3
                         .08
                               0.0
                                    0.0 L 452AA 2
74PDO R&R
             .45
                   0.3
                         .08
                               0.0
                                    0.0 L 452AA 2
74PEO R&R
                   0.3
                         .07
                                    0.0 L 452AA 2
             .54
                               0.0
                    0.2
                               0.0
74PF0 R&R
             .94
                         .06
                                    0.0 L 452AA 2
74PGO R&R
                         .08
             .76
                    0.3
                               0.0
                                    0.0 L 452AA 2
74PHO R&R
                   0.2
                         .05
             .61
                               0.0
                                    0.0 L 452AA 2
74PKO R&R
             .71
                    0.1
                         .03
                               0.0
                                    0.0 L 452AA 2
74PLO R&R
                         .03
             .84
                   0.1
                               0.0
                                    0.0 L 452AA 2
             .05
                         .08
                                    0.0 L 452AA 2
74PAO DOWN
                    0.4
                               0.0
74PB0 DOWN
                   0.4
                         .08
                               0.0
                                    0.0 L 452AA 2
             .05
74PC0 DOWN
             .05
                   0.4
                         .08
                               0.0
                                    C.O L 452AA 2
74PDÛ DOWN
                         .08
             .Û5
                    0.4
                               0.0
                                    0.0 L 452AA 2
74PE0 DOWN
             .05
                    0.4
                         .08
                               0.0
                                    0.0 L 452AA 2
74PFO DOWN
                   0.4
                         .08
             .05
                               0.0
                                    0.0 L 452AA 2
74PGO DOWN
                   0.4
                         .08
                                    0.0 L 452AA 2
             .05
                               0.0
                         .08
74PH0 DOWN
             .05
                    0.4
                               0.0
                                    0.0 L 452AA 2
74PK0 DOWN
                         .08
             .05
                   0.4
                               0.0
                                    0.0 L 452AA 2
74PLO DOWN
             .05
                   0.4
                         .08
                               0.0
                                    0.0 L 452AA 2
74PN0 R&R
                         .08
             .99
                   0.4
                               0.0
                                    0.0 L 452AA 2
74P99 R&R
                         .08
             .50
                    0.4
                               0.0
                                    0.0 L 452AA 2
74PAO BCOK
             .28
                    1.2
                         .29
                               0.0
                                    0.0 L 455CA 1 TEST2 1
74PB0 BCOK
             .19
                   0.5
                         .13
                               0.0
                                    0.0 L 455CA 1 TEST2 1
74PC0 BCOK
                    1.3
                         .31
                               0.0
                                    0.0 L 455CA 1 TEST2 1
             .14
74PD0 BCOK
             .98
                   0.9
                         .21
                               0.0
                                    0.0 L 455CA 1 TEST2 1
74PEO BCOK
             .68
                   0.3
                         .08
                               0.0
                                    0.0 L 455CA 1 TEST4 1
74PG0 BCOK
             .24
                    0.4
                         .10
                              0.0
                                    0.0 L 455CA 1 TEST2 1
```

```
74PHO BCOK
             .51
                   0.8
                        .21
                             0.0 0.0 L 455CA 1 TEST3 1
74PKO BCOK
             .31
                   0.5
                                  0.0 L 455CA 1 TEST4 1
                        .12
                             0.0
74PL0 BCOK
            .12
                   0.8
                        .19
                             0.0
                                  0.0 L 455CA 1 TEST2 1
74PNO BCOK
                        .25
             .01
                   1.1
                             0.0
                                  0.0 L 455CA 1
74P99 BCOK
                        .25
             .99
                   1.1
                             0.0
                                  0.0 L 455CA 1
74PA0 RTS
                        .50
             .44
                   2.0
                             0.0
                                  0.0 L 455CA 1 TEST2 1
74PB0 RTS
             .75
                        .43
                                  0.0 L 455CA 1 TEST2 1
                   1.7
                             0.0
74PC0 RTS
             .82
                   1.9
                        .47
                             0.0
                                 0.0 L 455CA 1 TEST2 1
74PD0 RTS
             .01
                   1.4
                        .34
                             0.0
                                  0.0 L 455CA 1 TEST2 1
                                  0.0 L 455CA 1 TEST4 1
74PE0 RTS
             .28
                   0.6
                        .16
                             0.0
74PG0 RTS
             .73
                   0.9
                        .23
                             0.0
                                  0.0 L 455CA 1 TEST2 1
74PHO RTS
             .24
                   1.9
                        .48
                             0.0
                                  0.0 L 455CA 1 TEST3 1
74PK0 RTS
             .65
                   1.0
                        .26
                             0.0
                                  0.0 L 455CA 1 TEST4 1
74PLO RTS
             .84
                        .37
                   1.5
                             0.0
                                  0.0 L 455CA 1 TEST2 1
74PN0 RTS
             .99
                   1.6
                        .40
                             0.0
                                  0.0 L 455CA 1
74P99 RTS
             .01
                   1.6
                        .40
                             0.0
                                  0.0 L 455CA 1
74PA0 NRTS
                        .17
                                  0.0 L 455CA 1 TEST2 1
             .28
                   0.7
                             0.0
74PB0 NRTS
             .06
                   0.3
                        .09
                             0.0
                                  0.0 L 455CA 1 TEST2 1
                        .18
74PC0 NRTS
             .04
                   0.7
                                  0.0 L 455CA 1 TEST2 1
                             0.0
                             0.0
74PD0 NRTS
                        .13
                                  0.0 L 455CA 1 TEST2 1
             .01
                   0.5
74PE0 NRTS
                   0.2
                        .06
                             0.0
                                  0.0 L 455CA 1 TEST4 1
             .04
                                  0.0 L 455CA 1
74PF0 NRTS 1.00
                        .12
                   0.5
                             0.0
74PG0 NRTS
                        .06
                                  0.0 L 455CA 1 TEST2 1
             .03
                   0,2
                             0.0
74PH0 NRTS
             .25
                        .15
                   0.6
                             0.0
                                  0.0 L 455CA 1 TEST3 1
74PKO NRTS
             .04
                   0.3
                        .08
                             0.0
                                  0.0 L 455CA 1 TEST4 1
74PL0 NRTS
             .04
                   0.4
                        .11
                             0.0
                                  0.0 L 455CA 1 TEST2 1
***** (end of file)
C.3. F15EDAT.FOR
***** (beginning of file)
                * * * * * * * * * * * * * * *
                      F-15 E BLOCK DATA FILE
      BLOCK DATA TRDATA
      COMMON/BRK/XBRK(4), TABORT(1)
      COMMON/WORK/CODES(399,4), RESC(399,10,5), TIMES(399,10), TMIN(399,10)
     1,QUAN(399,10,5),NRESC(399,10),PERCNT(399,10),SCENE(5),TMAX(399,10)
     2,STDEV(399,10),SMISS(7),WCENE(5),WMISS(7),TPLANE(1),TPHASE(7),V(3)
      INTEGER RESC, QUAN, NRESC, SCENE, CODES, WCENE, TPLANE
      *********************
     33RD TFW DATA FOR F-15 C/D MSIP AIRCRAFT
C
       DATA TPLANE/2/
C
       DATA TPHASE/60.,150.,210.,330.,390.,570.,630./
       DATA V/0.80,1.0,1.0/
C
C
       DATA XBRK/0.85,0.0,0.0,0.0/
       DATA TABORT/0.97/
```

一般の一個人の一個人の一個人の一個人の一個人的人の一個人的人的人

```
C
       DATA WCENE/23,23,2,1,0/
C
       DATA WMISS/1.36,8.0,8.0,720.0,.25,8.75,8.0/
C
       DATA SCENE/23,23,2,1,0/
C
       DATA SMISS/1.36,8.0,8.0,0.90,.25,8.75,8.0/
     F-15 E DATA
      DATA TPLANE/1/
      DATA TPHASE/80.,200.,280.,440.,520.,760.,840./
      DATA V/0.71,1.0,1.0/
      DATA XBRK/0.0,0.55,0.55,0.0/
      DATA TABORT/0.10/
* PEACETIME, SORTIE RATE IS 1.05 SORTIES PER AIRPLANE
      DATA WCENE/24,26,2,1,0/
      DATA WMISS/1.7,8.0,8.0,720.0,.25,8.75,8.0/
      DATA SCENE/24,26,2,1,0/
      DATA SMISS/1.7,8.0,8.0,1.05,.25,8.75,8.0/
 SURGE, SORTIE RATE IS 2.0 SORTIES PER AIRPLANE
C
       DATA WCENE/24,48,2,2,0/
C
       DATA WMISS/1.7,12.0,12.0,168.0,.25,1.75,0.00001/
C
       DATA SCENE/24,48,2,2,0/
C
       DATA SMISS/1.7,12.0,12.0,2.0,.25,1.75,0.00001/
* SUSTAINED, SORTIE RATE IS 1.5 SORTIES PER AIRPLANE
C
      DATA WCENE/24,36,2,3,0/
C
      DATA WMISS/1.7,12.0,12.0,72.0,.25,1.75,0.00001/
C
       DATA SCENE/24,36,2,3,0/
C
       DATA SMISS/1.7,12.0,12.0,1.5,.25,1.75,0.00001/
* MOBILITY SURGE
C
      DATA WCENE/24,60,2,4,0/
\mathbb{C}
      DATA WCENE/24,72,2,5,0/
C
      DATA WMISS/1.7,12.0,12.0,72.0,.25,1.75,0.00001/
C
      DATA SCENE/24,60,2,4,0/
\mathsf{C}
      DATA SCENE/24,72,2,5,0/
C
      DATA SMISS/1.7,12.0,12.0,2.5,.25,1.75,0.00001/
      DATA SMISS/1.7,12.0,12.0,3.0,.25,1.75,0.00001/
      END
**** (end of file)
```

APPENDIX D. COMPUTER CODE - SLAM NETWORK

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX D. Computer Code - SLAM Network


```
GEN, CHEN, TRIAL, 06/10/86, 1, Y, N, Y, N, Y, 72;
; ILIST, IECHO, IXQT, IPIRH, ISMRY
; ENTITIES + EVENT CALENDAR
LIMITS, 22, 28, 2000; MFILS, MATRB, MENTS
PRIORITY/3, LIFO;
PRIORITY/5, LIFO;
PRIORITY/18, LIFO;
PRIORITY/12, LIFO;
SEEDS, 0(1)/YES, 0(5)/YES;
;SEEDS,14547498(1)/YES,84976821(5)/YES;
;SEEDS, 38561056(1)/YES, 67201784(5)/YES;
;SEEDS,84572938(1)/YES,30418946(5)/YES;
;SEEDS,98324322(1)/YES,51984784(5)/YES;
;SEEDS,61453874(1)/YES,73145210(5)/YES;
;SEEDS, 43716110(1)/YES, 28334562(5)/YES;
; * * ENTER NODES
   1
        PREFLIGHT
   2
        REPAIR NETWORK
   3
        SHOP NETWORK
   4
   5
        TERMINATE NETWORK
   6
        DEPOT
   7
        CHECK FAILURE TIME VERSUS FLYING TIME, NEXT SHIFT MAINT
   8
        R&R NETWORK
   9
        CANN NETWORK
; 10
        PRE CANN NETWORK
NETWORK:
RDY
      QUEUE(2);
                                         FILE(2)=READY QUEUE
SORT
      QUEUE(4);
                                         FILE(4)=SORTIE OUEUE
SSFT
      QUEUE(5);
NMCS
      QUEUE(7);
HQ
      QUEUE(17);
PMC
      QUEUE(9);
SSF2 QUEUE(14);
;COMPLETE PREFLIGHT
      ENTER, 1, 1;
                                          DETERMINE PREFLIGHT TIME
      ACT;
      ASSIGN, ATRIB(10)=1,1;
      ACT_{,,XX(1)}.EQ.2,SSFT_{,}
                                         WEEKEND, NO MAINT DONE
      ACT';
      EVENT, 8, 1;
                                          ALLOCATE RESOURCES
      ACT, ,ATRIB(17) .EQ. 99, TERM;
                                          RESOURCES NOT AVAILABLE
      ACT/1,ATRIB(7);
                                         DO THE PREFLIGHT
      EVENT, 12, 1;
                                         FREE RESOURCES
      ACT;
```

```
PLACE PLANE IN READY QUEUE
      EVENT, 11, 1;
      ACT, , , TERM;
CHECKS FAILURE TIME VERSUS FLYING TIME, COMPLETES NEXT SHIFT MAINT
RE0
      ENTER, 7, 1;
      ACT;
      EVENT, 3, 1;
      ACT, , , TERM;
:REPAIR NETWORK
REP1 GOON, 1;
      ACT, ATRIB(9).NE.0, SSFT;
      ACT:
       ENIER, 2, 1;
      ACT, XX(1).EQ.1.0 .AND. ATRIB(5).GT.3,SSFT;
      ACT, ,XX(1).EO. 2,SSFT;
      ACT;
                                           CALL MAIN' FOR TASK TIMES
       EVENT, 7, 1;
      EVENT, 7,1; CALL MAINT FOR TASK TIMES ACT, ATRIB(17) .EQ. 99, TERM; NO SPARE AVAIL IN PARALLEL R&R ACT, ATRIB(7) .EQ. 0, TERM; NO TASK TIME, END OF SHIFT
       ACT;
REP5 ASSIGN, ATRIB(10)=2,1;
       ACT:
                                            ALLOCATE RESOURCES
       EVENT, 8, 1;
       ACT, ATRIB(17) .EQ. 99, TERM; RESOURCES NOT AVAILABLE
       ACT, ,XX(1).EQ.1.0 .AND. ATRIB(5).GT.3,SSFT;
       ACT, XX(1).EQ.2, SSFT;
       ACT;
REP2 GOON, 1;
       ACT/2, ATRIB(7);
       GOON, 1;
       ACT, ATRIB(18).EQ.1 .AND. ATRIB(9).EQ.0, RR01; GET SPARE FOR R&R
       ACT;
                                              FREE RESOURCES
REP6
      EVENT, 12, 2;
       ACT,,ATRIB(9).GT.0 .OR. ATRIB(20).EQ.1,REP1; SECOND SHIFT
       ACT, ATRIB(11).EQ.2 .AND. ATRIB(9).EQ.0, EMP; HANGAR QUEEN
       ACT, AIRIB(9).EO.0 .AND. ATRIB(11).NE.2 .AND. ATRIB(20).EQ.0,REO;
       ACT, ATRIB(18).EQ.2 .AND. ATRIB(9).EQ.0 .AND. ATRIB(11).EQ.0, SHOP;
       ACT, , , TERM;
EMP
       EVENT, 21, 1;
                                              MANIPULATE HANGAR QUEEN
       ACT,,,TERM;
  R&R
       ENIER, 8,1;
       ACT:
       ASSIGN, ATRIB(10) = 8, 1;
                                              DEADTIME, NO MAINT WORK
       ACT, ,XX(1).GE.1.0,SSFT;
```


```
ACT:
      ASSIGN, ATRIB(18)=2,1;
      ACT:
      EVENT, 7, 1;
                                           CALL MAINT FOR TASK TIMES
      ACT, ATRIB(7).EQ.0, TERM;
      ACT:
      EVENT, 8, 1;
                                           ALLOCATE RESOURCES
      ACT, ATRIB(17).EQ.99, TERM;
                                           RESOURCES NOT AVAILABLE
      ACT;
      EVENT, 17, 1;
                                           ALLOCATE SPARE
      ACT, ATRIB(17).EQ.99 .AND. ATRIB(11).NE.0, FRE5;
      ACT, ATRIB(17).EQ.99, FRE4;
                                         NO SPARE AVAILABLE
      ACT,,,REP2;
      ACT,,,TERM;
RR01 ASSIGN,ATRIB(18)=2,1;
      ACT;
      EVENT, 7, 1;
                                           CALL MAINT FOR TASK TIMES
      ACT, ATRIB(7).EQ.0, TERM;
      ACT:
      EVENT, 17, 1;
                                           ALLOCATE SPARE
      ACT, ATRIB(17).EQ.99 .AND. ATRIB(11).NE.0, FRE5;
      ACT,,ATRIB(17).EQ.99,FRE4;
                                         NO SPARE AVAILABLE
      ACT,,,REP2;
      ACT, , , TERM;
SHOP MAINTENANCE
ï
      ENTER, 3, 1;
      ACT,,XX(1).GE.1,SSF2;
      ACT;
SHOP EVENT, 16, 1;
                                           DETERMINE FIRST SHIFT TIME
      ACT,,ATRIB(7).EQ.0,TERM;
      ASSIGN, ATRIB(10)=3,1;
      ACT:
      EVENT, 8, 1;
                                           ALLOCATE SHOP RESOURCES
      ACT, ATRIB(17).EQ.99, TERM;
                                           SHOP RESOURCES NOT AVAILABLE
                                           DEADTIME, NO MAINT WORK
      ACT, XX(1).GE.1,SSF2;
      ACT/91,ATRIB(7);
                                           FREE SHOP MANPOWER
      EVENT, 12, 1;
      ACT, ATRIB(9).GT.0,SSF2;
                                           CHECK IF ANOTHER SHIFT NEEDED
      ACT, ATRIB(18).EQ.9, DEPO;
                                           CHECK IF NEED TO SEND TO DEPOT
      ACT;
FRE2 EVENT, 19, 1;
                                           FREE SPARE TO SUPPLY
      ACT, , , TERM;
DEPC
      ENTER, 6,1;
      ACT/92,TRIAG(240.0,300.0,360.0,5); 10-15 DAY DEPOT TURNAROUND TIME
      ASSIGN, ATRIB (18) = 88, 1;
      ACT,,,FRE2;
```

```
ACT, , , TERM;
; CANN NETWORK
CAN1 GOON, 1;
      ACT/5,0.026;
                                              GET TO END OF SHIFT
      EMTER, 10, 1;
      ACT, ,XX(1).GE.1,SSFT;
                                              NO WORK DURING SERVICING SHIFT
      ACT:
      EVENT, 18, 1;
                                              CALCULATE CANN TIME
      ACT, , , TERM;
      ENTER, 9, 1;
      ACT;
      ASSIGN, ATRIB(10) = 10, 1;
      ACT;
      EVENT, 8, 1;
                                              ALLOCATE RESOURCES
      ACT, ATRIB(17).EQ.99, TERM;
                                              RESOURCES NOT AVAILABLE
      ACT,,XX(1).GE.1.0,SSFT;
      ACT;
      GOON, 1;
      ACT/3, ATRIB(7);
      EVENT, 12, 1;
                                              FREE MANPOWER
      ACT,,ATRIB(9).GT.0,CAN1;
                                              SECOND SHIFT
      ACT,,ATRIB(22).EQ.99,CAN9;
ACT,,ATRIB(11).EQ.2,CAN2;
                                           WORKING ON 29 DAY OI
PUT HQ BACK INTO HQ
                                              WORKING ON 29 DAY OLD HQ
      ACT, ,ATRIB(9).EQ.0,RE0;
                                              RELEASE PLANE
      ACT, , , TERM;
 RELEASE PLANE AFTER CANN
CAN2 EVENT, 21, 1;
      ACT, , , TERM;
; SEND PLANE BACK FOR MORE WORK ON 29 DAY OLD HQ
CAN9 EVENT, 24, 1;
      ACT, , , TERM;
FRE4 ASSIGN, ATRIB(18)=1,1;
      ACT;
FRE3 EVENT, 12, 1;
                                              FREE MEN
      ACT,,,SHOP;
FRE5 EVENT, 12, 1;
                                              FREE PERSONNEL
      ACT, , , TERM;
      ENTER, 5, 1;
      ACT;
TERM TERM;
      ENDNETWORK;
```

```
; init,0,719.9,, yes, yes; init,0,5039.9,, yes, yes; ;init,0,2159.9,, yes, yes; ;init,0,3239.9,, yes, yes; ;init,0,1079.9,, yes, yes; ;montr,Sumry,24.0,24.0; montr,Clear,720.0; ;montr,Clear,168.0; Simulate; fin;
```



APPENDIX E. COMPUTER CODE - FORTRAN



APPENDIX E. Computer Code - FORTRAN

This appendix consists of the file F15E.FOR. The common block statements which follow have been omitted from each subroutine in F15E.FOR to conserve space in this document. F15E.FOR follows the common block statements.

```
***** (beginning of common block statements in each subroutine)
      COMMON/SCOM1/ATRIB(100), DD(100), DPL(100), DTNOW, II, MFA, MSTOP, NCLNR
     1, NCRDR, NPRNT, NINRUN, NNSET, NTAPE, SS(100), SSL(100), TNEXT, TNOW, XX(100)
      COMMON/UCOM5/NFLOWN, FHITOT, MSDSOR, NDAY, ENDSO, ENDS1, ENDS2, NSFT
     1,JN(101),JRSC(101),NMRT(399),NSPARE(399),NSPU(399),NSPR(399)
     2, NPLANE, NSORTY, SFT0, SFT1, SFT2, NUMSFT, WARM, MISSN, FTREQ, NDEP(399)
     3, NBRK, NFIX(4), NSPA(399), TMMH(399), SPA, FDAY, YMRT(399), TWEEK
     4,NDON(20)
      COMMON/PLAY/XMTBM(399), MAXWUC, NP, JA(101), TIMFLT, SORLEN, DSGR
     1,NMDT(399),MSP(399),TFAIL(399),WMDT(399),KRSC(70),GNDABT
     2,CRITA(399),CRITG(399),CRITB(399),CRITGN,NPP,PMAINT(24,40,2)
     3, DOWN(24), SMDT, SNMDT, SCOUNT(24), FCRIT(24), PFIL(24), WBRK(399)
      COMMON/BRK/XBRK(4),TABORT(1)
      COMMON/WORK/CODES(399,4), RESC(399,10,5), TIMES(399,10), TMIN(399,10)
     1,QUAN(399,10,5),NRESC(399,10),PERCNT(399,10),SCENE(5),TMAX(399,10)
     2,STDEV(399,10),SMISS(7),WCENE(5),WMISS(7),TPLANE(1),TPHASE(7),V(3)
      INITIGER RESC, QUAN, NRESC, SCENE, CODES, WCENE, TPLANE, NP, PARA, WBRK
      COMMON/FAIRIB/PWUC(24,40,2), WRESC(24,5), WCANN(24,4), PARA(24)
      COMMON/WORDS/AWUC(399), DIST(399, 10)
      CHARACTER AVUC*5, DIST*1
      (end of common block statements)
    ** (beginning of F15E.FOR)
                MAIN PROGRAM FOR TRIAL SLAM NETWORK
      PROGRAM MAIN
      DIMENSION NSET(70001)
      COMMON/SCOM1/ATRIB(100), DD(100), DDL(100), DTNOW, 11, MFA, MSTOP, NCLNR
     1, NCRDR, NPRNT, NNRUN, NNSET, NTAPE, SS(100), SSL(100), TNEXT, TNOW, XX(100)
      COMMON OSET (70001)
      COMMON/UCOM5/NFLOWN, FITTOT, MSDSOR, NDAY, ENDSO, ENDS1, ENDS2, NSFT
     1, JN(101), JRSC(101), NMRT(399), NSPARE(399), NSPU(399), NSPR(399)
     2, NPLANE, NSORTY, SFT0, SFT1, SFT2, NUMSFT, WARM, MISSN, FFREQ, NDEP(399)
     3, NBRK, NFIX(4), NSPA(399), TMMH(399), SPA, FDAY, YMRT(399), TWEEK
     4, NDON (20)
      COMMON/PLAY/XMIBM(399), MAXWUC, NP, JA(101), TIMFLT, SORLEN, DSGR
     1, NMDT(399), MSP(399), TFAIL(399), WMDT(399), KRSC(70), GNDABT
     2,CRITA(399),CRITG(399),CRITB(399),CRITGN,NPP,PMAINT(24,40,2)
     3, DOWN(24), SMDT, SNMDT, SCOUNT(24), FCRIT(24), PFIL(24), WBRK(399)
      COMMON/BRK/XBRK(4),TABORT(1)
      COMMON/WORK/CODES(399,4), RESC(399,10,5), TIMES(399,10), TMIN(399,10)
```

```
1, OUAN(399, 10, 5), NRESC(399, 10), PERCNT(399, 10), SCENE(5), TMAX(399, 10)
    2,STDEV(399,10),SMISS(7),WCENE(5),WMISS(7),TPLANE(1),TPHASE(7),V(3)
     COMMON/FATRIB/PWUC(24, 40, 2), WRESC(24, 5), WCANN(24, 4), PARA(24)
     COMMON/WORDS/AVUC(399), DIST(399,10)
     CHARACTER AWUC*5, DIST*1
     INTEGER RUSC, QUAN, NRESC, SCENE, CODES, WCENE, TPLANE, NP, PARA, WBRK
     EQUIVALENCE(NSET(1),QSET(1))
     NNSET=70001
     NCRDR=5
     NPRNT=6
     NTAPE=7
     OPEN(8,FILE='TRIALST.RPT',STATUS='NEW')
     IF (TPLANE(1) .EQ. 2) THEN
       OPEN(11, FILE='TRIMCD. INP', STATUS='OLD')
       OPEN(12,FILE='TRICD.INP',STATUS='OLD')
     ELSEIF (TPLANE(1) .EQ. 1) THEN
       OPEN(11, FILE='OT. INF', STATUS='OLD')
       OPEN(12, FILE='TRIE. INP', STATUS='OLD')
     ENDIF
     CALL SLAM
     CLOSE(8,STATUS='KEEP')
     CLOSE(11, STATUS='KEEP')
     CLOSE(12, STATUS='KEEP')
     STOP
     END
***************
                           INTLC
 SETS INITIAL VALUES FOR COUNTERS AND PARAMETERS, DEFINES RESOURCE
   AND SPARES ALLOCATIONS, ASSIGNS FAILURE CLOCK TIMES AND BEGINS
   SHIFT, SORTIE AND OUTPUT SCHEDULES
              SUBROUTINE INTLC
     PARAMETER (MMXXV=100)
     COMMON/GCOM1/ JJCDR, KKNN, LLFIL, LLRNK, LLTRY, MFEX, NNAM1, NNAM2, NNAM3,
     INNA O, NNAPT, NNATR, NNFIL, NNTRY, TTBEG, TTCLR, TTFIN,
     2TTSET, XXI (MMXXV), TTTS, TTTF
     SET AIRCRAFT INFORMATION
 FOR F-15C/D
      IF (TPLANE(1) .EQ. 2) THEN
     F-15C/D MSIP MANNING AUTHORIZATION - DAY SHIFT PERSONNEL
        KRSC(1)=4
        KRSC(2)=3
        KRSC(3)=3
        KRSC(4)=12
        KRSC(5)=42
        KRSC(6)=3
        KRSC(7)=8
        KRSC(8)=6
        KRSC(9)=5
        KRSC(10) = 0
        KRSC(11) = 32
        KRSC(12)=14
```

```
KRSC(13)=2
KRSC(14)=1
KRSC(15)=2
KRSC(16)=3
KRSC(17)=1
KRSC(18)=2
KRSC(19)=2
KRSC(20)=10
KPSC(21)=6
KRSC(22)=15
KRSC(23)=1
KRSC(24)=1
KRSC(25)=2
KRSC(26)=5
KRSC(27)=2
KRSC(28)=17
KRSC(29)=8
KRSC(30)=9
KRSC(31)=0
KRSC(32)=2
KRSC(33)=0
KRSC(34)=0
KRSC(35)=0
DAY EQUIPMENT FOR F-15 C/D
JRSC(36)=1
JKSC(37)=1
JRSC(38)=1
JRSC(39)=1
JRSC(40)=1
JRSC(41)=1
JRSC(42)=1
JRSC(43)=1
JRSC(44)=1
JRSC(45)=1
JRSC(46)=0
JRSC(47)=0
JRSC(48)=0
JRSC(49)=0
JRSC(50)=0
F-15C/D MSIP MANNING AUTHORIZATION - NIGHT SHIFT
KRSC(36)=6
KRSC(37)=5
KRSC(38)=5
KRSC(39)=15
KRSC(40)=44
KRSC(41)=5
KRSC(42)=10
KRSC(43)=8
KRSC(44)=7
KPSC(45)=0
KRSC(46) = 34
KRSC(47) = 15
```

```
KRSC(48)=1
     KRSC(49)=1
     KRSC(50)=1
     KRSC(51)=2
     KRSC(52)=1
     KRSC(53)=2
     KRSC(54)=3
     KRSC(55)=12
     KRSC(56)=7
      KRSC(57)=17
      KRSC(58)=2
      KRSC(59)=1
      KRSC(60)=3
      KRSC(61)=7
      KRSC(62)=1
      KRSC(63)=19
      KRSC(64)=9
      KPSC(65)=11
      KRSC(66)=0
      KRSC(67)=3
       KRSC(68)=0
       KRSC(69)=0
       KRSC(70)=0
       NIGHT SHIFT EQUIPMENT FOR F-15C/D
       JRSC(86)=1
       JRSC(87)=1
       JRSC(88)=1
       JRSC(89)=1
       JRSC(90)=1
       JRSC(91)=1
       JRSC(92)=1
       JRSC(93)=1
       JRSC(94)=1
       JRSC(95)=1
        JRSC(96)=0
        JRSC(97)=0
        JRSC(98)=0
        JRSC(99)=0
        JRSC(100)=0
* FOR F-15E
      ELSEIF (TPLANE(1) .EQ. 1) THEN
        CRITGN=0.0
      F-15E MANNING AUTHORIZATIONS
        KRSC(1) \approx 6
        KRSC(2)=55
        KRSC(3)=3
        KRSC(4)=8
        KRSC(5)=5
        KRSC(6)=6
        KRSC(7)=4
        KRSC(8)=39
         KRSC(9)=13
```

```
KRSC(10)=1
       KRSC(11)=2
       KRSC(12)=2
       KRSC(13)=2
       KRSC(14)=4
       KRSC(15)=9
       KRSC(16)=7
       KRSC(17)=31
       KRSC(18)=3
       KRSC(19)=5
       KRSC(20)=7
       KRSC(21)=1
       KRSC(22)=16
       KRSC(23)=4
       KRSC(24)=7
       KRSC(25)=2
        KRSC(26)=2
       KRSC(27)=6
        KRSC(28)=0
        KRSC(29)=0
        KRSC(30)=0
        KRSC(31)=0
        KRSC(32)=0
        KRSC(33)=0
        KRSC(34)=0
        KRSC(35)=0
      DAY EQUIPMENT FOR F-15E
        JRSC(36)=1
        JRSC(37)=1
        JRSC(38)=1
        JRSC(39)=1
        JRSC(40)=1
        JRSC(41)=1
        JRSC(42)=1
        JRSC(43)=1
        JRSC(44)=1
        JRSC(45)=1
        JRSC(46)=0
        JRSC(47)=0
        JRSC(48)=0
        JRSC(49)=0
        JRSC(50)=0
***
      F-15E MANNING AUTHORIZATION - NIGHT SHIFT PERSONNEL
        KRSC(36)=7
        KRSC(37) = 56
        1RSC(38) = 5
        KRSC(39)=10
        KRSC(40)=6
        KRSC(41)=7
        KRSC(42)=6
        KRSC(43)=42
        KRSC(44)=14
```

```
KRSC(45)=2
       KRSC(46)=2
       KRSC(47)=3
       KRSC(48)=3
       KRSC(49)=5
       KRSC(50)=11
       KRSC(51)=9
       KRSC(52)=33
       KRSC(53)=4
       KRSC(54)=6
       KRSC(55)=8
       KRSC(56)=2
       KRSC(57) = 17
       KRSC(58)=6
       KRSC(59)=9
       KRSC(60)=3
       KRSC(61)=3
       KRSC(62)=8
       KRSC(63)=0
        KRSC(64)=0
        KRSC(65)=0
        KRSC(66)=0
        KRSC(67)=0
        KRSC(68)=0
        KRSC(69)=0
        KRSC(70)=0
    F-15E NIGHT SHIFT EQUIPMENT
        JRSC(86)=1
        JRSC(87)=1
        JRSC(88)=1
        JRSC(89)=1
        JRSC(90)=1
        JRSC(91)=i
        JRSC(92)=1
        JRSC(93)=1
        JRSC(94)=1
        JRSC(95)=1
        JRSC(96)=0
        JKSC (97)=0
        JRSC(98)=0
        JRSC(99)=0
        JRSC(100)=0
      ELSE
        WRITE(6,*) 'ERR IN VALUE OF TPLANE', TPLANE
      ENDIF
****
***
      READ IN DATA FILES
      CALL READAT
***
      SE INITIAL VALUES FOR PARAMETERS
      NEV2Y =C
      M: 0
```

```
NPP=0
     NSFT=1
     NBRK=0
     FDAY=0
     GNDABT=0
     NFLOWN=0
     FHTOT=0.0
     MSDSOR=0
     ENDS1=0.0
     ENDS0=0.0
     ENDS2=0.0
      SPA=0.0
     XX(2)=0
     G=(4)XX
     XX(6)=0
     NFIX(1)=0
     NFIX(2)=0
     NFIX(3)=0
     NFIX(4)=0
     ASSIGN VALUES FROM BLOCK DATA FILE
      NPLANE=WCENE(1)
      NSCRTY=WCENE(2)
      NUMSFT=WCENE(3)
      MISSN=WCENE(4)
      SORLEN=WMISS(1)
      SFT0=WMISS(7)
      SFT1=WMISS(2)
      SFT2=WMISS(3)
      WARM=WMISS(4)
      FFREQ=WMISS(5)
      TIMFLT-WMISS(6)
      X1=WCENE(2)
      X2=WCENE(1)
      DSGR=X1/X2
****
     AVAILABILITY OF RESOURCES
      PEOPLE AVAILABILITY AT THE BEGINNING OF EACH SHIFT
      DO 601 I=16,50
        XX(1)=V(1)
601 CONTINUE
      XX(24)=0.90
      XX(26) = 0.85
      XX(8) = 0.65
***
      PEOPLE AVAILABILITY EACH TIME YOU ASK FOR ."
      DO 602 I=51,85
        XX(I)=V(2)
602
     CONTINUE
      EQUIPMENT AVAILABILITY EACH TIME YOU ASK FOR IT
      DO 603 I=86,100
        XX(I)=V(3)
603 CONTINUE
**** ADD UP PLOPLE TO FIND MANPOWER SPACES PER AIRCRAFT
```

```
DO 401 I=1,35
        SPA=SPA+(KRSC(I)+KRSC(I+35))*XX(50+I)
      401 CONTINUE
***
      READJUST PEOPLE ALLOCATION FOR SERVICING CREW IN PEACETIME
      IF (MISSN .EQ. 1) THEN
        IF (TPLANE(1) .EQ. 1) THEN
          KRSC(2)=KRSC(2)-3
      KRSC(37)=KRSC(37)-2
      KRSC(8) = KRSC(8) - 1
          KRSC(43) = KRSC(43) - 1
        ELSEIF (TPLANE(1) .EQ. 2) THEN
          KRSC(5) = KRSC(5) - 3
      KRSC(40)=KRSC(40)-2
      KRSC(11)=KRSC(11)-1
          KRSC(46) = KRSC(46) - 1
        ENDIF
      ENDIF
****
      SET INITIAL QUANTITY OF SPARES DEPENDING ON THE SCENARIO
      DO 300 I=11, MAXWUC
        IF (MISSN .EQ. 1) THEN
          NSPARE(I) = CODES(I,2) + CODES(I,3)
          NSPARE(I) = CODES(I,2) + CODES(I,3) + CODES(I,4)
        ENDIF
        NSPA(I)=0
        NSPU(I)=0
        NDEP(I)=0
 300 CONTINUE
****
****
      DEFINE FAILURE CLOCKS
      DO 600 I=11, MAXWUC
        TFAIL(I) = EXPON(XMIBM(I),5)
 600 CONTINUE
****
***
      CREATE PLANES
      DO 200 I=1,NFLANE
        ATRIB(1)=I
        ATRIB(21)=TNOW
        PFIL(ATRIB(1))=2
        CALL FILEM(2,ATRIB)
 200 CONTINUE
****
* SET UP INITIAL SHIFT SCHEDULE
      CALL SCHOL(6,.00000 ,ATRIB)
* BEGIN FLYING
      CALL SCHOL(1,TIMF),T,ATRIB)
* DEFINE WHEN TO CHANGE FROM WARMUP SCHEDULE
      CALL SCHOL(9, WARM, ATRIB)
* SCHEDULE WHEN TO INITIALLY CALL THE DISPLAY SUBROUTINE
      CALL SCHOL(4,23.99,ATRIB)
      WRITE(8,*)
```

```
WRITE(*,FMT=100)NNRUN
* SETS UP HEADER FOR OUTPUT FILE
     IF (NINRUN .NE. 1) THEN
       RETURN
     ELSE
       WRITE(UNIT=8,FMT=501)
       IF (TPLANE(1) .EQ. 1) THEN
         WRITE(UNIT=8,FMT=509)
       ELSEIF (TPLANE(1) .EQ. 2) THEN
         WRITE(UNIT=8,FMT=510)
       ELSE
         WRITE(6,*), 'ERR, DOES NOT RECOGNIZE TPLANE IN INTLC'
       ENDIF
       WRITE(UNIT=8,FMT=504)
       WRITE(UNIT=8,FMT=505)
       WRITE(UNIT=8, FMT=506)
       WRITE(UNIT=8,FMT=507)
       WRITE(UNIT=8,FMT=508)
       WRITE(UNIT=8,FMT=502) WCENE(4),WMISS(4)/24.0
       WRITE(UNIT=8,FMT=503) SCENE(4)
     ENDIF
 100 FORMAT(1X,' RUN NUMBER ',12)
 500 FORMATI(/,2X,'DAY #FILN #MISS TOT FH SGR FMC% PMC% MC%
                                                                 NMCS%
     1 NMCR%
               BK GA',/)
 501 FORMAT(1X, 'SLAM OUTPUT', /)
 502 FORMAT(/,1X,'WARMUP SCENARIO ',12,5X,'NUMBER OF DAYS ',F10.4)
 503 FORMAT'(/,1X,'MISSION SCENARIO',12)
     WRITE(UNIT=8,FMT=500)
 504
     FORMAT(5X, 'SCENARIO TYPE: 1 PEACETIME SCENARIO', /)
 505 FORMAT(5X,'
                               2 SURGE SCENARIO',/)
                               3 SUSTAINED SCENARIO',/)
 506 FORMAT(5X,'
 507 FORMAT(5X,'
                               4 MOBILITY SURGE SCENARIO: 2.5 UTE',/)
 508 FORMAT (5X, '
                               5 MOBILITY SURGE SCENARIO: 3.0 UTE',/)
     FORMAT(5X, 'F-15E SIMULATION', /)
 509
 510 FORMAT(5X, 'F-15C/D MSIP SIMULATION', /)
     RETURN
     END
**********
                       ALLOK - EVENT 8
 ALLOCATES MAINT RESOURCES FOR EACH TASK
      SUBROUTINE ALLOK
      IF (ATRIB(7) .EQ. 0) THEN
       WRITE(6,*), 'ERR IN ALLOK, ATRIB(7)=0', ATRIB(1), ATRIB(5)
       RETURN
     ENDIF
     NAC=ATRIB(1)
     NWUC=ATRIB(5)
     NON=0
     IF (NSFT .EQ. 1 .OR. NSFT .EQ. 0) THEN
```

```
NADJ≃0
     ELSEIF (NSFT .EQ. 2) THEN
        NADJ≈50
     ELSE
        WRITE(6,*), 'ERR IN ALLOK, NSFT IS WRONG'
      ENDIF
      JJ=ATRIB(13)
      IF (JJ .EQ. 0) THEN
       . =1
      ENDIF
      I=NRESC(NWUC,JJ)
      IF (I .EQ. 0) THEN
        WRITE(6,*), 'ERR IN ALLOK, I=0(1), AWUC, JJ, NRESC', ATRIB(1)
     1 ,AWUC(NWUC),JJ,NRESC(NWUC,JJ)
        RETURN
      ENDIF
      ATRIB(25)=0
      ATRIB(26)=0
      JHELP7=0
      JHELP25=0
      JHE=0
      KHELP7=0
      KHELP25=0
      KHE=0
      LHELP7=0
      LHELP25=0
      LHE≃0
      MHELP7=0
      MHELP25=0
      MHE=0
      NHELP7=0
      NHELP25=0
      NHE=0
      IHELP7=0
      IHELP25=0
      IHE=0
      GO TO (1,2,3,4,5), I
* ALLOCATION RULE 1 - SEIZES 1 TYPE OF RESOURCE
****
  1
      CONTINUE
      JP1=RESC(NWUC, JJ, 1)+NADJ
      NP1=QUAN(NWUC, JJ, 1)
      ATRIB(17)=0
      PROB1=UNFRM(0.0,1.0,5)
      CHECK AVAILABILITY OF SEVEN LEVEL MAINT PERSONNEL
      IF (TPLANE(1) .EQ. 1) THEN
        IF ((JP1-NADJ) .GE. 4 .AND. (JP1-NADJ) .LE. 6) THEN
          JHELP7=JRSC(7+NADJ)
        ENDIF
        IF ((JP1-NADJ) .EQ. 23 .OR. (JP1-NADJ) .EQ. 24) THEN
          JHELP25=JRSC(25+NADJ)
```

```
ENDIF
        JHE=JHELP7+JHELP25
      ENDIF
      IF RESOURCE IS AVAILABLE
      IF (JRSC(JP1)+JHE .GE. NP1 .AND. PROB1 .LE. XX(JP1-NADJ+50)) THEN
        IF (NP1 .GT. JRSC(JP1)) THEN
          IF (JHELP7 .GT. 0) THEN
            ATRIB(25)=NP1-JRSC(JP1)
            JRSC(7+NADJ)=JRSC(7+NADJ)-ATRIB(25)
            JA(7) = JA(7) + 1
C
             WRITE(6,*), '7 LEVEL RESC(7) AVAIL, #', ATRIB(25), JP1, NP1
          ELSEIF (JHELP25 .GT. 0) THEN
            ATRIB(26) = NP1 - JRSC(JP1)
            JRSC(25+NADJ)=JRSC(25+NADJ)-ATRIB(26)
            JA(25)=JA(25)+1
C
             WRITE(6,*),'7 LEVEL RESC(25) AVAIL, #',ATRIB(26),JP1,NP1
          ENDIF
          JRSC(JP1)=0
          JA(JP1)=JA(JP1)+1
        ELSE
          JRSC(JP1)=JRSC(JP1)-NP1
          JA(JP1)=JA(JP1)+1
        ENDIF
        SET MMH COUNTERS
        ATRIB(8)=TNOW
C
         WRITE(6,*), 'ALLOK, A/C, JJ, TYP, #, #AV', NAC, JJ, JP1, NP1, JRSC(JP1)
        IF PARALLEL MAINT, IF RESC AVAIL, CONTINUE WITH MAINT
        IF (ATRIB(15) .EQ. 20) THEN
          ATRIB(15)=21
          NB=ATRIB(12)
          PWUC(NAC, NB, 1) = 0
C
          WRITE(6,*), '1PESC AVAIL, 21, 1, PARA', NAC, PARA(NAC)
        ELSEIF (ATRIB(15) .EQ. 30) THEN
          MTRIB(15) = 31
C
          WRITE(6,*), '1RESC AVAIL, 31, 1, PARA', NAC, PARA(NAC)
        ENDIF
        RETURN
      ELSE
        JN(JP1)=JN(JP1)+1
        IF (JHELP7 .GT. 0) THEN
          JN(7)=JN(7)+1
          WRITE(6,*),'1:7 LEVEL RESC(7) NOT AVAIL'
        ELSEIF (JHELP25 .GT. 0) THEN
          JN(25)=JN(25)+1
          WRITE(6,*),'1:7 LEVEL RESC(25) NOT AVAIL'
        ENDIF
        WRITE(6,*), '1: RESOURCE NOT AVAILABLE', JP1, NP1, JRSC(JP1)
        IF (PROB1 .Gr. XX(JP1-NADJ+50)) THEN
          NON=1
        ENDIF'
        ATRIB(17) = JP1
        IF PARALLEL MAINT, IF RESC NOT AVAIL - TERMINATE THIS ENTITY
```

```
IF (ATRIB(15) .EO. 20) THEN
   IF (PARA(NAC) .EQ. 1) THEN
     ATRIB(15)=0
     NB=ATRIB(12)
     NF=PFIL(NAC)
    WRITE(6,*), 'LAST PARALLEL ENTITY, NO TERM, FILE', NF, NAC
     PARA(NAC)=0
    CALL FILEM(NF, ATRIB)
     IF (ATRIB(13) .EQ. 1 .OR. ATRIB(13) .EQ. 10) THEN
       MSP(NWUC)=MSP(NWUC)-1
       WRITE(6,*), 'IN ALLOK, MSP, NWUC', MSP(NWUC), NWUC
     ENDIF
  ELSE
    WRITE(6,*), 'NO RESC, TERM ENTITY', NAC, PARA(NAC)
    PARA(NAC)=PARA(NAC)-1
    IF (ATRIB(13) .ΕQ. 1 .OR. ATRIB(13) .EQ. 10) THEN
      MSP(NWUC)=MSP(NWUC)-1
      WRITE(6,*),'IN ALLOK, MSP, NWUC', MSP(NWUC), NWUC
    ENDIF
  ENDIF
  CALL FILEM(20, ATRIB)
  ATRIB(17) = 99
  RETURN
ELSEIF (ATRIB(15) .EQ. 30) THEN
  WRITE(6,*), 'NO RESC, TERM ENTITY', NAC, PARA(NAC)
  PARA(NAC)=PARA(NAC)-1
  CALL FILEM(20, ATRIB)
  ATRIB(17) = 99
    IF (ATRIB(13) .EQ. 1 .OR. ATRIB(13) .EQ. 10) THEN
      MSP(NWUC)=MSP(NWUC)-1
      WRITE(6,*), 'IN ALLOK, MSP, NWUC', MSP(NWUC), NWUC
    ENDIF
  RETURN
ENDIF
IF (JJ .LE. 4 .OR. JJ .EQ. 10) THEN
  IF (NON .EQ. 1) THEN
    ATRIB(23)=TNOW
    CALL FILEM(12, ATRIB)
    CALL SCHOL(25,1.0,ATRIB)
  ELSE
    CALL FILEM(3, ATRIB)
  ENDIF
ELSE
  IF (NON .EQ. 1) THEN
    ATRIB(23)≈TNOW
    CALL FILEM(15, ATRIB)
    CALL SCHOL(25, 1.0, ATRIB)
  ELSE
    CALL FILEM(13,ATRIB)
  ENDIF
ENDIF
ATRIB(17) = 99
```

```
RETURN
     ENDIF
* ALLOCATION RULE 2 - SEIZES 2 TYPES OF RESOURCES
 2
     CONTINUE
     JP1=RESC(NWUC, JJ, 1)+NADJ
     JP2=RESC(NWUC,JJ,2)+NADJ
     NP1=QUAN(NWUC,JJ,1)
     NP2=QUAN(NWUC,JJ,2)
     ATRIB(17)=0
     PROB1=UNFRM(0.0,1.0,5)
     PROB2=UNFRM(0.0,1.0,5)
      CHECK AVAILABILITY OF SEVEN LEVEL MAINT PERSONNEL
      IF (TPLANE(1) .EQ. 1) THEN
        IF ((JP1-NADJ) .GE. 4 .AND. (JP1-NADJ) .LE. 6) THEN
          JHELP7=JRSC(7+NADJ)
        IF ((JP1-NADJ) .EQ. 23 .OR. (JP1-NADJ) .EQ. 24) THEN
          JHELP25=JRSC(25+NADJ)
        ENDIF
        JHE=JHELP7+JHELP25
        IF ((JP2-NADJ) .GE. 4 .AND. (JP2-NADJ) .LE. 6) THEN
          KHELP7=JRSC(7+NADJ)
        ENDIF
        IF ((JP2-NADJ) .EQ. 23 .OR. (JP2-NADJ) .EQ. 24) THEN
          KHELP25=JRSC(25+NADJ)
        ENDIF
        KHE~KHELP7+KHELP25
      ENDIF
***
      IF RESOURCE IS AVAILABLE
      IF (JRSC(JP1)+JHE .GE. NP1 .AND. PROB1 .LE. XX(JP1-NADJ+50) .AND.
          JRSC(JP2)+KHE .GE. NP2 .AND. PROB2 .LE. XX(JP2-NADJ+50)) THEN
        FIRST RESOURCE
        IF (NP1 .GT. JRSC(JP1)) THEN
          IF (JHELP7 .GI. U) THEN
            ATRIB(25)=NP1-JRSC(JP1)
            JRSC(7+NADJ)=JRSC(7+NADJ)-ATRIB(25)
            JA(7)=JA(7)+1
             WRITE(6,*),'7 LEVEL RESC(7) AVAIL, #',ATRIB(25),JP1,NP1
C
          ELSEIF (JHELP25 .GT. 0) THEN
            ATRIB(26)=NP1-JRSC(JP1)
            JRSC(25+NADJ)=JRSC(25+NADJ)-ATRIB(26)
            JA(25)=JA(25)+1
             WRITE(6,*),'7 LEVEL RESC(25) AVAIL, #',ATRIB(26),JP1,NP1
C
          ENDIF
          JRSC(JP1)=0
          JA(JP1)=JA(JP1)+1
         ELSE
          JRSC(JP1)=JRSC(JP1)-NP1
          JA(JP1)=JA(JP1)+1
```

ENDIF

```
SECOND RESOURCE
        IF (NP2 .GT. JRSC(JP2)) THEN
          IF (KHELP7 .GT. 0) THEN
            ATRIB(25) = NP2 - JRSC(JP2)
             JRSC(7+NADJ)=JRSC(7+NADJ)-ATRIB(25)
            JA(7) = JA(7) + 1
C
             WRITE(6,*),'7 LEVEL RESC(7) AVAIL, #',ATRIB(25),JP2,NP2
          ELSEIF (KHELP25 .GT. 0) THEN
            ATRIB(26)=NP2-JRSC(JP2)
             JRSC(25+NADJ)=JRSC(25+NADJ)-ATRIB(26)
             JA(25) = JA(25) + 1
              WRITE(6,*),'7 LEVEL RESC(25) AVAIL, #',ATRIB(26),JP2,NF2
C
          ENDIF
          JRSC(JP2)=0
          JA(JP2)=JA(JP2)+1
        ELSE
           JRSC(JP2)=JRSC(JP2)-NF2
           JA(JP2)=JA(JP2)+1
        ENDIF
        SET MMH COUNTERS
        ATRIB(8)=INOW
C
         WRITE(6,*), 'ALLOK, A/C, JJ, TYP, #, #A', NAC, JJ, JP1, NP1, JRSC(JP1)
         WRITE(6,*), 'ALLOK, A/C, JJ, TYP, #, #A', NAC, JJ, JP2, NP2, JRSC(JP2)
C
        IF PARALLEL MAINT, IF RESC AVAIL, CONTINUE WITH MAINT
        IF (ATRIB(15) .EQ. 20) THEN
           ATRIB(15)=21
           NB=ATRIB(12)
           PWUC(NAC, NB, 1) = 0
           PWUC(NAC, NB, 2) = 0
C
            WRITE(6,*), '2RESC AVAIL, 21, 1, PARA', NAC, PARA(NAC)
        ELSEIF (ATRIB(15) .EQ. 30) THEN
           ATRIB(15)=31
C
            WRITE(6,*),'2RESC AVAIL,31,1,PARA',NAC, PARA(NAC)
        ENDIF
        RETURN
      ELSE
       IF RESOURCES ARE NOT AVAILABLE
        FIRST RESOURCE
         IF (JRSC(JP1)+JHE .LT. NP1 .OR. PROB1 .GT. XX(JP1-NADJ+50)) THEN
           IF (JHELP7 GT. 0) THEN
             JN(7) = JN(7) + 1
             WRITE(6,*),'2A:7 LEVEL RESC(7) NOT AVAIL'
           ELSEIF (JHELP25 .GT. 0) THEN
             JN(25)=JN(25)+1
             WPITE(6,*),'2A:7 LEVEL RESC(25) NOT AVAIL'
           ENDIF
           JN(JP1)=JN(JP1)+1
           WRITE(6,*), '2A: RESOURCE NOT AVAILABLE', JP1, NP1, JRSC(JP1)
           ATRIB(17)=JP1
           IF (PROBL .GT. XX(JP1~NADJ+50)) THEN
             NON=1
           ENDIF
```

```
ENDIF
SECOND RESOURCE
IF (JRSC(JP2)+KHE .LT. NP2 .OR. PROB2 .GT. XX(JP2-NADJ+50)) THEN
  IF (KHELP7 .GT. 0) THEN
    JN(7) = JN(7) + 1
    WRITE(6,*),'2B:7 LEVEL RESC(7) NOT AVAIL'
  ELSEIF (KHELP25 .Gr. 0) THEN
    JN(25) = JN(25) + 1
    WRITE(6,*),'2B:7 LEVEL RESC(25) NOT AVAIL'
  ENDIF
  JN(JP2)=JN(JP2)+1
  WRITE(6,*), '2B:RESOURCE NOT AVAILABLE', JP2, NP2, JRSC(JP2)
  ATRIB(17) = JP2
  IF (PROB2 .Gr. XX(JP2-NADJ+50)) THEN
    NON=1
  FNDIF
ENDIF
IF PARALLEL MAINT, IF RESC NOT AVAIL - TERMINATE THIS ENTITY
IF (ATRIB(15) .EQ. 20) THEN
  IF (PARA(NAC) .EQ. 1) THEN
    ATRIB(15)=0
    NB=ATRIB(12)
    NF=PFIL(NAC)
    PARA(NAC)=0
    WRITE(6,*), 'LAST PARALLEL ENTITY, NO TERM, FILE', NF, ATRIB(1)
    CALL FILEM(NF, ATRIE)
    IF (ATRIB(13) .EQ. 1 .OR. ATRIB(13) .EQ. 10) THEN
      MSP(NWUC)=MSP(NWUC)-1
      WRITE(6,*),'IN ALLOK, MSP, NWUC', MSP(NWUC), NWUC
    ENDIF
  ELSE
    WRITE(6,*), 'NO RESC, TERM ENTITY', NAC, PARA(NAC)
    PARA(NAC)=PARA(NAC)-1
    IF (ATRIB(13) .EQ. 1 .OR. ATRIB(13) .EQ. 10) THEN
      MSP(NWUC)=MSP(NWUC)-1
      WRITE(6,*),'IN ALLOK, MSP, NWUC', MSP(NWUC), NWUC
    ENDIF
  ENDIF
  CALL FILEM(20, ATRIB)
  ATRIB(17)=99
  RETURN
ELSEIF (ATRIB(15) .EQ. 30) THEN
  WRITE(6,*), 'NO RESC, TERM ENTITY', NAC, PARA(NAC)
  PARA(NAC)=PARA(NAC)-1
  CALL FILEM(20, ATRIB)
    IF (ATRIB(13) .EQ. 1 .OR. ATRIB(13) .EQ. 10) THEN
      MSP(NWUC)=MSP(NWUC)-1
      WRITE(6,*), 'IN ALLOK, MSP, NWUC', MSP(NWUC), NWUC
    ENDIF
 ATRIB(17)=99
  RETURN
ENDIF
```

```
1F (JJ .LE. 4 .OR. JJ .EQ. 10) THEN
          IF (NON .EO. 1) THEN
            ATRIB(23)=TNOW
            CALL FILEM(12,ATRIB)
            CALL SCHOL(25,1.0,ATRIB)
            CALL FILEM(3, ATRIB)
          ENDIF
        ELSE
          IF (NON .EQ. 1) THEN
            ATRIB(23)=TNOW
            CALL FILEM(15, ATRIB)
            CALL SCHDL(25, 1.0, ATRIB)
          ELSE
            CALL FILEM(13,ATRIB)
          ENDIF
        ENDIF
        ATRIB(17)=99
        RETURN
      ENDIF
***
* ALLOCATION RULE 3 - SEIZES 3 TYPES OF RESOURCES
***
  3
      CONTINUE
      ATRIB(17)=0
      JP1=RESC(NWUC, JJ, 1) +NADJ
      JP2=RESC(NWUC, JJ, 2)+NADJ
      JP3=RESC(NWUC, JJ, 3)+NADJ
      NP1=QUAN(NWUC, JJ, 1)
      NP2=QUAN(NWUC, JJ, 2)
      NP3=QUAN(NWUC,JJ,3)
      PROB1=UNFRM(0.0,1.0,5)
      PROB2=UNFRM(0.0,1.0,5)
      PROB3=UNFRM(0.0,1.0,5)
      CHECK AVAILABILITY OF SEVEN LEVEL MAINT PERSONNEL
      IF (TPLANE(1) .EQ. 1) THEN
        IF ((JP1-NADJ), GE. 4 .AND. (JP1-NADJ) .LE. 6) THEN
          JHELF7=JRSC(7+NADJ)
        IF ((JP1-NADJ) .EQ. 23 .OR. (JP1-NADJ) .EQ. 24) THEN
          JHELP25=JRSC(25+NADJ)
        ENDIF
        JHE=JHELP7+JHELP25
        II' ((JP2-NADJ) .GE. 4 .AND. (JP2-NADJ) .LE. 6) THEN
          KHELP7=JRSC(7+NADJ)
        ENDIF
        IF ((JP2-NADJ) .EQ. 23 .OR. (JP2-NADJ) .EQ. 24) THEN
          KHELP25=JRSC(25+NADJ)
        ENDIF
        KHE=KHELP7+KHELF25
        IF ((JP3-NADJ) .GE. 4 .AND. (JP3-NADJ) .LE. 6) THEN
          LHELP7=JRSC(7+NADJ)
```

```
ENDIF
        IF ((JP3-NADJ) .EQ. 23 .OR. (JP3-NADJ) .EQ. 24) THEN
          IHELP25=JRSC(25+NADJ)
        ENDIF
        LHE=LHELP7+LHELP25
      ENDIF'
      IF (JRSC(JP1)+JHE .GE. NP1 .AND. PROB1 .LE. XX(JP1-NADJ+50) .AND.
          JRSC(JP2)+KHE .GE. NP2 .AND. PROB2 .LE. XX(JP2-NADJ+50) .AND.
          JRSC(JP3)+LHE .GE. NP3 .AND. PROB3 .LE. XX(JP3-NADJ+50)) THEN
        FIRST RESOURCE
        IF (NP1 .GT. JRSC(JP1)) THEN
          IF (JHELP7 .GT. 0) THEN
            ATRIB(25)=NP1-JRSC(JP1)
            JRSC(7+NADJ)=JRSC(7+NADJ)-ATRIB(25)
            JA(7) = JA(7) + 1
C
             WRITE(6,*),'7 LEVEL RESC(7) AVAIL, #',ATRIB(25),JP1,NP1
          ELSEIF (JHELP25 .GT. 0) THEN
            ATRIB(26)=NP1-JRSC(JP1)
             JR_{C}(25+NADJ)=JRSC(25+NADJ)-ATRIB(26)
             JA(25)=JA(25)+1
C
             WRITE(6,*),'7 LEVEL RESC(25) AVAIL, #',ATRIB(26),JP1,NP1
          ENDIF
          JRSC(JP1)=0
          JA(JP1)=JA(JP1)+1
          JRSC(JP1)=JRSC(JP1)-NP1
          JA(JP1)=J\Lambda(JP1)+1
        ENDIF
        SECOND RESOURCE
        IF (NP2 .GT. JRSC(JP2)) THEN
          IF (KHELP7 .GT. 0) THEN
             ATRIB(25)=NP2-JRSC(JP2)
             JRSC(7+NADJ)=JRSC(7+NADJ)-ATRIB(25)
             JA(7) = JA(7) + 1
C
             WRITE(6,*),'7 LEVEL RESC(7) AVAIL, #',ATRIB(25),JP2,NP2
          ELSEIF (KHELP25 .GT. 0) THEN
            ATRIB(26) = NP2 - JRSC(JP2)
             JRSC(25+NADJ)=JRSC(25+NADJ)-ATRIB(26)
             JA(25) = JA(25) + 1
C
             WRITE(6,*),'7 LEVEL RESC(25) AVAIL, #',ATRIB(26),JP2,NP2
          ENDIF
          JPSC(JP2)=0
          JA(JP2)=JA(JP2)+1
        ELSE
          JRSC(JP2)=JRSC(JP2)-NP2
          JA(JP2)=JA(JP2)+1
        ENDIF
        'THIRD RESOURCE
        IF (NF3 .GT. JRSC(JF3)) THEN
          IF (LHELP7 .GT. 0) THEN
            ATRIB(25) = NP3 - JRSC(JP3)
             JRSC(7+NADJ)=JRSC(7+NADJ)-ATRIB(25)
```

```
JA(7)=JA(7)+1
C
             WRITE(6,*),'7 LEVEL RESC(7) AVAIL, #',ATRIB(25),JP3,NP3
          ELSEIF (LHELP25 .GT. 0) THEN
            ATRIB(26)=NP3-JRSC(JP3)
             JRSC(25+NADJ)=JRSC(25+NADJ)-ATRIB(26)
             JA(25) = JA(25) + 1
C
             WRITE(6,*),'7 LEVEL RESC(25) AVAIL, #',AIRIB(26),JP3.NP3
          END1F
          JRSC(JP3)=0
          JA(JP3)=JA(JP3)+1
        ELSE
          JRSC(JP3)=JRSC(JP3)-NP3
          JA(JP3)=JA(JP3)+1
        ENDIF
        SET MMH COUNTERS
        ATRIB(8)=TNOW
CC
        WRITE(6,*), 'ALLOK, A/C, JJ, TYP, #, #A', ATRIB(1), JJ, JP1, NP1, JRSC(JP1)
CC
        WRITE(6,*), 'ALLOK, A/C, JJ, TYP, #, #A', ATRIB(1), JJ, JP2, NP2, JRSC(JP2)
CC
        WRITE(6,*), 'ALLOK,A/C,JJ,TYP,#,#A',ATRIB(1),JJ,JP3,NP3,JRSC(JP3)
***
         IF PARALLEL MAINT, IF RESC AVAIL, CONTINUE WITH MAINT
         IF (ATRIB(15) .EQ. 20) THEN
          ATRIB(15)=21
          NB=ATRIB(12)
          PWUC(NAC,NB,1)=0
          PWUC(NAC, NB, 2) = 0
        ELSEIF (ATRIB(15) .EQ. 30) THEN
          ATRIB(15)=31
        ENDIF
        RETURN
      ELSE
      IF RESOURCES ARE NOT AVAILABLE
         FIRST RESOURCE
         IF (JRSC(JP1)+JHE .I.T. NP1 .OR. PROB1 .GT. XX(JP1-NADJ+50)) THEN
           IF (JHELP7 .GT. 0) THEN
             JN(7) = JN(7) + 1
             WRITE(6,*),'3A:7 LEVEL RESC(7) NOT AVAIL'
          ELSEIF (JHELP25 .GT. 0) THEN
             JN(25)=JN(25)+1
             WRITE(6,*), '3A:7 LEVEL RESC(25) NOT AVAIL'
           ENDIF
           JN(JP1)=JN(JP1)+1
          WRITE(6,*), '3A: RESOURCE NOT AVAILABLE', JP1, NP1, JRSC(JP1)
          ATRIB(17)=JP1
           IF (PROB1 .GT. XX(JP1-NADJ+50)) THEN
             NON=1
           ENDIF
         ENDIF
         SECOND RESOURCE
         IF (JRSC(JP2)+KHE .LT. NP2 .OR. PROB2 .GT. XX(JP2-NADJ+50)) THEN
           IF (KHELP7 .CT. 0) THEN
             JN(7) = JN(7) + 1
             WRITE(5,*), '3B:7 LEVEL RESC(7) NOT AVAIL'
```

```
ELSEIF (KHELP25 .GT. 0) THEN
    JN(25)=JN(25)+1
    WRITE(6,*),'3B:7 LEVEL RESC(25) NOT AVAIL'
  ENDIF
  JN(JP2)=JN(JP2)+1
  WRITE(6,*),'3B:RESOURCE NOT AVAILABLE',JP2,NP2,JRSC(JP2)
  ATRIB(17)=JP2
  IF (PROE2 .CT. XX(JP2-NADJ+50)) THEN
    NON=1
  ENDIF
FNDIF
THIRD RESOURCE
IF (JRSC(JP3)+LHE .LT. NP3 .OR. PROB3 .GT. XX(JP3-NADJ+50)) THEN
  IF (LHELP7 .GT. 0) THEN
    JN(7) = JN(7) + 1
    WRITE(6,*),'3C:7 LEVEL RESC(7) NOT AVAIL'
  ELSEIF (LHELP25 .GT. 0) THEN
    JN(25)=JN(25)+1
    WRITE(6,*),'3C:7 LEVEL RESC(25) NOT AVAIL'
  ENDIF
  JN(JP3) = JN(JP3) + 1
  WRITE(6,*), '3C: RESOURCE NOT AVAILABLE', JP3, NP3, JRSC(JP3)
  ATRIB(17)=JP3
  IF (PROB3 .GT. XX(JP3-NADJ+50)) THEN
    NON-1
  ENDIF
ENDIF
IF PARALLEL MAINT, IF RESC NOT AVAIL - TERMINATE THIS ENTITY
IF (ATRIB(15) .EQ. 20) THEN
  IF (PARA(NAC) .EQ. 1) THEN
    ATRIB(15)=0
    NB=ATRIB(12)
    NF=PFIL(NAC)
    PARA(NAC)=0
    WRITE(6,*), 'LAST PARALLEL ENTITY, NO TERM, FILE', NF, ATRIB(1)
    IF (ATRIB(13) .EQ. 1 .OR. ATRIB(13) .EQ. 10) THEN
      MSP(NWUC)=MSP(NWUC)-1
      WRITE(6,*),'IN ALLOK, MSP, NWUC', MSP(NWUC), NWUC
    ENDIF
    CALL FILEM(NF, ATRIB)
  ELSE
    WRITE(6,*), 'NO RESC, TERM ENTITY', NAC, PARA(NAC)
    PARA(NAC)=PARA(NAC)-1
    IF (ATRIB(13) .EQ. 1 .OR. ATRIB(13) .EQ. 10) THEN
      MSP(NWUC)=MSP(NWUC)-1
      WRITE(6,*), 'IN ALLOK, MSP, NWUC', MSP(NWUC), NWUC
    ENDIF
  ENDIF
  CALL FILEM(20,ATRIB)
  ATRIB(17) = 99
  RETURN
ELSEIF (ATRIB(15) .EQ. 30) THEN
```

```
WRITE(5,*), 'NO RESC, TERM ENTITY', NAC, PARA(NAC)
          PARA(NAC)=PARA(NAC)-1
          CALL, FILEM(20, ATRIB)
          ATRIB(17)=99
            IF (ATRIB(13) .EQ. 1 .OR. ATRIB(13) .EQ. 10) THEN
              MSP(NWUC)=MSP(NWUC)-1
              WRITE(6,*), 'IN ALLOK, MSP, NWUC', MSP(NWUC), NWUC
            ENDIF
          RETURN
        ENDIF
        IF (JJ .LE. 4 .OR. JJ .EQ. 10) THEN
          IF (NON .EQ. 1) THEN
            ATRIB(23)=TNOW
            CALL FILEM(12, ATRIB)
            CALL SCHOL(25,1.0,ATRIB)
          ELSE
            CALL FILEM(3,ATRIB)
          ENDIF
        ELSE
          IF (NON .EO. 1) THEN
            ATRIB(23)=TNOW
            CALL FILEM(15, ATRIB)
            CALL SCHDL(25,1.0,ATRIB)
          ELSE
            CALL FILEM(13,ATRIB)
          ENDIF
        ENDIF
        ATRIB(17) = 99
        RETURN
     ENDIF
* ALLOCATION RULE 4 - SEIZES 4 TYPES OF RESOURCES
****
  4
     CONTINUE
     ATRIB(17)=0
      JP1=RESC(NWUC, JJ, 1) +NAI J
      JP2=RESC(NWUC, JJ, 2)+NADJ
      JP3=RESC(NWUC, JJ, 3) +NADJ
      JP4=RESC(NWUC, JJ, 4) +NADJ
     NP1=QUAN(NWUC,JJ,1)
     NP2=QUAN(NWUC,JJ,2)
     NP3=QUAN(NWUC,JJ,3)
     NP4=QUAN(NWUC,JJ,4)
     PROB1=UNFRM(0.0,1.0,5)
     PROB2=UNFRM(0.0,1.0,5)
     PROB3=UNFRM(0.0,1.0,5)
     PROB4=UNFRM(0.0,1.0,5)
     CHECK AVAILABILITY OF SEVEN LEVEL MAINT PERSONNEL
      IF (TPLANE(1) .EQ. 1) THEN
        IF ((JP1-NADJ) .GE. 4 .AND. (JP1-NADJ) .LE. 6) THEN
          JHELP7=JRSC(7+NADJ)
        ENDIF
```

```
IF ((JP1-NADJ) .EQ. 23 .OR. (JP1-NADJ) .EQ. 24) THEN
          JHELP25=JRSC(25+NADJ)
        ENDIF
        JHE=JHELP7+JHELP25
        IF ((JP2-NADJ) .GE. 4 .AND. (JP2-NADJ) .LE. 6) THEN
          KHELP7=JRSC(7+NADJ)
        ENDIF
        IF ((JP2-NADJ) .EQ. 23 .OR. (JP2-NADJ) .EQ. 24) THEN
          KHELP25=JRSC(25+NADJ)
        ENDIF
        KHE=KHELP7+KHELP25
        IF ((JP3-NADJ) .GE. 4 .AND. (JP3-NADJ) .LE. 6) THEN
          LHELP7=JRSC(7+NADJ)
        ENDIF
        IF ((JP3-NADJ) .EQ. 23 .OR. (JP3-NADJ) .EQ. 24) THEN
          LHELP25=JRSC(25+NADJ)
        LHE=LHELP7+LHELP25
        IF ((JP4-NADJ) .GE. 4 .AND. (JP4-NADJ) .LE. 6) THEN
          MHELP7=JRSC(7+NADJ)
        IF ((JP4-NADJ) .EQ. 23 .OR. (JP4-NADJ) .EQ. 24) THEN
          MHELP25=JRSC(25+NADJ)
        ENDIF
        MHE=MHET.P7+MHET.P25
      ENDIF
      IF (JRSC(JP1)+JHE .GE. NP1 .AND. PROB1 .LE. XX(JP1-NADJ+50) .AND.
          JRSC(JP2)+KHE .GE. NF2 .AND. PROB2 .LE. XX(JP2-NADJ+50) .AND.
          JRSC(JP3)+LHE .GE. NP3 .AND. PROB3 .LE. XX(JP3-NADJ+50) .AND.
          JRSC(JP4)+MHE .GE. NP4 .AND. PROB4 .LE. XX(JP4-NADJ+50)) THEN
        FIRST RESOURCE
        IF (NP1 .GT. JRSC(JP1)) THEN
          IF (JHELP7 .GT. 0) THEN
            ATRIB(25)=NP1~JRSC(JP1)
            JRSC(7+NADJ)=JRSC(7+NADJ)-ATRIB(25)
            JA(7)=JA(7)+1
C
             WRITE(6,*),'7 LEVEL RESC(7) AVAIL, #',ATRIB(25),JP1,NP1
          ELSEIF (JHELP25 .GT. 0) THEN
            ATRIB(26)=NP1-JRSC(JP1)
            JRSC(25+NADJ)=JRSC(25+NADJ)-ATRIB(26)
            JA(25)=JA(25)+1
C
             WRITE(6,*),'7 LEVEL RESC(25) AV.JL, #',ATRIB(26),JP1,NP1
          ENDIF
          JRSC(JP1)=0
          JA(JP1)=JA(JP1)+1
        ELSE
          JRSC(JP1)=JRSC(JP1)-NP1
          JA(JP1)=JA(JP1)+1
        ENDIF
        SECOND RESOURCE
        IF (NP2 .GT. JRSC(JP2)) THEN
          IF (KHELP7 .GT. 0) THEN
```

```
ATRIB(25)=NP2-JRSC(JP2)
            JRSC(7+NADJ)=JRSC(7+NADJ)-ATRIB(25)
            JA(7)=JA(7)+1
             WRITE(6,*),'7 LEVEL RESC(7) AVAIL, #',ATRIB(25),JP2,NP2
C
          ELSEIF (KHELP25 .GT. 0) THEN
            ATRIB(26)=NP2-JRSC(JP2)
            JRSC(25+NADJ)=JRSC(25+NADJ)-ATRIB(26)
            JA(25)=JA(25)+1
             WRITE(6,*),'7 LEVEL RESC(25) AVAIL, #',ATRIB(26),JP2,NP2
C
          ENDIF
           JRSC(JP2)=0
          JA(JP2)=JA(JP2)+1
        ELSE
           JRSC(JP2)=JRSC(JP2)-NP2
          JA(JP2)=JA(JP2)+1
        ENDIF
        THIRD RESOURCE
        IF (NP3 .Gr. JRSC(JP3)) THEN
           IF (LHELP7 .Gr. 0) THEN
             ATRIB(25) = NP3 - JRSC(JP3)
             JRSC(7+NADJ)=JRSC(7+NADJ)-ATRIB(25)
             JA(7) = JA(7) + 1
C
              WRITE(6,*),'7 LEVEL RESC(7) AVAIL, #',ATRIB(25),JP3,NP3
           ELSEIF (LHELP25 .GT. 0) THEN
             ATRIB(26) = NP3 - JRSC(JP3)
             JRSC(25+NADJ)=JRSC(25+NADJ)--ATRIB(26)
             JA(25)=JA(25)+1
C
              WRITE(6,*),'7 LEVEL RESC(25) AVAIL, #',ATRIB(26),JP3,NP3
           ENDIF
           JRSC(JP3)=0
           JA(JP3)=JA(JP3)+1
         ELSE
           JRSC(JP3)=JRSC(JP3)-NP3
           JA(JP3)=JA(JP3)+1
         ENDIF
**
         FOURTH RESOURCE
         IF (NP4 .GT. JRSC(JP4)) THEN
           IF (MHELP7 .GT. 0) THEN
             ATRIB(25) = NP4 - JRSC(JP4)
             JRSC(7+NADJ)=JRSC(7+NADJ)-ATRIB(25)
             JA(7) = JA(7) + 1
              WRITE(6,*),'7 LEVEL RESC(7) AVAIL, #',ATRIB(25),JP4,NP4
C
           ELSEIF (MHELP25 .GT. 0) THEN
             ATRIB(26) = NP4 - JRSC(JP4)
             JRSC(25+NADJ)=JRSC(25+NADJ)-ATRIE(26)
             JA(25)=JA(25)+1
              WRITE(6,*),'7 LEVEL RESC(25) AVAIL, #',ATRIB(26),JP4,NP4
C
           ENDIF
           JRSC(JP4)=0
           JA(JP4)=JA(JF4)+1
         ELSE
           JRSC(JP4)=JRSC(JP4)-NP4
```

```
JA(JP4)=JA(JP4)+1
        ENDIF
        SET MMH COUNTERS
        ATRIB(8)=TNOW
        WRITE(6,*), 'ALLOK, A/C, JJ, TYP, #, #A', ATRIB(1), JJ, JP1, NP1, JRSC(JP1)
CC
CC
        WRITE(6,*),'ALLOK,A/C,JJ,TYP,#,#A',ATRIB(1),JJ,JP2,NP2,JRSC(JP2)
CC
        WRITE(6,*), 'ALLOK, A/C, JJ, TYP, #, #A', ATRIB(1), JJ, JP3, NP3, JRSC(JP3)
        WRITE(6,*), 'ALLOK, A/C, JJ, TYP, #, #A', ATRIB(1), JJ, JP4, NP4, JRSC(JP4)
CC
        IF PARALLEL MAINT, IF RESC AVAIL, CONTINUE WITH MAINT
***
        IF (ATRIB(15) .EO. 20) THEN
          ATRIB(15) = 21
          NB=ATRIB(12)
          PWUC(NAC, NB, 1) = 0
          PWUC(NAC, NB, 2) = 0
        ELSEIF (ATRIB(15) .EQ. 30) THEN
          ATRIB(15) = 31
        ENDIF
        RETURN
      ELSE
      IF RESOURCES ARE NOT AVAILABLE
**
        FIRST RESOURCE
        IF (JRSC(JP1)+JHE .LT. NP1 .OR. PROB1 .GT. XX(JP1-NADJ+50)) THEN
           IF (JHELP7 .GT. 0) THEN
             JN(7)=JN(7)+1
             WRITE(6,*),'4A:7 LEVEL RESC(7) NOT AVAIL'
          ELSEIF (JHELP25 .Gr. 0) THEN
             JN(25)=JN(25)+1
             WRITE(6,*), '4A:7 LEVEL RESC(25) NOT AVAIL'
          ENDIF
           JN(JP1)=JN(JP1)+1
          WRITE(6,*), '4A:RESOURCE NOT AVAILABLE', JP1, NP1, JRSC(JP1)
           ATRIB(17)=JP1
           IF (PROBL GT. XX(JP1-NADJ+50)) THEN
             NON≃1
           ENDIF
        ENDIF
**
        SECOND RESOURCE
         IF (JRSC(JP?)+IHE .LT. NP2 .OR. PROB2 .GT. XX(JP2-NADJ+50)) THEN
           1F (KHELP7 .GT. 0) THEN
             JN(7)=JN(7)+1
             WRITE(6,*), '4B:7 LEVEL RESC(7) NOT AVAIL'
           ELSEIF (KHELP25 .GT. 0) THEN
             JN(25)=JN(25)+1
             WRITE(6,*),'4B:7 LEVEL RESC(25) NOT AVAIL'
           ENDIF
           JN(JP2)=JN(JP2)+1
           WRITE(6,*), '4B:RESOURCE NOT AVAILABLE', JP2, NP2, JRSC(JP2)
           ATRIB(17)=JP2
           IF (PROB2 .GT. XX(JP2-NADJ+50)) THEN
             NON=1
           ENDIF
         ENDIF
```

```
THIRD RESOURCE
IF (JRSC(JP3)+LHE .LT. NP3 .OR. PROB3 .GT. XX(JP3-NADJ+50)) THEN
  IF (LHELP7 .GT. 0) THEN
    JN(7) = JN(7) + 1
    WRITE(6,*),'4C:7 LEVEL RESC(7) NOT AVAIL'
  ELSEIF (LHELP25 .GT. 0) THEN
    JN(25) = JN(25) + 1
    WRITE(6,*), '4C:7 LEVEL RESC(25) NOT AVAIL'
  ENDIF
  JN(JP3)=JN(JP3)+1
  WRITE(6,*), '4C:RESOURCE NOT AVAILABLE', JP3, NP3, JRSC(JP3)
  ATRIB(17)=JP3
  IF (PROB3 .GF. XX(JP3-NADJ+50)) THEN
    NON=1
  ENDIF
ENDIF
FCURTH RESOURCE
IF (JRSC(JP4)+MHE .LT. NP4 .OR. PROB4 .GT. XX(JP4-NADJ+50)) THEN
  IF (MHELP7 .GT. 0) THEN
    JN(7)=JN(7)+1
    WRITE(6,*),'4D:7 LEVEL RESC(7) NOT AVAIL'
  ELSEIF (MHELP25 .GT. 0) THEN
    JN(25) = JN(25) + 1
    WRITE(6,*),'4D:7 LEVEL RESC(25) NOT AVAIL'
  ENDIF
  JN(JP4)=JN(JP4)+1
  WRITE(6,*),'4D:RESOURCE NOT AVAILABLE', JP4, NP4, JRSC(JP4)
  ATRIB(17)=JP4
  IF (PROB4 .GT. XX(JP4-NADJ+50)) THEN
    NON=1
  ENDIF
ENDIF
IF PARALLEL MAINT, IF RESC NOT AVAIL - TERMINATE THIS ENTITY
IF (ATRIB(15) .EQ. 20) THEN
  IF (PARA(NAC) .EQ. 1) THEN
    ATRIB(15)=0
    NB=ATRIB(12)
    NF=PFIL(NAC)
    PARA(NAC) = 0
    WRITE(6,*), 'LAST PARALLEL ENTITY, NO TERM, FILE', NF, ATRIB(1)
    CALL FILEM(NF, ATRIB)
    WRITE(6,*),'NO RESC, TERM ENTITY', NAC, PARA(NAC)
    PARA(NAC) = PARA(NAC) -1
  ENDIF
  CALL FILEM(20, ATRIB)
  ATRIB(17)=99
  RETURN
ELSEIF (ATRIB(15) .EQ. 30) THEN
  WRITE(6,*), 'NO RESC, TERM ENTITY', NAC, PARA(NAC)
  PARA(NAC)=PARA(NAC)-1
  CALL FILEM(20, ATRIB)
```

```
ATRIB(17)=99
          RETURN
        ENDIF
        IF (JJ .LE. 4 .OR. JJ .EQ. 10) THEN
          IF (NON .EQ. 1) THEN
            ATRIB(23) =TNOV
            CALL FILEM(12, ATRIB)
            CALL SCHOL(25, 1.0, ATRIB)
          ELSE
            CALL FILEM(3, ATRIB)
          ENDIF
        ELSE
          IF (NON .EQ. 1) THEN
            ATRIB(23)=TNOW
            CALL FILEM(15, ATRIE)
            CALL SCHOL(25,1.0,ATRIB)
          ELSE
            CALL FILEM(13, ATRIB)
          ENDIF
        ENDIF
        ATRIB(17)::99
        RETURN
      ENDIF
* ALLOCATION RULE 5 - SEIZES 5 TYPES OF RESOURCES
 5
     CONTINUE
      ATRIB(17)=0
      JP1=RESC(NWUC, JJ, 1)+NADJ
      JP2=RESC(NWUC, JJ, 2)+NADJ
      JP3=RESC(NWUC, JJ, 3)+NADJ
      JP4=RESC(NWUC, JJ, 4)+NADJ
      JP5=RESC(NWUC, JJ, 5)+NADJ
      NP1=QUAN(NWUC, JJ, 1)
      NP2=QUAN(NWUC,JJ,2)
      NP3=QUAN(NWUC, JJ, 3)
      NP4=QUAN(NWUC,JJ,4)
      NP5=QUAN(NWUC, JJ, 5)
      PROB1 = UNFRM(0.0, 1.0, 5)
      PROB2 = UNFRM(0.0, 1.0, 5)
      PROB3=UNFRM(0.0,1.0,5)
      PROB4 = UNFRM(0.0, 1.0, 5)
      PROP5=UNFRM(0.0,1.0,5)
      CHECK AVAILAB!LITY OF SEVEN LEVEL MAINT PERSONNEL
      IF (TPLANE(1) .EQ. 1) THEN
        IF ((JP1-NADJ) .GE. 4 .AND. (JP1-NADJ) .LE. 6) THEN
          JHELP7=JRSC(7+NADJ)
        ENDIF
        IF ((JP1-NADJ) .EQ. 23 .OR. (JP1-NADJ) .EQ. 24) THEN
          JHELP25=JRSC(25+NADJ)
        ENDIF
        JHE=JHELP7+JHELP25
```

```
IF ((JP2-NADJ) .GE. 4 .AND. (JP2-NADJ) .LE. 6) THEN
          KHELP7=JRSC(7+NADJ)
        ENDIF
        IF ((JP2-NADJ) EQ. 23 .QR. (JP2-NADJ) .EQ. 24) THEN
          KHELP25=JRSC(25+NADJ)
        ENDIF
        KHE-KHELP7+KHELP25
        IF ((JP3-NADJ) .GE. 4 .AND. (JP3-NADJ) .LE. 6) THEN
          LHELP7=JRSC(7+NADJ)
        ENDIF
        IF ((JP3-NADJ) .EQ. 23 .CR. (JP3-NADJ) .EQ. 24) THEN
          LHELP25=JRSC(25+NADJ)
        ENDIF
        LHE=LHELP7+LHELP25
        IF ((JP4-NADJ) .GE. 4 .AND. (JP4-NADJ) .LE. 6) THEN
          MHELF7=JRSC(7+NADJ)
        ENDIF
        IF ((JP4-NADJ) .EQ. 23 .OR. (JP4-NADJ) .EQ. 24) THEN
          MHELP25=JRSC(25+NADJ)
        ENDIF
        MHE=MHELP7+MHELP25
        IF ((JP5-NADJ) .GE. 4 .AND. (JP5-NADJ) .LE. 6) THEN
          NHELP7=JRSC(7+NADJ)
        ENDIF
        IF ((JP5-NADJ) .EQ. 23 .OR. (JP5-NADJ) .EQ. 24) THEN
          NHELP25=JRSC(25+NADJ)
        ENDIF
        NHE=NHELP7+NHELP25
      ENDIF
      IF (JRSC(JP1)+JHE .GE. NP1 .AND. PROB1 .LE. XX(JP1-NADJ+50) .AND.
     1
          JRSC(JP2)+KHE .GE. NP2 .AND. PROB2 .LE. XX(JP2-NADJ+50) .AND.
          JRSC(JP3)+LHE GE. NP3 .AND. PROB3 ,LE. XX(JP3-NADJ+50) .AND.
          JRSC(JP4)+MHE .CE. NP4 .AND. PROB4 .LE. XX(JP4-NADJ+50) .AND.
          JRSC(JP5)+NHE .GE. NP5 .AND. PROB5 .LE. XX(JP5-NADJ+50)) THEN
        FIRST RESOURCE
        IF (NP1 .GT. JRSC(JP1)) THEN
          IF (JHELP7 .Gr. 0) THEN
            ATRIB(25)=NP1-JRSC(JP1)
            JRSC(7+NADJ) = JRSC(7+NADJ) - ATRIB(25)
            JA(7)=JA(7)+1
C
             WRITE(6,*),'7 LEVEL RESC(7) AVAIL, #',ATRIB(25),JP1,NP1
          ELSEIF (JHELF25 .GT. 0) THEN
            ATRIB(26)=NP1-JRSC(JP1)
            JRSC(25+NADJ)=JRSC(25+NADJ)-ATRIB(26)
            JA(25)=JA(25)+1
\mathbb{C}
             WRITE(6,*),'7 LEVEL RESC(25) AVAIL, #',ATRIB(26),JP1,NP1
          ENDIF
          JRSC(JP1)=0
          JA(JP1)=JA(JP1)+1
        ELSE
          JRSC(JP1)=JRSC(JP1)-NP1
          JA(JP1)=JA(JP1)+1
```

```
ENDIF
        SECOND RESOURCE
        IF (NP2 .GT. JRSC(JP2)) THEN
          IF (KHELP7 .Gr. 0) THEN
            ATRIB(25) = NP2 - JRSC(JP2)
            JRSC(7+NADJ)=JRSC(7+NADJ)-ATRIB(25)
            JA(7)=JA(7)+1
             WRITE(6,*),'7 LEVEL RESC(7) AVAIL, #',ATRIB(25),JP2,NP2
C
          ELSEIF (KHELP25 .GT. 0) THEN
            ATRIB(26) = NP2 - JRSC(JP2)
            JRSC(25+NADJ)=JRSC(25+NADJ)-ATRIB(26)
            JA(25)=JA(25)+1
             WRITE(6,*),'7 LEVEL RESC(25) AVAIL, #',ATRIB(26),JP2,NP2
C
          ENDIF
          JRSC(JP2)=0
          JA(JP2)=JA(JP2)+1
        ELSE
          JRSC(JP2) = JRSC(JP2) - NP2
          JA(JP2)=JA(JP2)+1
        ENDIF
        THIRD RESOURCE
        IF (NP3 .GT. JRSC(JP3)) THEN
           IF (LHELP7 .GT. 0) THEN
             ATRIB(25) = NP3 - JRSC(JP3)
             JRSC(7+NADJ)=JRSC(7+NADJ)-ATRIB(25)
             J\Lambda(7)=J\Lambda(7)+1
              WRITE(6,*),'7 LEVEL RESC(7) AVAIL, #',ATRIB(25),JP3,NP3
C
          ELSEIF (LHELP25 .GT. 0) THEN
             ATRIB(26)=NP3-JRSC(JP3)
             JRSC(25+NADJ)=JRSC(25+NADJ)-ATRIB(26)
             JA(25)=JA(25)+1
              WRITE(6,*),'7 LEVEL RESC(25) AVAIL, #',ATRIB(26),JP3,NP3
C
           ENDIF
           JRSC(JP3)=0
           JA(JP3)=JA(JP3)+1
           JRSC(JP3)=JRSC(JP3)-NP3
           JA(JP3) = JA(JP3) + 1
        ENDIF
        FOURTH RESOURCE
         IF (NP4 .GT. JRSC(JP4)) THEN
           IF (MHELP7 .Gr. 0) THEN
             ATRIB(25) = NP4 - JRSC(JP4)
             JRSC(7+NALAI)=JRSC(7+NADJ)-ATRIB(25)
             JA(7) = JA(7) + 1
              WRITE(6,*),'7 LEVEL RESC(7) AVAIL, #',ATRIB(25),JP4,NP4
C
           ELSEIF (MHELP25 .GT. 0) THEN
             ATRIB(26)=NP4--JRSC(JP4)
             JRSC(25+NADJ)=JRSC(25+NADJ)-ATRIB(26)
             JA(25)=JA(25)+1
              WRITE(6,*),'7 LEVEL RESC(25) AVAIL, #',ATRIB(26),JP4,NP4
           ENDIF
```

のでは、これには、はないでは、100mmのでは、100m

```
JRSC(JP4)=0
          JA(JP4)=JA(JP4)+1
          JRSC(JP4) = JRSC(JP4) - NP4
          JA(JP4)=JA(JP4)+1
        ENDIF
        FIFTH RESOURCE
        IF (NP5 .GT. JRSC(JP5)) THEN
          1F (NHELP7 .GT. 0) THEN
             ATRIB(25) = NP5 - JRSC(JP5)
             JRSC(7+NADJ)=JRSC(7+NADJ)-ATRIB(25)
             JA(7)=JA(7)+1
C
              WRITE(6,*),'7 LEVEL RESC(7) AVAIL, #',ATRIB(25),JP5,NP5
          ELSEIF (NHELP25 .GT. 0) THEN
             ATRIB(26)=NP5-JRSC(JP5)
             JRSC(25+NADJ)=JRSC(25+NADJ)-ATRIB(26)
             JA(25) = JA(25) + 1
C
              WRITE(6,*),'7 LEVEL RESC(25) AVAIL, #',ATRIB(26),JP5,NP5
          ENDIF
           JRSC(JP5)=0
          JA(JP5)=JA(JP5)+1
        ELSE
           JRSC(JP5) = JRSC(JP5) -- NP5
           JA(JP5)=JA(JP5)+1
        ENDIF
        SET MMH COUNTERS
        ATRIB(8)=TNOW
CC
        WRITE(6,*). 'ALLOK,A/C,JJ,TYP,#,#A',ATRIB(1),JJ,JP1,NP1,JRSC(JP1)
CC
        WRITE(6,*), 'ALLOK,A/C,JJ,TYP,#,#A',ATRIB(1),JJ,JP2,NP2,JRSC(JP2)
CC
        WRITE(6,*), 'ALLOK,A/C,JJ,TYP,#,#A',ATRIB(1),JJ,JP3,NP3,JRSC(JP3)
CC
        WRITE(6,*), 'ALLOK, A/C, JJ, TYP, #, #A', ATRIB(1), JJ, JP4, NP4, JRSC(JP4)
        WRITE(6,*), 'ALLOK, A/C, JJ, TYP, #, #A', ATRIB(1), JJ, JP5, NP5, JRSC(JP5)
CC
        IF PARALLEL MAINT, IF RESC AVAIL, CONTINUE WITH MAINT
***
        IF (ATRIB(15) .E(). 20) THEN
          ATRIB(15)=21
          NB=ATRIB(12)
          PWUC(NAC, NB, 1) = 0
           PWUC(NAC, NB, 2) = 0
        ELSEIF (ATRIB(15) .EQ. 30) THEN
          ATRIB(15) = 31
        ENDIF
        RETURN
      ELSE
      IF RESOURCES ARE NOT AVAILABLE
        FIRST RESOURCE
         IF (JRSC(JP1)+JHE .LT. NP1 .OR. PROB1 .GT. XX(JP1-NADJ+50)) THEN
           IF (JHFLP7 .GT. 0) THEN
             JN(7) = JN(7) + 1
             WRITE(6,*),'5A:7 LEVEL RESC(7) NOT AVAIL'
          EISEIF (JHELP25 .GT. 0) THEN
             JN(25) = JN(25) + 1
             WRITE(6,*),'5A:7 LEVEL RESC(25) NOT AVAIL'
```

```
ENDIF
  JN(JP1)=JN(JP1)+1
  WRITE(6,*),'5A:RESOURCE NOT AVAILABLE',JP1,NP1,JRSC(JP1)
  ATRIB(17)=JP1
  IF (PROBL .GT. XX(JP1-NADJ+50)) THEN
    NON=1
  ENDJ.F
ENDIF
SECOND RESOURCE
IF (JRSC(JP2)+KHE .LT. NP2 .CR. PROB2 .GT. XX(JP2-NADJ+50)) THEN
  IF (KHELP7 .GT. 0) THEN
    JN(7) = JN(7) + 1
    WRITE(6,*), '5B:7 LEVEL RESC(7) NOT AVAIL'
  ELSEIF (KHELP25 .GT. 0) THEN
    JN(25) = JN(25) + 1
    WRITE(6,*), '5B:7 LEVEL RESC(25) NOT AVAIL'
  ENDIF
  JN(JP2)=JN(JP2)+1
  WRITE(6,*),'5B:RESOURCE NOT AVAILABLE', JP2, NP2, JRSC(JP2)
  ATRIB(17)=JP2
  IF (PROB2 .GT. XX(JP2-NADJ+50)) THEN
    NON=1
  ENDIF
ENDIF
THIRD RESOURCE
IF (JRSC(JP3)+LHE .LT. NP3 .OR. PROB3 .GT. XX(JP3-NADJ+50)) THEN
  IF (LHELP7 .GT. 0) THEN
    JN(7)=JN(7)+1
    WRITE(6,*),'5C:7 LEVEL RESC(7) NOT AVAIL'
  ELSEIF (LHELP25 .GT. 0) THEN
    JN(25) = JN(25) + 1
    WRITE(6,*),'5C:7 LEVEL RESC(25) NOT AVAIL'
  ENDIF
  JN(JP3)=JN(JP3)+1
  WRITE(6,*), '5C: RESOURCE NOT AVAILABLE', JP3, NP3, JRSC(JP3)
  ATRIB(17) = JP3
  IF (PROB3 .GT. XX(JP3-NADJ+50)) THEN
    NON=1
  ENDIF
ENDIF
FOURTH RESOURCE
IF (JRSC(JP4)+MHE .LT. NP4 .OR. PROB4 .GT. XX(JP4-NADJ+50)) THEN
  IF (MHELP7 .Gr. 0) THEN
     JN(7)=JN(7)+1
    WRITE(6,*),'5D:7 LEVEL RESC(7) NOT AVAIL'
  ELSEIF (MHELP25 GT. 0) THEN
     JN(25) = JN(25) + 1
    WRITE(6,*),'5D:7 LEVEL RESC(25) NOT AVAIL'
  FNDIF
  JN(JP4)=JN(JP4)+1
  WRITE(6,*), '5D: RESOURCE NOT AVAILABLE', JP4, NP4, JRSC(JF4)
  ATRIB(17)=JP4
```

```
IF (PROB4 .GT. XX(JP4-NADJ+50)) THEN
    NON=1
  ENDIF
ENDIF
FIFTH RESOURCE
IF (JRSC(JP5)+NHE .LT. NP5 .OR. PROB5 .GT. XX(JP5-NADJ+50)) THEN
  IF (NHELP7 .GT. 0) THEN
    JN(7)=JN(7)+1
    WRITE(6,*),'5E:7 LEVEL PESC(7) NOT AVAIL'
  ELSEIF (NHELP25 .GT. 0) THEN
    JN(25)=JN(25)+1
    WRITE(6,*),'5E:7 LEVEL RESC(25) NOT AVAIL'
  ENDIF
  JN(JP5)=JN(JP5)+1
 WRITE(6,*), '5E:RESOURCE NOT AVAILABLE', JP5, NP5, JRSC(JP5)
  ATRIB(17) = JP5
  IF (PROB4 .GT. XX(JP5-NADJ+50)) THEN
    NON=1
  ENDIF
ENDIF
IF PARALLEL MAINT, IF RESC NOT AVAIL - TERMINATE THIS ENTITY
IF (ATRIB(15) .EQ. 20) THEN
  IF (PARA(NAC) .EQ. 1) THEN
    ATRIE(15)=0
    NB=ATRIB(12)
    NF=PFIL(NAC)
    PARA(NAC)=0
    WRITE(6,*), 'LAST PARALLEL ENTITY, NO TERM, FILE', NF, ATRIB(1)
    CALL FILEM(NF, ATRIB)
  ELSE
    WRITE(6,*), 'NO RESC, TERM ENTITY', NAC, PARA(NAC)
    PARA(NAC)=PARA(NAC)-1
  ENDIF
  CALL FILEM(20, ATRIB)
 ATRIB(17) = 99
  RETURN
ELSEIF (ATRIB(15) .EQ. 30) THEN
 WRITE(6,*), 'NO RESC, TERM ENTITY', NAC, PARA(NAC)
  PARA(NAC)=PARA(NAC)-1
 CALL FILEM(20, ATRIB)
 ATRIB(17)=99
 RETURN
ENDIF
IF (JJ .LE. 4 .OR. JJ .EQ. 10) THEN
  IF (NON .EQ. 1) THEN
    ATRIB(23)=TNOW
    CALL FILEM(12,ATRIE)
    CALL SCI \Sigma(25,1.0,ATRIB)
 ELSE
    WRITE(6,*), 'PUT PLANE IN FILE 3,T,(1)',TNOW,ATRIB(1),NNQ(3)
    CALL FILEM(3, ATRIB)
 ENDIF
```

```
ELSE
          IF (NON .EQ. 1) THEN
           ATRIB(23) = TNOW
           CALL FILEM(15, ATRIB)
           CALL SCHOL(25,1.0,ATRIB)
          ELSE
            CALL FILEM(13, ATRIB)
          ENDIF
        ENDIF
        ATRIB(17) = 99
       RETURN
      ENDIF
      RETURN
      END
                        ALSPAR - EVENT 17
 ALLOCATES SPARES FOR RAR OR TO FILL HOLES IN NMCS OR CANN BIRD PLANES*
****************
      SUBROUTINE ALSPAR
      NWUC=ATRIB(5)
      NAC=ATRIB(1)
      IF (NSPARE(NWUC) .GI. 0) THEN
        ATRIB(17)=0
        NSPA(NWUC)=NSPA(NWUC)+1
        NSPARE(NWUC)=NSPARE(NWUC)-1
        NSPR(NWUC)=NSPR(NWUC)+1
        WRITE(6,*), 'TAKE SPARE, PLANE =', ATRIB(1), NWUC, NSPARE(NWUC)
        IF (MSP(NWUC) .EQ. 0 .AND. ATRIB(11) .EQ. 0) THEN
          WRITE(6,*), 'IN ALSPAR, ERR IN MSP', MSP(NWUC), NWUC
        ENDIF
         WRITE(6,*),'IN ALSPAR, MSP, NWUC', MSP(NWUC), NWUC
C
        IF (ATRIB(11) .FQ. 0) THEN
          MSP(NWUC)=MSP(NWUC)-1
        ENDIF
      ELSE
        IF (ATRIB(11) .EQ. 2) THEN
          CALL FILEM(17,ATRIB)
          WRITE(6,*), 'FILE 17, LACKING SPARE FOR HQ', ATRIB(1), NWUC
        ELSE
          CALL FILEM(7,ATRIB)
          WRITE(6,*), 'FILE 7, LACKING SPARE FOR PLANE= ',ATRIB(1), NWUC
          NSPU(NWUC)=NSPU(NWUC)+1
        ENDIF
        ATRIB(17)=100
        ATRIB(7) = ATRIB(7) + ATRIB(9)
        ATRIB(9)=0
        CALL SCHDL(18,0.01,ATR1B)
        ATRIB(17) = 99
      ENDIF
      RETURN
      END
```

```
BPO - EVENT 22
* INITIATES BASIC POSTFLIGHT AFTER THE LAST PLANE HAS FLOWN FOR THE
  DAY. IT LOOKS AT THE PLANES THAT HAVE FLOWN, BUT HAVE NOT GONE
  THROUGH BPO. IT ALSO INITIATES MAINT ON PMC OR NON CRITICAL PLANES
  AFTER ALL SORTIES HAVE BEEN FLOWN THAT DAY
SUBROUTINE BPO
*** CALL THIS SUBROUTINE AGAIN TO CHECK QUEUES AGAIN
     IF (TNOW .LE. XX(3)-1.0) THEN
       CALL SCHDL(22,1.0,ATRIB)
     ENDIF
*** DON'T DO BPO IF A SORTIE IS RESCHEDULED
     IF (XX(2) \cdot GT \cdot 0) THEN
       RETURN
     ENDIF
     CHECK QUEUES FOR PLANES NEEDING BPO
     DO 300 I2=2,11
       IF (I2 .GT. 2 .AND. I2 .LT. 8) THEN
         GOTO 300
       ENDIF
       NQ2=NNQ(12)
       DO 200 I=1,NQ2
         CALL RMOVE(1,12,ATRIB)
         NAC=ATRIB(1)
         IF (ATRIB(16) .EQ. 13) THEN
           ALREADY DONE BPO
           CALL FILEM(I2,ATRIB)
         ELSEIF (SCOUNT(NAC) .GT. 0) THEN
           ATRIB(2)=0
           ATRIB(6)=0
           ATRIB(11)=0
           ATRIB(16)=11
           ATRIB(17)=0
           ATRIB(5)=3
           ATRIB(15)=0
           CALL ENTER(7,ATRIB)
           SEND TO BPO
         ELSE
           PLANE DIDN'T FLY TODAY, DON'T NEED BPO
           CALL FILEM(I2, ATRIB)
         ENDIF
 200
       CONTINUE
     CONTINUE
 300
     RETURN
     END
                        CANN - EVENT 18
 LOOKS FOR RECEIVER AND DONOR AIRCRAFT FOR CANNIBALIZATION.
  SUBROUTINE IS CALLED WHEN AN AIRCRAFT NEEDS A SPARE
```

SUBROUTINE CANN

```
JJ=ATRIB(13)
      IF (ATRIB(17) .GT. O .AND. ATRIB(17) .LE. 99) THEN
        ATRIB(7)=ATRIB(7)+ATRIB(9)
        ATRIB(9)=0
        NWUC=ATRIB(5)
        NDONOR=0
        GO TO 60
      ENDIF
      IF (ATRIB(22) .EQ. 1 .AND. ATRIB(9) .GT. 0) THEN
        ATRIB(7) = ATRIB(9)
        ATRIB(9)=0
        NWUC=ATRIB(5)
        NDONOR=0
        GO TO 60
      ENDIF
      1F (ATRIB(22) .EQ. 99) THEN
        NWUC=ATRIB(5)
        NDONOR=0
        GO TO 100
      ENDIF
     TAKE PLANE FROM NMCS QUEUE
      NDONOR=0
      IF (NNQ(7) \cdot GT \cdot 0) THEN
        NQ7 = NINQ(7)
        DO 10 11=NQ7,1,-1
          CALL COPY(I1,7,ATRIB)
          NWUC=ATRIB(5)
          WRITE(6,*), 'IN FILE 7, COMPARING WITH H Q', I1, ATRIB(1), NWUC
          COMPARE WITH HANGAR QUEENS IN QUEUE 17
          IF (NNQ(17) .GE. 1) THEN
            WRITE(6,*), 'IN FILE 17, CHECKING H Q QUEUE', I1, ATRIB(1), NWUC
C
             DO 20 12=1,NNQ(17)
               CALL COPY(I2,17,ATRIB)
               NAC1=ATRIB(1)
               MWUC=ATRIB(5)
               IF (NWUC .EQ. MWUC) THEN
                 GO TO 20
               ENDIF
               IF (MWUC .EQ. 0) THEN
                 WRITE(6,*), 'FOUND A H Q DONOR IN Q 17', ATRIB(1), NWUC
                 M1 = 5
                 NO=17
                 NI1=I1
                 NDONOR=12
                 GO TO 40
               ENDIF
               DO 30 I3=1,4
                 MWUC=WCANN(NAC1, I3)
                 1F (NWUC .EQ. MWUC) THEN
                   GO TO 20
                 ENDIF
                 IF (MWUC .EQ. 0) THEN
```

```
WRITE(6,*), 'FOUND A H Q DONOR IN Q 17', ATRIB(1), NWUC
                  M!=I3
                  NDONOR=12
                  NQ=17
                  NI1=11
                  GO TO 40
                ENDIF
30
              CONTINUE
20
            CONTINUE
          ENDIF
          IF NOTHING IN QUEUE 17 CAN DONATE AN LRU, LOOK AT NMCS QUEUE
           IF (NNQ(7) \cdot GE \cdot 2) THEN
           WRITE(6,*), 'IN FILE 7, CHECKING NMCS QUEUE', I1, ATRIB(1), NMUC
            DO 50 15=1, NNQ(7)
              IF (15 .EQ. I1) THEN
                GO TO 45
              ENDIF
              CALL COPY(15,7,ATRIB)
              MWUC=ATR1B(5)
              IF (NWUC .NE. MWUC) THEN
                NI1=I1
                M1=1
                NQ=7
                ONCE REMOVE RECEIVER A/C, DONOR A/C IS ONE LESS IN Q 7
                NDONOR=15
                WRITE(6,*), 'FOUND DONOR A/C IN Q 7', ATRIB(1), NWUC, NDONOR
                GO TO 40
              ENDIF
45
              CONTINUE
50
            CONTINUE
          ENDIF
10
        CONTINUE
      ENDIF
     WRITE(6,*), 'NO CANNIBALIZATION IS POSSIBLE'
      RETURN
*****
 4Û
      CONTINUE
      CALL RMOVE(NII, 7, ATRIB)
      ATRIB(22)=1
 100 CONTINUE
      IF (ATRIB(17) .GT. 99) THEN
        ATRIB(7)=2.0*ATRIB(7)+0.25
        WRITE(6,*),'(17),ATRIB(7) WAS ',ATRIB(17),ATRIB(7)/2.0
      ELSE
        REESTABLISH ATRIB(7) TO CONTINUE MAINT(1/.33)
        ATRIB(7) = ATRIB(7) * 3.0
      ENDIF
      ATRIB(11)=1
      ATRIB(13)=1
      ATRIB(18)=0
      ATRIB(5)=NWUC
 60
      CONTINUE
```

```
CALL TSHIFT
     WRITE(6,*), 'CANN, TIME=', TNOW, 'PLANE=', ATRIB(1), NWUC
     WRITE(6,*),' 1ST SHIFT=',ATRIB(7),'2ND SHIFT=',ATRIB(9),ATRIB(1)
     IF (ATRIB(7) .LE. 0) THEN
       CALL FILEM(5,ATRIB)
     ELSE
       CALL ENTER(9, ATRIB)
     ENDIF
     NOW TAKE CARE OF THE DONOR PLANE, PLACE INTO HANGAR QUEEN QUEUE
     IF (NDONOR .GT. 0) THEN
       CALL RMOVE (NDCNOR, NQ, ATF.IB)
       IF (M1 .EQ. 5) THEN
         ATRIB(M1)=NWUC
       ELSE
         NAC=ATRIB(1)
         WCANN(NAC, M1) = NWUC
       WRITE(6,*), 'FILING IN HANGAR Q', ATRIB(1), NWUC
       IF PUT PLANE IN HANGAR OUEEN OUEUE, TAKE OUT OF PMC OUEUE
       IF (ATRIB(6) .EQ. 99) THEN
         ADJUST-TNOW-ATRIB(3)
         WMDT(ATRIB(5))=WMDT(ATRIB(5))+ADJUST
         WRITE(6,*), TNOW, 'PLANE TO HQ', NWUC, ADJ
         ATRIB(6)=0
       ENDIF
       BEGIN 20 DAY HANGAR QUEEN TIMER
       IF (ATRIB(23) .EQ. 0) THEN
         ATRIB(23)=TNOW
         CALL SCHOL(23, TRIAG(478.0, 480.0, 482.0, 5), ATRIB)
       ENDIF
       CALL FILEM(17, ATRIB)
     ENDIF
     RETURN
     END
***********************
                          CHCKCD - EVENT 28
* FOR F-15 C/D SIMULATION
* CHECKS FAILURE CLOCK WITH FLYING HOURS, DETERMINES WHICH WUCS HAVE
   FAILED AND WHAT KIND OF MAINTENANCE IS PERFORMED FIRST. IF NO
   FAILURE, PLACE INTO THRUFLIGHT OR BPO
***********
     SUBROUTINE CHCKCD
     INTEGER TEMP1(40), TEMP2(40)
     NAC=ATRIB(1)
     CHECK WHICH FILE IS APPROPRIATE AFTER MAINT
     NA=0
     NG=0
     NGN=0
     NNON=0
     DO 580 I=1,40
       IF (PWUC(NAC, I, 2) .EQ. 1) THEN
         NA=NA+1
```

```
ELSEIF (PWUC(NAC, I, 2) .EQ. 2) THEN
          NG=NG+1
        ELSEIF (PWUC(NAC, 1, 2) .EQ. 3) THEN
          NGN=NGN+1
        ELSEIF (PWUC(NAC, I, 2) .EQ. 5) THEN
          NNON=NNON+1
        ENDIF
 580 CONTINUE
      IF (NA .GT. 0) THEN
        PFIL(NAC)=10
      ELSEIF (NG .GT. 0) THEN
        PFIL(NAC)=9
      ELSEIF (NGN .GT. 0) THEN
        PFIL(NAC)=8
      ELSEIF (NNON .GT. 0) THEN
        PFIL(NAC)=11
      ELSE
        PFIL(NAC)=2
      ENDIF
      BEGIN CHECKING FOR FAILURES
      IF (ATRIB(2) .GT. 0) THEN
        GO TO 999
      ENDIF
      NA=0
      NNON=0
      DETERMINE IF FAILURE OCCURRED. IF FAILURE DID OCCUR WAS IT
***
        CRITICAL
      FHGA=ATRIB(27)
      DO 100 I=11,MAXWUC
        IF (FHTOT+FHGA .GE. TFAIL(I)) THEN
          TFAIL(1) = FHTOT + FHGA + EXPON(XMTBM(1), 5)
          DO 101 I1=1,40
             IF (PMAINT(NAC, 11, 1) .EQ. 0) THEN
              PMAINT(NAC, I1, 1)=I
              PROB1=UNFRM(0.0,1.0,5)
              IF (PROBL .LE. CRITA(I) .OR. FHGA .GT. 0) THEN
                AIR TO AIR CRITICAL FAILURE
                PMAINT(NAC, I1, 2)=1
                 NA=NA+1
                WBRK(I)=WBRK(I)+1
                 WRITE(6,*),'AIR/AIR CF,FHGA',ATRIB(1),I,FHGA
                   GO TO 100
              ELSE
                 NON CRITICAL FAILURE
                 PMAINT(NAC, 11,2) = 5
                NNON=NNON+1
C
                 WRITE(6,*),'NON CF',ATRIB(1),I
                GO TO 100
              ENDIF
            ELSEIF (J1 .EQ. 40) THEN
              WRITE(6,*), 'ERR IN CHCKCD, 40 OR MORE FAILURES', ATRIB(1), I
            ENDIF
```

```
101
          CONTINUE
        ENDIF
100 CONTINUE
      PROB2=UNFRM(0.0,1.0,5)
***
      DETERMINE IF FAILURE RESULTED IN BREAK
      IF (NA .GT. 0 .AND. FHGA .EQ. 0 .AND. PROB2 .LE. XBRK(1)) THEN
        NBRK=NBRK+1
        ATRIB(6)=2
        WRITE(6,*), 'BREAK DUE TO A/A FAILURE', ATRIB(1)
      ENDIF
999
     CONTINUE
      NA=0
      NNON=0
****
      BEGIN CHOOSING MAINT FOR MULTIPLE FAILURE AIRCRAFT
      ONLY FAILURES ARE EITHER A/A, OR NON CRITICAL
      FIX ALL AIR TO AIR FAILURES
      DO 113 IO=1,40
        IF (PMAINT(NAC, 1Q, 2) .EQ. 1) THEN
          NA=NA+1
        ELSEIF (PMAINT(NAC, IQ, 2) .EQ. 5) THEN
          NNON=NNON+1
        ENDIF
 113 CONTINUE
      IF (NA .GT. C) THEN
          FCRIT(NAC)=1
          CALL SCHOL(30,0.0,ATRIB)
          RETURN
      ENDIF
      IF (NNON .GT. 0) THEN
        PFIL(NAC)=11
        DO 107 I7=1,40
          IF (PMAINT(NAC, 17, 2) .EQ. 5) THEN
            DO 111 18=1,40
               IF (PWUC(NAC, 18, 1) .EQ. 0) THEN
                 PWUC(NAC, 18, 1) = PMAINT(NAC, 17, 1)
                 PWUC(NAC, 18, 2) = PMAINT(NAC, 17, 2)
                 PMAINT(NAC, 17, 1) = 0
                 PMAINT(NAC, 17, 2) = 0
                 WRITE(6,*), 'FILE NONCF N PWUC,Q11',NAC,PWUC(NAC,18,1)
                 GO TO 107
               ELSEIF (I8 .EQ. 40) THEN
                 WRITE(6,*), 'A/C ALREADY HAS 40 OTHER FAILURES', NAC
                 ATRIB(2)=100
                 CALL SCHOL(29,0.0,ATRIB)
                 RETURN
               ENDIF
 111
            CONTINUE
          ENDIF
 107
        CONTINUE
      ENDIF
**** IF NO MAINT NEEDS TO BE DONE, COMPLETE SOME TYPE OF THRUFLIGHT
```

```
END
            ***************
                          CHCKE - EVENT 3
* FOR F-15 E SIMULATION
* CHECKS FAILURE CLOCK WITH FLYING HOURS, DETERMINES WHICH WUCS HAVE
   FAILED AND WHAT TYPE OF MAINTENANCE IS PERFORMED FIRST. IF NO
   FAILURE, PLACE INTO THRUFLIGHT OR BPO
*******************
     SUBROUTINE CHCKE
     INTEGER TEMP1(40), TEMP2(40), JFX(5), NPX(5)
     NAC=ATRIB(1)
***
     CHECK WHICH FILE IS APPROPRIATE AFTER MAINT
     NA=0
     NG=0
     NGN=0
     NNON=0
     DO 580 I=1,40
       IF (PWUC(NAC, I, 2) .EQ. 1) THEN
         NA=NA+1
       ELSEIF (PWUC(NAC, I, 2) .EQ. 2) THEN
         NG=NG+1
       ELSEIF (PWUC(NAC, I, 2) .EQ. 3) THEN
         NGN=NGN+1
       ELSEIF (PWUC(NAC, I, 2) .EQ. 5) THEN
         NNON=NNON+1
       ENDIF
580 CONTINUE
     IF (NA .GT. 0) THEN
       PFIL(NAC)=10
     ELSEIF (NG .GT. 0) THEN
       PFIL(NAC)=9
     ELSEIF (NGN .GT. 0) THEN
       PFIL(NAC)=8
     ELSEIF (NNON .GT. 0) THEN
       PFIL(NAC)=11
     ELSE
       PFIL(NAC)=2
     ENDIF
     BEGIN CHECKING FOR FAILURES
     IF (ATRIB(2) .GT. 0) THEN
       GO TO 999
     ENDIF
     DETERMINE IF FAILURE OCCURRED. IF FAILURE DID OCCUR WAS IT CRIT
     NY=0
     NG=0
     NB=0
     NGN=0
     NNON=0
     FHGA=ATRIB(27)
     DO 100 I=11, MAXWUC
```

CALL CHECK2 RETURN

```
IF (FHTOT+FHGA .GE. TFAIL(I)) THEN
  TFAIL(1) = FHTOT + FHGA + EXPON(XMTEM(1), 5)
 DO 101 11=1,40
    IF (PMAINT(NAC, 11, 1) .EQ. 0) THEN
      PMAINT(NAC, I1, 1) = I
      IF (ATRIB(28) .EQ. 1) THEN
        PROB1=CRITA(I)
      ELSEIF (ATRIB(28) .EQ. 3) THEN
        PROB1=CRITG(I)+CRITA(I)
      ELSEIF (ATRIB(28) .EQ. 5) THEN
        PROB1=CRITB(I)+CRITG(I)+CRITA(I)
      ELSEIF (ATRIB(28) .EQ. 4) THEN
        PROB1=CRITGN+CRITB(I)+CRITG(I)+CRITA(I)
      ELSEIF (ATRIB(28) .EQ. 2) THEN
        PROB1=1.0
      ELSE
        PROB1=UNFRM(0.0,1.0,5)
      ENDIF
      IF (PROB1 .LE. CRITA(I)) THEN
        AIR TO AIR CRITICAL FAILURE
        PMAINT(NAC, 11, 2)=1
        NA=NA+1
        WRITE(6,*), 'AIR/AIR CF', ATRIB(1), I
        CO TO 100
      ELSEIF (PROBL .LE. CRITG(I)+CRITA(I)) THEN
        AIR TO GROUND CRITICAL FAILURE
        PMAINT(NAC, I1, 2) = 2
        NG=NG+1
        WRITE(6,*), 'A/G CF', ATRIB(1), I
        GO TO 100
      ELSEIF (PROBL .LE. CRITB(1)+CRITG(1)+CRITA(1)) THEN
        DUAL ROLE CRITICAL FAILURE
        PMAINT(NAC, 11, 2) = 4
        NB=NB+1
        WBRK(I)=WBRK(I)+1
        WRITE(6,*), 'DUAL CRITICAL FAILURE', ATRIB(1), I
        GO TO 100
      ELSEIF (PROR1 .LE. CRITGN+CRITB(I)+CRITG(I)+CRITA(I)) THEN
        A/G NUCLEAR CRITICAL FAILURE
        PMAINT(NAC, 11, 2) = 3
        NGN=NGN+1
        WRITE(6,*),'A/G NUCLEAR CF',ATRIB(1),I
        GO TO 100
      ELSE
        NON CRITICAL FAILURE
        PMAINT(NAC, 11, 2) = 5
        NNON=NNON+1
        WRITE(6,*), 'NON CF', ATRIB(1), I
        GO TO 100
      ENDIF
    ELSEIF (II .EQ. 40) THEN
      WRITE(6,*), 'ERR IN CHCKE, 40 OR MORE FAILURES', ATRIB(1), I
```

```
ENDIF
 101
          CONTINUE
        ENDIF
 100
      CONTINUE
      PROB2=UNFRM(0.0,1.0,5)
***
      DETERMINE IF FAILURE RESULTED IN BREAK
      IF (FHGA .EQ. 0) THEN
        IF (NB .GT. 0) THEN
          ATRIB(6)=1
          IF (PROB2 .LE. XBRK(3)) THEN
            NBRK=NBRK+1
            ATRIB(6)=2
C
            WRITE(6,*), 'BREAK DUE TO DUAL FAILURE', ATRIB(1)
          ENDIF
        ELSEIF (NA .CT. 0) THEN
          ATRIB(6)=1
          IF ((PROB2 .LE. XBRK(1) .OR. PROB2 .LE. XBRK(2)) .AND.
     1
              (NG .GT. 0 .OR. PFIL(NAC) .EQ. 9)) THEN
            NBRK=NBRK+1
            ATRIB(6)=2
C
            WRITE(6,*), 'BREAK DUE 'TO FIRST COMB OF FAILURES', ATRIB(1)
          ELSEIF ((PROB2 .LE. XBRK(1) .OR. PROB2 .LE. XBRK(4)) .AND.
     1
              (NGN .GT. 0 .OR. PFIL(NAC) .EQ. 9)) THEN
            NBRK=NBRK+1
            ATRIB(6)=2
C
            WRITE(6,*), 'BREAK DUE TO SECOND COMB OF FAILURES', ATRIB(1)
        ENDIF
      ENDIF
 999 CONTINUE
*****
* BEGIN CHOOSING MAINT FOR MULTIPLE FAILURE AIRCRAFT
*****
      NA≃0
      NG=0
      NB=0
      NGN=0
     NNON=0
      DO 113 IQ=1,40
        IF (PMAINT(NAC, IQ, 2) .EQ. 1) THEN
          NA=NA+1
        ELSEIF (PMAINT(NAC, IQ, 2) .EQ. 2) THEN
          NG=NG+1
        FLSEIF (PMAINT(NAC, IQ, 2) .EQ. 3) THEN
          NGN=NGN+1
       ELSEIF (PMAINT(NAC, IQ, 2) .EQ. 4) THEN
          NB=NB+1
       ELSEIF (PMAINT(NAC, IQ, 2) .EQ. 5) THEN
         NNON=NNON+1
       ENDIF
113 CONTINUE
*****
```

```
* FIX ALL DUAL FAILURES
*****
      IF (NB .GT. 0) THEN
          FCRIT(NAC) = 4
C
           CALL SCHDL(30,0.0,ATRIB)
          CALL PARAP
          RETURN
      ENDIF
*****
* DETERMINE TYPE OF MAINT WHEN COMBINATION OF FAILURES
    COMBINATION OF A/A AND A/G FAILURES
      IF (NA .Gr. 0 .AND. NG .Gr. 0) THEN
        IF (PFIL(NAC) .EQ. 9) THEN
          PLANE WAS A/A PMC, FIX A/A FAILURES
          FCRIT(NAC)=1
          CALL SCHOL(30,0.0,ATRIB)
          RETURN
        ELSEIF (PFIL(NAC) .EQ. 10) THEN
          PLANE WAS A/G PMC, FIX A/G FAILURES
          FCRIT(NAC) = 2
          CALL SCHOL(30,0.0,ATRIB)
          RETURN
        ELSE
          PLANE HAS A/G NUC OR NON CRIT FAILURES, FIX EITHER A/G OR A/A
          WHEN 12=2, FIX A/G FAILURES FIRST IF RESC AVAIL
          WHEN I2=1, FIX A/A FAILURES NEXT IF RESC AVAIL
          DO 311 I1=2,1,-1
            NUMA=0
            NUMN=0
            NUMT=0
            DQ 301 I=1,40
              IF (PMAINT(NAC, I, 2) .EQ. I1) THEN
                JWUC=PMAINT(NAC, I, 1)
                IF (NSFT .EQ. 1) THEN
                  NADJ=0
                ELSEIF (NSFT .EQ. 2) THEN
                  NADJ=50
                ENDIF
                I99=NRESC(JWUC, 1)
                MRESC=0
                DO 302 I2=1, I99
                   JPX(I9)=RESC(JWUC,1,I2)+NADJ
                  NPX(19) = QUAN(JWUC, 1, 12)
                   IF (JRSC(JPX(I2)) GE. NPX(I2)) THEN
                    MRESC=MRESC+1
                  ENDIF
 302
                CONTINUE
                IF (MRESC .EQ. 199) THEN
                  RESC ARE AVAIL, CONTINUE WITH MAINT
```

```
NUMA = NUMA+1
                ELSE
                  NUMN=NUMN+1
                ENDIF
              ENDIF
301
            CONTINUE
            NUMT=NUMA+NUMN
            IF (NUMA .EQ. NUMT) THEN
              FCRIT(NAC)=11
              CALL SCHDL(30,0.0,ATRIB)
              RETURN
            ENDIF
311
          CONTINUE
* IF NO RESC AVAIL, FIX THE TYPE OF FAILURE THAT HAS THE MOST PMC A/C
          IF (NNQ(9) \cdot GT \cdot NNQ(10)) THEN
            FCRIT(NAC)=1
          ELSE
            FCRIT(NAC)=2
          ENDIF
          CALL SCHDL(30,0.0,ATRIB)
          RETURN
        ENDIF
      ENDIF
*****
* CHECK TO SEE HOW MANY AVAILABLE SPACES IN PWUC
*****
      NUMPA=0
      DO 200 I=1,40
        IF (PWUC(NAC, I, 1) .EQ. 0) THEN
          NUMPA=NUMPA + 1
        ENDIF
200 CONTINUE
* COMBINATION OF A/A AND A/G NUC FAILURES
****
      IF (NA .Gr. 0 .AND. NGN .GT. 0) THEN
        IF (PFIL(NAC) .EQ. 9) THEN
          PLANE IS NMC, FIX A/A
          FCRIT(NAC)=1
          CALL SCHOL(30,0.0,ATRIB)
          RETURN
        ELSE
          PLANE IS A/G PMC, FILE 1NTO Q 10, DO NON CRIT FAILS FIRST
          PFIL(NAC)=10
          CALL: CHCKE2 (NNON, NUMPA, NA+NGN, 1, 3)
          IF (ATRIB(2) .EQ. 100) THEN
            RETURN
          ENDIF
        ENDIF
```

```
ENDIF
* COMBINATION OF A/G AND A/G NUC FAILURES
      IF (NG .GT. 0 .AND. NGN .GT. 0) THEN
        IF (PFIL(NAC) .EQ. 10) THEN
          A/C IS NMC, FIX A/G FALLURES
          FCRIT(NAC)=2
          CALL SCHOL(30,0.0,ATRIB)
          RETURN
       ELSE
          PFIL(NAC) = 9
          A/C IS A/A PMC, FILE INTO Q 9
          CALL CHCKE2 (NNON, NUMPA, NG+NGN, 2, 3)
          IF (ATRIB(2) .EQ. 100) THEN
            RETURN
          ENDIF
        ENDIF
      ENDIF
* ONLY ONE TYPE OF FAILURE IS LEFT
* A/A FAILURES LEFT
*****
      IF (NA .GT. 0) THEN
        IF (PFIL(NAC).EQ.8 .OR, PFIL(NAC).EQ.9.OR.NNQ(10).GT.6) THEN
          A/C IS NMC, FIX A/A FAILURES
          FCRIT(NAC)=1
          CALL SCHOL(30,0.0,ATRIB)
          RETURN
        ELSE
          A/C IS A/G PMC, FILE INTO Q 10, FILE NON CRIT FAILS FIRST
          PFIL(NAC)=10
          CALL CHCKE2(NNON, NUMPA, NA, 1, 1)
          IF (ATRIB(2) .EQ. 100) THEN
            RETURN
          FNDTF.
        ENDIF
      ENDIF
* A/G FAILURES ONLY
      IF (NG .GT. 0) THEN
        IF (PFIL(NAC).EQ.8.GR.PFIL(NAC).EQ.10.OR.NNQ(9).GT.6) THEN
          A/C IS NMC, FIX A/G FAILURES
          FCRIT(NAC) = 2
          CALL SCHDL(30,0.0,ATRIB)
          RETURN
        ELSE
          A/C IS A/A PMC, FILE INTO Q 9, FILE NON CRIT FAILS FIRST
          PFIL(NAC)=9
```

```
CALL CHCKE2 (NNON, NUMPA, NG, 2, 2)
          IF (ATRIB(2) .EQ. 100) THEN
            RETURN
          ENDIF
        ENDIF
      ENDIF
* A/G NUCLEAR FAILURES ONLY
*****
      IF (NGN .GT. 0) THEN
        IF (PFIL(NAC) .EO. 2 .OR. PFIL(NAC) .EO. 11) THEN
          A/C ONLY HAS A/G NUC FAILURES, FILE INTO Q 8, NON CRIT FIRST
          EVERYTHING ELSE GETS FILED BACK IN PREVIOUS QUEUE
          PFIL(NAC)=8
        ENDIF
        CALL CHCKE2 (NNON, NUMPA, NGN, 3, 3)
          IF (ATRIB(2) .EQ. 100) THEN
            RETURN
          ENDIF
      ENDIF
* ONLY NON CRITICAL FAILURES ARE LEFT
*****
      DO 107 I7=1,40
        IF (PMAINT(NAC, 17, 2), EQ. 5) THEN
          IF (PFIL(NAC) .EQ. 2) THEN
            PFIL(NAC)=11
          ENDIF
          NF=PFIL(NAC)
          DO 111 I8=1,40
            IF (PWUC(NAC, 18,1) .EQ. 0) THEN
              PWUC(NAC, 18, 1) = PMAINT(NAC, 17, 1)
              PWUC(NAC, 18, 2) = PMAINT(NAC, 17, 2)
              PMAINT(NAC, 17,1)=0
              PMAINT(NAC, 17, 2)=0
              WRITE(6,*), 'FILE NONCF, A/C, Q, WUC', NAC, NF, PWUC(NAC, 18,1)
              GO TO 107
            ELSEIF (18 .EQ. 40) THEN
              WRITE(6,*), 'A/C ALREADY HAS 40 OTHER FAILURES, PARALL', NAC
              ATRIB(2)=100
              CALL SCHDL(29,0.0,ATRIB)
              RETURN
            ENDIF
 111
          CONTINUE
        ENDIF
 107 CONTINUE
****
**** IF NO MAINT NEEDS TO BE DONE, COMPLETE SOME TYPE OF THRUFLIGHT
      CALL CHECK2
      RETURN
      END
```

```
CHCKE2
ORGANIZES THE FAILURES STORED IN THE PWUC AND PMAINT ARRAYS.
                                              ***********
     SUBROUTINE CHCKE2(NNON, NUMPA, M1, M2, M3)
     INTEGER TEMP1(40), TEMP2(40), JPX(5), NPX(5)
     NAC=ATRIB(1)
     IF (NNON .GT. 0) THEN
       DO 201 I1=1,40
         IF (PMAINT(NAC, 11, 2) .EQ. 5) THEN
           DO 202 12=1,40
              IF (PWUC(NAC, 12, 1) .EQ. 0) THEN
                PWUC(NAC, I2, 1) = PMAINT(NAC, I1, 1)
                PWIJC(NAC, 12, 2) = PMAINT(NAC, 11, 2)
                PMAINT(NAC, 11, 1)=0
                PMAINT(NAC, 11, 2)=0
                WRITE(6,*), 'FILE NONCF', NAC, PWUC(NAC, 12,1)
                GO TO 201
              ELSEIF (I2 .EQ. 40) THEN
                WRITE(6,*),'NOT REAL ERR,A/C HAS 40 FAILURES',NAC
                ATRIB(2)=100
                CALL SCHDL(29,0.0,ATRIB)
                RETURN
              ENDIF
202
              CONTINUE
            ENDIF
201
          CONTINUE
        ENDIF
        IF (NUMPA .GI. M1) THEN
          NUMP=0
          DO 203 I3=1,40
            IF (PMAINT(NAC, 13, 2) .EQ. M2 .OR.
                PMAINT(NAC, 13, 2) .EQ. M3) THEN
    1
              NJMP=NUMP+1
              TEMP1(NUMP)=PMAINI(NAC, 13, 1)
              TEMP2(NUMP)=PMAINT(NAC, 13, 2)
              PMAINT(NAC, 13, 1)-0
              PMAINT(NAC, 13,2)=0
              WRITE(6,*), 'FILE FAILS', NAC, TEMP1(13)
            ENDIF
203
          CONTINUE
          DO 204 14=1,40
            IF (PWUC(NAC, 14,1) .GT. 0) THEN
          NUMP=NUMP+1
              TEMP1(NUMP)=PWUC(NAC, I4, 1)
               TEMP2(NUMP)=PWUC(NAC, 14,2)
               PWUC(NAC, 14, 1) = 0
              PWUC(NAC, 14, 2) = 0
            ELSE
               PWUC(NAC, 14, 2) = 0
            ENDIF
 204
          CONTINUE
```

```
IF (NUMP .GT. 0) THEN
            DO 205 I5=1, NUMP
              IF (TEMP1(I5) .GT. 0) THEN
                PWUC(NAC, I5, 1) = TEMP1(I5)
                PWUC(NAC, 15, 2) = TEMP2(15)
                TEMP1(I5)=0
                TEMP2(15)=0
              ENDIF
 205
            CONTINUE
          ENDIF
        ELSE
          WRITE(6,*), 'NOT REAL ERR, A/C WILL HAVE OVER 40 FAILURES', NAC
          ATRIB(2)=100
          CALL SCHDL(29,0.0,ATRIB)
          RETURN
        ENDIF
      RETURN
      END
                             CHECK - EVENT 3
 CHECKS IF AN AIRCRAFT HAS JUST FINISHED A SORTIE OR MAINTENANCE,
     CLEANS UP STORAGE ARRAYS, PLACES THE AIRCRAFT IN THE APPROPRIATE
     LOCATION.
      SUBROUTINE CHECK
      INTEGER TEMP1(40), TEMP2(40), JPX(5), NPX(5)
      CHECK IF IT IS BETWEEN SHIFTS
      IF (XX(1) . EQ. 1 . AND. ATRIB(5) . GT. 3) THEN
        WRITE(6,*), 'ERR IN CHECK, BEGINNING, XX(1), (5)', XX(1), ATRIB(5)
        RETURN
      ENDIF
***
      BEGIN CHECK FOR MAINT
      NAC=ATRIB(1)
      WHEN ATRIB(16)=1, THE TURNAROUND IS COMPLETE, PUT PLANE INTO QUEUE
      WHEN ATRIB(16)=12, BPO IS COMPLETE, PUT PLANE INTO QUEUE
      WHEN ATRIB(5)=4,5,6,7,8, THEN PHASE IS COMPLETE, PUT PLANE INTO QUEUE
      IF ((ATRIB(5) .GE. 4 .AND. ATRIB(5) .LE. 8) .OR.
           ATRIB(16) .EQ. 1 .OR. ATRIB(16) .EQ. 12) THEN
        ADJUST=TNOW-ATRIB(3)
        NMRT(ATRIB(5))=NMRT(ATRIB(5))+1
        WMDT(ATRIB(5))=WMDT(ATRIB(5))+ADJUST
C
         WRITE(6,*), TNOW, 'A/C, ADJUST, WUC', NAC, ADJUST, ATRIB(5)
        ATRIB(3) = TNOW
        ATRIB(2)=0
        NF=PFIL(NAC)
        IF (ATRIB(16) .EQ. 1) THEN
          ATRIB(16)=0
          ATRIB(22)=0
          WRITE(6,*), 'COMPLETED TURN, FILE A/C IN Q', NAC, NF
        ELSEIF (ATRIB(16) .EQ. 12) THEN
          ATRIB(16)=13
          ATRIB(21)=TNOW
```

```
ATRIB(5)=0
          ATRIB(22)=0
          WRITE(6,*), 'COMPLETED BPO, FILE A/C IN Q', NAC, NF
        ELSEIF (ATRIB(5) .GE. 4 .AND. ATRIB(5) .LE. 8) THEN
          NF=2
          PFIL(NAC)=2
          WRITE(6,*), 'COMPLETED PHASE, FILE A/C IN O', NAC, NF
          WRITE(6,*), 'ERR IN CHECK, ATRIB(5)', ATRIB(5)
        ENDIF
        CALL FILEM(NF, ATRIB)
        IF (ATRIB(5) .LT. 6) THEN
          NN16=NNO(16)
          DO 199 I=1, NN16
            CALL COPY(I, 16, ATRIB)
            N1=ATRIB(1)
            IF (N1 .EQ. NAC) THEN
              CALL RMOVE(I, 16, ATRIB)
              GO TO 198
            ENDIF
 199
          CONTINUE
          WRITE(6,*), 'ERR, DID NOT REMOVE PLANE AFTER SCHD MAINT ', NAC
 198
          CONTINUE
          CALL ENTER(5,ATRIB)
        ENDIF
        RETURN
      ENDIF
      CHECK IF IT IS HQ, WHICH Q TO REFILE IT INTO
      IF (ATRIB(11) .EQ. 2) THEN
        CALL SCHOL(21, .05, ATRIB)
        RETURN
      ENDIF
      COMPUTE SOME STATISTICS ON MDT, FIX RATE
      MWUC=ATRIB(5)
      IF (ATRIB(2) .GT. 9) THEN
        ADJUST=TNOW-ATRIB(3)
C
         WRITE(6,*),TNOW,'PLANE,MWUC,ADJUST',ATRIB(1),ATRIB(5),ADJUST
        ATRIB(3)=TNOW
        IF (ATRIB(6) .GT. 0) THEN
          IF (PARA(NAC) .LE. 1) THEN
            LRU SUBSYSTEM DOWN TIME
            WMDT(MWUC)=WMDT(MWUC)+ADJUST
            NMDT(MWUC) = NMDT(MWUC) +1
            AIRCRAFT DOWN TIME, MOT FROM NMC TO MC
            SMDT=SMDT+ADJUST
            SNMDT=SNMDT+1
            IF (ATRIB(6) .EQ. 2) THEN
            DETERMINE FIX RATES OF CODE 3 SORTIES - INCLUDES ALL DELAYS
              IF (ADJUST .LE. 2.0) THEN
                NFIX(1)=NFIX(1)+1
              ENDIF
              IF (ADJUST .LE. 4.0) THEN
```

```
NFIX(2)=NFIX(2)+1
              ENDIF
               IF (ADJUST .LE. 8.0) THEN
                NFIX(3)=NFIX(3)+1
              ENDIF
               IF (ADJUST .GT. 8.0) THEN
                NFIX(4) = NFIX(4) + 1
               ENDIF
            ENDIF'
          ENDIF
        ENDIF
      ENDIF
      WHEN ATRIB(15)=10, PARALLEL MAINT CHECK FOR NEW NMC FAILURES
***
      WHEN ATRIB(15)=21, PARALLEL MAINT CHECK FOR 40 NON CF
***
      WHEN ATRIB(15)=31, PARALLEL MAINT CHECK FOR NEW NON CF DONE IN
***
           PARALLEL WITH CRIT FAIL
      IF (ATRIB(15) .EQ. 31 .OR. ATRIB(15) .EQ. 21 .OR.
          ATRIB(15) .EQ. 10) THEN
        IF (ATRIB(15) .EQ. 10 .AND. DOWN(NAC) .GT. 0) THEN
          NB=ATRIB(12)
          PMAINT(NAC, NB, 1) = 0
          PMAINT(NAC, NB, 2) = 0
        ENDIF
        IF (PARA(NAC) .Gr. 1) THEN
          WRITE(6,*), 'PARA TERM ENTITY, NAC, WUC, PARA=', NAC, PARA(NAC), MWUC
          PARA(NAC)=PARA(NAC)-1
          1F (ATRIB(15) .EQ. 31) THEN
            NB≈ATRIB(12)
            PMAINT(NAC, NB, 1) = 0
            PMAINT(NAC, NB, 2) = 0
          ENDIF
          CALL ENTER(5, ATRIB)
          RETURN
        ELSE
            WRITE(6,*), 'OLD ERR, PARA = 1', NAC, PARA(NAC)
C
           PARA(NAC)=0
           MMb=0
           IF (ATRIB(15) .EQ. 31) THEN
             NB=ATRIB(12)
             PMAINT(NAC, NB, 1) = 0
             PMAINT(NAC, NB, 2) = 0
           ELSEIF (ATRIB(15) .EQ. 10) THEN
             DOWN(NAC)=0
           ENDIF
           DO 801 IX=1,40
             IF (PWUC(NAC, IX, 1) .GI. 0) THEN
               NUMP=NUMP+1
               TEMP1(NUMP)=PWUC(NAC, IX, 1)
               TEMP2(NUMP)=PWUC(NAC, IX, 2)
               PWUC(NAC, IX, 1) = 0
               PWUC(NAC, IX, 2) = 0
             ELSE
```

```
TEMPl(IX)=0
            TEMP2(IX)=0
            PWUC(NAC, IX, 2) = 0
           ENDIF
801
         CONTINUE
         IF (NUMP .GT. 0) THEN
           DO 802 IY=1, NUMP
             IF (TEMP1(IY) .GT. 0) THEN
              PWUC(NAC, IY, 1) = TEMP1(IY)
              PWUC(NAC, IY, 2) = TEMP2(IY)
              TEMF1(IY)=0
              TEMP2(IY)=0
            ENDIF
802
           CONTINUE
         ENDIF
       ENDIF
     ENDIF
****
     IF (TPLANE(1) .EQ. 1) THEN
       CALL CHCKE
     ELSEIF (TPLANE(1) .EQ. 2) THEN
       CALL CHCKCD
     ELSE
       WRITE(6,*), 'ERR IN CHECK, TPLANE WRONG'
     ENDIF
     RETURN
     END
************************
                             CHECK2
* BEGINS SOME TYPE OF THRUFLIGHT IF MAINT IS FINISHED OR NOT NEEDED
SUBROUTINE CHECK2
     NAC=ATRIB(1)
     IF LAST FLIGHT OF THE DAY FOR THE AIRCRAFT - DO BASIC POSTFLIGHT
     IF (TNOW .GT. XX(4) .AND. (ATRIB(16) .NE. 13)) THEN
       ATRIB(16) = 11
     ENDIF
     IF (ATR 19(16) .EQ. 11) THEN
       ATRIB(2)=0
       ATRIE(6)=0
       ATRIB(13)=1
       ATRIB(15)=0
       ATRIB(18)=0
       ATRIB(5)=3
       ATRIB(3)=TNOW
       ATRIB(17)=0
       CALL ENTER(2, ATRIB)
       CALL FILEM(16, ATRIB)
     FLSE
     IF DONE BPO ALREADY, FILE INTO READY Q
       IF (ATRIB(16) .EQ. 13) THEN
         IF (PWUC(NAC, 1, 1) . EQ. 0) THEN
```

```
WRITE(6,*), 'TIME', TNOW, 'Q2 AFTER MAINTENANCE', ATRIB(1)
            CALL FILEM(2, ATRIB)
          ELSE
            NF=PFIL(NAC)
        WRITE(6,*), 'TIME', TNOW, 'Q AFTER MAINTENANCE', ATRIB(1), NF
            CALL FILEM(NF, ATRIB)
          ENDIF
          RETURN
        ENDIF
*** IF NO MAINTENANCE OR MAINT IS DONE, PLACE PLANE INTO TURNAROUND
        IF (ATRIB(2) .NE. 0) THEN
C
           WRITE(6,*), 'TIME', TNOW, 'THRUFLIGHT AFTER MAINT', ATRIB(1)
          ATRIB(6)=0
        ENDIF
C
        WRITE(6,*), 'BEGIN THRUFLIGHT', ATRIB(1), PWUC(NAC,1,1)
        ATRIB(13)=1
        ATRIB(15)=0
        ATRIB(16)=1
        ATRIB(17)=0
        ATRIB(18)=0
        ATRIB(5)=1
        ATRIB(3)=TNOW
        ATRIB(2)=0
        ATRIB(6)=0
        CALL ENTER(2, ATRIB)
        CALL FILEM(16, ATRIB)
        RETURN
      ENDIF
      RETURN
      END
                      *************
                             CLEAN - EVENT 31
   INITIATES MAINT ON PMC OR NON CRITICAL PLANES AFTER ALL
  SORTIES HAVE BEEN FLOWN
      SUBROUTINE CLEAN
      IF (TNOW .LE. XX(3)-2.0) THEN
        CALL SCHOL(31,1.0,ATRIB)
      ENDIF
C
       WRITE(6,*),'IN CLEAN, T,XX(3), ENDSO', TNOW, XX(3), ENDSO
      DO 300 I1=8,11
        NO=NNO(11)
        IF (NO .GT. 0) THEN
          DO 200 I=1,NO
            CALL RMOVE(1,11,ATRIB)
            NAC=ATRIB(1)
            WRITE(6,*), 'RMOVE A/C FOR PARA,Q', NAC, II, PWUC(NAC, 1, 1)
            CALL SCHOL(29,.00001,ATRIB)
 200
          CONTINUE
        ENDIF
 300 CONTINUE
```

```
RETURN
      END
                           DISPLY - EVENT 4
* DISPLAYS OUTPUT DATA DAILY
**********************
      SUBROUTINE DISPLY
      NM=0
      NN=0
      DO 82 I=1, NPLANE
        IF (PARA(I) .GT. 0) THEN
          NM=NM+1
C
           WRITE(6,*), 'PLANE, PARA', I, PARA(I)
        NN=PARA(I)+NN
 82
      CONTINUE
      WRITE(6,*), 'PARALLEL MAINTENANCE - PLANES, PARA ', NM, NN
      CHECK TO SEE IF CREATED PLANES ACCIDENILY
      JTOT=NIVACT(1)+NIVACT(2)+NIVACT(3)+NIVACT(5)+NIVQ(1)+NIVQ(2)+NIVQ(3)+
         NNQ(4) + NNQ(5) + NNQ(6) + NNQ(7) + NNQ(8) + NNQ(9) + NNQ(10) + NNQ(11)
         +NNQ(17)-(NN-NM)
      IF (JTOT .NE. NPLANE) THEN
        WRITE(6,*), 'ERR, WRONG # OF PLANES, JTOT, NPLANE', JTOT, NPLANE
      ENDIF
      PRINT ENTITIES IN QUEUE
      DO 54 1=1,12
        NQ=NNQ(I)
        IF (NQ .GT. 0) THEN
          DO 55 I1=1,NO
            CALL COPY(I1, I, ATRIB)
            WRITE(6,*),I,ATRIB(1)
 55
          CONTINUE
        ENDIF
 54
      CONTINUE
      DO 56 I=16,17
        NO=NNO(I)
        IF (NQ .GT. C) THEN
          DO 57 II=1,NQ
            CALL COPY(11, I, ATRIB)
            WRITE(6,*),I,ATRIB(1)
 57
          CONTINUE
        ENDIF
 56
      CONTINUE
C
       DO 80 \text{ I}=1,35
C
         WRITE(6,*),I,JRSC(I),I+50,JRSC(1+50)
C 80
      CALCULATE MRT AFTER END OF EACH DAY
      RTIME=0
      TMRT=0
      DO 103 I=11, MAXWUC
        XMRT=NMRT(I)
        XMDT=NMDT(I)
```

```
C
         IF (NMRT(I) .NE. 0) THEN
C
           WRITE(6,90)I,AWUC(I),NMDT(I),XMDT,NMRT(I),YMRT(I)/XMRT
C
         ELSE
C
           WRITE(6,90)I, AWUC(I), NMDT(I), XMDT, NMRT(I), XMRT
C
         ENDIF
        RTIME=RTIME+YMRT(I)
        TMRT=TMRT+XMRT
 103 CONTINUE
  90 FORMAT(1X,13,2X,A5,2(2X,14,5X,F10.4))
  65 FORMAT(1X, 'ON LINE MRT, QUANTITY MRT', 15, 1X, F10.4/)
      IF (TMRT .EQ. 0) THEN
        XMRT=0.0
      ELSE
        XMRT=RTIME/TMRT
        MM2=TMRT
      ENDIF
        WRITE(UNIT=6,FMT-65)MM2,XMRT
C
       WRITE(6,*),'1,2,4,5',FFAVG(1),FFAVG(2),FFAVG(4),FFAVG(5)
C
      CALL SCHOL(4,24.0,ATRIB)
      SGR RATE
      XFLOWN=NFLOWN
      XPLANE=NPLANE
      SGR=XFLOWN/(XPLANE*FDAY)
      FMC RATE
      F1=(FFAVG(1)+FFAVG(2)+FFAVG(4)+FFAVG(11))/SCENE(1)
      F3=(FFAVG(8)+FFAVG(9)+FFAVG(10)+FFAVG(16))/SCENE(1)
      MC RATE
      F4=F1+F3
      NMCS RATE
      F2=(FFAVG(7)-FFAVG(22))/SCENE(1)
      NIMCR RATE
      F5=(FFAVG(3)+FFAVG(12)-FFAVG(21))/SCENE(1)
      ND=1+(TNOW/24.0)
      N3=NBRK
      NGND=GNDABT
      IF (NDAY .GT. 0) THEN
        WRITE(UNIT=8,FMT=600)ND,NFLOWN,MSDSOR,FHTOT SGR,F1,F3,F4,F2,F5,
      1N3,NGND
      ELSE
        WRITE(UNIT=8,FMT=600)ND
      ENDIF
 ***
 97
      FORMAT(1X, 'QUEUE # :', I3)
 98
      FORMAT(1X, 'PLANE # : ', F10.4)
      FORMAT(/,1X,'TIME = ',F10.4,/)
 600 FORMAT(1X,13,2(1X,15),1X,F7.1,1X,F5.2,3(1X,F5.3),2(1X,F6.4),
      11X, 14, 1X, 14
      RETURN
      END
 *************************
                           EMPTYO - EVENT 15
```

```
* CHECKS THE MAINTENANCE WAIT QUEUES AND RESURMITS THE A/C INTO THE
  MAINTENANCE NETWORK, THIS OCCURS WHEN ANY PERSONNEL OR EQUIPMENT IS *
   FREED. AN AIRCRAFT WILL BE RESUBMITTED IF IT NEEDS WHAT WAS FREED.
      SUBROUTINE EMPTYO
      INTEGER N(5)
      IF (ENDSO-TNOW .LE. 0.03) THEN
        CALL ENTER(5, ATRIB)
        RETURN
      ENDIF
      NAC=ATRIB(1)
      N(1) = WRESC(NAC, 1)
      N(2) = WRESC(NAC, 2)
      N(3) = WRESC(NAC, 3)
      N(4) = WRESC(NAC, 4)
      N(5) = WRESC(NAC, 5)
      NM=NSFT
      MM=1
      IF (N(2) .GT. 0) THEN
        MM=2
      ENDIF
      IF (N(3) .GT. 0) THEN
        MM=3
      ENDIF
      IF (N(4) .GT. 0) THEN
        MM=4
      ENDIF
      IF (N(5) \cdot CT \cdot 0) THEN
        MM=5
      ENDIF
      CHECK "LINE AND SHOP - WAITING FOR RESOURCE" QUEUE
      DO 200 I=1,MM
        DO 300 \text{ I}1=3,13,10
           NN=N(I)
           IF (NNQ(11) \cdot GT \cdot 0) THEN
             N3=NNQ(I1)
             DO 100 M=1,N3
               CALL COPY(M, I1, ATRIB)
               NED=ATRIB(17)
               IF (NED .EQ. NN) THEN
                 CALL RMOVE(M, I1, ATRIB)
                 NNODE=ATRIB(10)
                 NDUP=ATRIB(4)
C
                  IF (MISSN .EQ. 1 .AVD. ATRIB(5) .NE. 3) THEN
C
                     CALL FILEM(II, ATRIB)
C
                  ELSE
                   CALL ENTER(NNODE, ATRIB)
                 WRITE(6,*), 'EMPTYQ, ENTER NNODE, (1), NN', NNODE, ATRIB(1), NN
C
                  ENDIF
                 GO TO 50
C
                 WRITE(6,*), 'EMPTYQ, NO MATCH, FREED, NEED', NN, NED, ATRIB(1)
```

	ENDIE.
100	CONTINUE
	ENDLF
300	CONTINUE
50	CONLINTE
200	CONTINUE
200	RETURN
	END
++++	**************************************
*	

	SUBROUTINE EVENT(I)
	GO TO (1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
	1,24,25,26,27,28,29,30,31,32,33),I
1	CALL FLYING
_	RETURN
2	CALL SORTIE
	RETURN
3	CALL CHECK
	RETURN
4	CALL DISPLY
	RETURN
5	CALL REMOVE
	RETURN
6	CALL SHIFT
	RETURN
7	CALL MAINT
	RETURN
8	CALL ALLOK
	RETURN
9	CALL WARMUP
	RETURN
10	CALL SSHIFT
	RETURN
11	CALL PRFLGT
	RETURN
12	CALL FREER
	RETURN
13	CALL PHASE
	RETURN
14	CALL LAST
11	RETURN
15	CALL EMPTYQ
13	
1.5	RETURN CALL GUODA
16	CALL SHOP2
17	RETURN COMP.
17	CAIL ALSPAR
10	RETURN
18	CALL CANN
	RETURN
19	CALL FRSPAR
	RETURN

```
20
     CALL NONAV
     RETURN
21
     CALL RELPLN
     RETURN
22
     CALL BPO
     RETURN
23
     CALL INSPET
     RETURN
24
     CALL STUFF
     RETURN
25
     CALL REAV
     RETURN
26
     CALL NEED
     RETURN
27
     CALL CHCKE
     RETURN
28
     CALL CHCKCD
     RETURN
29
     CALL PARALL
     RETURN
30
     CALL PARAP
     RETURN
31
     CALL CLEAN
     RETURN
32
     CALL NMAINT
     RETURN
33
     CALL GNDAB1
     RETURN
     END
*************************
                          FLYING - EVENT 1
* DEFINES THE FLYING SCHEDULE, AND DETERMINES NUMBER OF AIRCRAFT PER
  SCRIIE, WHAT TYPE OF MISSION WILL BE FLOWN
***********************************
     SUBROUTINE FLYING
* CHECK IF WEEKDAY OR WEEKEND
     NM=0
     NFL=0
     MSORTY=NSORTY
     IF (FDAY .Gr. 2) THEN
       XPI_ANE=NPLANE
       WFLOWN=DSGR*XPLANE*(FDAY-1)
       XFLOWN=NFLOWN
       IF (WFLOWN-XFLOWN .GI'. 9.51) THEN
         NFL=NINT(WFLOWN-XFLOWN)
         MSORTY=MSORTY+NFL
       ELSEIF (XFLOWN-WFLOWN .GT. 0.51) THEN
         NFL-NINI (XFLOWN-WFLOWN)
         MSORTY=MSORTY-NFL
       ENDIF
     END1F
     IF (NDAY .EQ. 0) THEN
```

```
CALL SCHOL(1,48.0,ATRIB)
      ELSE
        CALL SCHDL(1,24.0,ATRIB)
        TMFLT=0.0
        NN=0
        THERE ARE MSORTY SORTIES PER DAY
        NFIRST=MSORTY/2+2
C
         WRITE(6,*),'IN FLYING, NFIRST=',NFIRST
        DO 20 I1=1,2
          DO 10 I=1,NFIRST
            TMFLT = TMFLT+FFREQ
            ATRIB(4)=0
            PROB=UNFRM(0.0,1.0,5)
            IF (PROB .LE. PERCNT(3,1)) THEN
              ATRIB(24)=1
              PROB1=UNFRM(0.0,1.0,5)
              IF (PROB1 .LE. PERCNT(2,1)) THEN
                ATRIB(19)=1
                NFORM=1
              ELSEIF (PROBL .LE. PERCNT(2,2)) THEN
                ATRIB(19)=2
                NFORM=2
              ELSEIF (PROB1 .LE. PERCNT(2,3)) THEN
                ATRIB(19)=3
                NFORM=3
              ELSEIF (PROB1 .LE. PERCNI(2,4)) THEN
                ATRIB(19)=4
                NFORM=4
              ELSE
                ATRIB(19)=5
                NFORM=5
              ENDIF
            ELSEIF (PROB .LE. PERCNT(3,2)) THEN
              ATRIB(24)=2
              PROB1=UNFRM(0.0,1.0,5)
              IF (PROB1 .LE. PERCNI'(2,1)) THEN
                ATRIB(19)=1
                NFORM=1
              ELSE
                ATRIB(19)=2
               NFORM=2
              ENDIF
           ELSEIF (PROB .LE. PERCNT(3,3)) THEN
             AIRIB(24)=3
             PROB1=UNFRM(0.0,1.0,5)
              IF (PROBI .LE. PERCNT(2,1)) THEN
               ATRIB(19)=1
               NFORM=1
             ELSE
               ATRIB(19)=2
               NFORM=2
             ENDIF
```

```
ELSEIF (PROB .LE. PERCNT(3,4)) THEN
              ATRIB(24)=4
              ATRIB(19)=1
              NFORM=1
            ELSE
              WRITE(6,*), 'ERR IN FLY, PROB, PERCNT(3, J)', PROB, PERCNI(3, 1)
            ENDIF
            CALL SCHOL(2,TMFLT,ATRIB)
            NN=NN+NFORM
            IF (NN .GE. NFIRST) THEN
              GO TO 15
            ENDIF
 10
          CONTINUE
 15
        CONTINUE
        IF (I1 .EQ. 1) THEN
          NFIRST=MSORTY--NN
C
           WRITE(6,*), 'IN FLYING, NFIRST, MSORTY, NN', NFIRST, MSORTY, NN
          TMFLT=SFT1
          XX(4) = TTF1N
          XX(6)=0
          NN=0
        ELSE
          CALL SCHOL(22, TMFLT+0.01, ATPIB)
          CALL SCHOL(31, TMFLT, ATRIB)
          XX(4)=TMFLT+TNOW
        ENDIF
 20
        CONTINUE
      ENDIF
      RETURN
      END
*******************
                        FREER -- EVENT 12
* FREES MAINT RESOURCES WHEN THE TASK IS COMPLETED OR WHEN THE SHIFT
   IS ENDED
      SUBROUTINE FREER
      NWUC=ATRIB(5)
      NAC=ATRIB(1)
      ATRIB(17)=0
      JJ=ATRIB(13)
      I=NRESC(NWUC, JJ)
      IF (1 .EQ. 0) THEN
        WRITE(6,*), 'ERR IN FREER, I EQUAL TO 0,(1), NWUC', ATRIB(1), NWUC
        RETURN
      ENDIF
      IF (NSFT .EQ. 0 .OR. NSFT .EQ. 1) THEN
        NADJ=0
      ELSEIF (NSFT .EQ. 2) THEN
        NADJ=50
      ELSE
        WRITE(6,*), 'ERR IN FREER, NSFT IS WRONG'
      ENDIF
```

```
JHELP=0
      KHELP=0
      LHELP=0
      MHELP=0
      NHELP=0
      GO TO (1,2,3,4,5), I
 FREE RULE 1 - THIS FREES 1 TYPE OF RESOURCES
*****
      CONTINUE
  1
      JP1=RESC(NWUC, JJ, 1)+NADJ
      NP1=OUAN(NWUC,JJ,1)
      IF (TPLANE(1) .EQ. 1) THEN
        IF (ATRIB(25) .GT. 0) THEN
          JHELP=ATRIB(25)
          JRSC(7+NADJ)=JRSC(7+NADJ)+JHELP
           WRITE(6,*),'(7),#',JHELP
C
        ELSEIF (ATRIB(26) .GT. 0) THEN
          JHELP=ATRIB(26)
          JRSC(25+NADJ)=JRSC(25+NADJ)+JHELP
C
           WRITE(6,*),'(25),#',JHELP
        ENDIF
        IF ((JP1 .GE. 4 .AND. JP1 .LE. 6) .OR. JP1 .EQ. 23 .OR.
           JP1 .EQ. 24) THEN
C
           WRITE(6,*), 'FREE JRSC, #, TOT', JP1, NP1-JHELP, NP1
        ENDIF
      ENDIF
      JRSC(JP1)=JRSC(JP1)+NP1-JHELP
      WRESC(NAC, 1) = JP1
      WRESC(NAC, 2) = 0
      WRESC(NAC,3)=0
      WRESC(NAC, 4) = 0
      WRESC(NAC, 5) = 0
      RESET MMH COUNTERS
      TMMH(NWUC)=TMMH(NWUC)+((TNOW-ATRIB(8))*NP1)
C
      WRITE(6,*), 'FREER, PLANE, NWUC, (32)', ATRIB(1), NWUC, TNOW-ATRIB(8)
      ATRIB(8)=0
      WRITE(6,*), 'FREER,A/CP,TYPE,#, #AVAIL',ATRIB(1),JP1,NP1,JRSC(JP1)
CC
С
      CALL EMPTYO
      CALL SCHDL(15,.005,ATRIB)
      RETURN
* FREE RULE 2 - THIS FREES 2 TYPES OF RESOURCES
*****
      CONTINUE
      JP1=RESC(NWUC, JJ, 1) +NADJ
      JP2=RESC(NWUC, JJ, 2)+NADJ
      NP1=QUAN(NWUC,JJ,1)
      NP2=QUAN(NWUC,JJ,2)
      IF (TPLANE(1) .EQ. 1) THEN
        FIRST RESOURCE
        IF (JP1-NADJ .GE. 4 .AND. JP1-NADJ .LE. 6) THEN
```

```
IF (ATRIB(25) .GT. 0) THEN
            JHELP=ATRIB(25)
            JRSC(7+NAL))=JRSC(7+NADJ)+JHELP
C
             WRITE(6,*), 'FREE JRSC(7+NADJ), #', JHELP
          ENDIF
        ELSEIF (JP1-NADJ .EQ. 23 .OR. JF1-NADJ .EQ. 24) THEN
          IF (ATRIB(26) .GT. 0) THEN
            JHELP=ATRIB(26)
            JRSC(25+NADJ)=JRSC(25+NADJ)+JHELP
C
             WRITE(6,*), 'FREE JRSC(25+NADJ), #', JHELP
          ENDIF
        ENDIF
        IF ((JP1-NADJ .GE. 4 .AND. JP1-NADJ .LE. 6) .OR.
           JP1-NADJ .EQ. 23 .OR. JP1-NADJ .EQ. 24) THEN
C
           WRITE(6,*), 'FREE JRSC, #, TOT', JP1, NP1-JHELP, NP1
        ENDIF
        SECOND RESOURCE
        IF (JP2-NADJ .GE. 4 .AND. JP2-NADJ .LE. 6) THEN
          IF (ATRIB(25) .GT. 0) THEN
            KHELP=ATRIB(25)
            JRSC(7+NADJ)=JRSC(7+NADJ)+KHELP
C
             WRITE(6,*), 'FREE JRSC(7+NADJ), #', KHELP
        FLSEIF (JP2-NADJ .EQ. 23 .OR. JP2-NADJ .EQ. 24) THEN
          IF (ATRIB(26) .GT. 0) THEN
            KHELP=NIRIB(26)
             JRSC(25+NADJ)=JRSC(25+NADJ)+KHELP
C
             WRITE(6,*), 'FREE JRSC(25+NADJ), #', KHELP
          ENDIF
        ENDIF
        IF ((JP2-NADJ .GE. 4 .AND. JP2-NADJ .LE. 6) .OR.
            JP2-NADJ .EQ. 23 .OR. JP2-NADJ .EQ. 24) THEN
C
            WRITE(6,*), 'FREE JRSC, #, TOT', JP2, NP2-KHELP, NP2
        ENDIF
      ENDIF
      JRSC(JP1)=JRSC(JP1)+NP1-JHELP
      JRSC(JP2)=JRSC(JP2)+NP2-KHELP
      WRESC(NAC, 1) = JP1
      WRESC(NAC, 2) = JP2
      WRESC(NAC,3)=0
      WRESC(NAC,4) =0
      WRESC(NAC, 5)=0
      RESET MMH COUNTERS
      TMMH(NWUC)=TMMH(NWUC)+((TNOW-ATRIB(8))*(NP1+NP2))
С
      WRITE(6,*), 'FREER, PLANE, NWUC, (32)', ATRIB(1), NWUC, TNOW-ATRIB(8)
      ATRIB(8)=0
CC
      WRITE(6,*), 'FREER,A/C,'TYPE, #, #AVAIL', ATRIB(1), JP1, NP1, JRSC(JP1)
CC
      WRITE(6,*), 'FREER, A/C, TYPE, #, #AVAIL', ATRIB(1), JP2, NP2, JRSC(JP2)
C
      CALL EMPTYO
      CALL SCHOL(15,.005,ATRIB)
      RETURN
*****
```

```
* FREE RULE 3 - THIS FREES 3 TYPES OF RESOURCES
      CONTINUE
  3
      JP1=RESC(NWUC, J.J, 1) +NADJ
      JP2=RESC(NWUC, JJ, 2) +NADJ
      JP3=RESC(NWUC, JJ, 3)+NADJ
      NP1=QUAN(NWUC,JJ,1)
      NP2=QUAN(NWUC, JJ, 2)
      NP3=QUAN(NWUC,JJ,3)
      IF (TPLANE(1) .EQ. 1) THEN
        FIRST RESOURCE
        IF (JP1-NADJ .GE. 4 .ANO. JP1-NADJ .LE. 6) THEN
          IF (ATRIB(25) .GT. 0) THEN
            JHELP=ATRIB(25)
            JRSC(7+NADJ)=JRSC(7+NADJ)+JHELP
C.
             WRITE(6,*), 'FREE JRSC(7+NADJ), #', JHELP
          ENDIF
        ELSEIF (JP1-NADJ .EQ. 23 .OR. JP1-NADJ .EQ. 24) THEN
          IF (ATRIB(26) .GT. 0) THEN
            JHELP=ATRIB(26)
            JRSC(25+NADJ)=JRSC(25+NADJ)+JHELP
C
             WRITE(6,*), 'FREE JRSC(25+NADJ),#', JHELP
          ENDIF
        ENDIF
C
         WRITE(6,*), 'FREE JRSC, #, TOT', JP1, NF1-JHELP, NP1
44
        SECOND RESOURCE
        IF (JP2-NADJ .GE. 4 .AND. JP2-NADJ .LE. 6) THEN
          IF (ATRIB(25) .Gr. 0) THEN
            KHELP=ATRIB(25)
            JRSC(7+NADJ)=JRSC(7+NADJ)+KHELP
C
             WRITE(6,*), 'FREE JRSC(7+NADJ), #', KHELP
          ENDIF
        ELSEIF (JP2-NADJ .EQ. 23 .OR. JP2-NADJ .EQ. 24) THEN
          IF (ATRIB(26) .GT. 0) THEN
            KHELP=ATRIB(26)
            JRSC(25+NADJ)=JRSC(25+NADJ)+KHELP
C
             WRITE(6,*), 'FREE JRSC(25+NADJ), #', KHELP
          ENDIF
        ENDIF
         WRITE(6,*), 'FREE JRSC, #, TOT', JP2, NP2-KHELP, NP2
C
        THIRD RESOURCE
        IF (JP3-NADJ .GE. 4 .AND. JP3-NADJ .LE. 6) THEN
          IF (ATRIB(25) .GT. 0) THEN
            LHELP=ATRIB(25)
             JRSC(7+NADJ)=JRSC(7+NADJ)+LHELP
C
             WRITE(6,*), 'FREE JRSC(7+NADJ), #', LHELP
          ENDIF
        ELSEIF (JP3-NADJ .EQ. 23 .OR. JP3-NADJ .EQ. 24) THEN
          IF (ATRIB(26) .GF. 0) THEN
            LHELP=ATRIB(26)
            JRSC(25+NADJ)=JRSC(25+NADJ)+LHELP
C
             WRITE(6,*), 'FREE JRSC(25+NADJ), #', LHELP
```

```
ENDIF
        ENDIF
C
         WRITE(6,*), 'FREE JRSC, #, TOT', JP3, NP3-LHELP, NP3
      ENDIF
      JRSC(JP1)=JRSC(JP1)+NP1-JHELP
      JRSC(JF2)=JRSC(JP2)+NP2-KHELP
      JRSC(JP3)=JRSC(JP3)+NP3-LHELP
      WRESC(NAC, 1) = JP1
      WRESC(NAC, 2) = JP2
      WRESC(NAC, 3) = JP3
      WRESC(NAC, 4) = 0
      WRESC(NAC, 5) = 0
      RESET MMH COUNTERS
      TMMH(NWUC)=TMMH(NWUC)+((TNOW-ATRIB(8))*(NP1+NP2+NP3))
      WRITE(6,*), 'FREER, PLANE, NWUC, (32)', ATRIB(1), NWUC, TNOW-ATRIB(8)
C
      ATRIB(8)=0
      WRITE(6,*), 'FREER,A/C,TYP,QUANT, #AVAIL',ATRIB(1),JP1,NP1,JRSC(JP1)
CC
      WRITE(6,*), 'FREER,A/C,TYP,QUANT, #AVAIL',ATRIB(1),JP2,NP2,JRSC(JP2)
CC
      WRITE(6,*), 'FREER, A/C, TYP, QUANT, #AVAIL', ATRIB(1), JP3, NP3, JRSC(JP3)
CC
      CALL, EMPTYQ
      CALL SCHOL(15,.005,ATRIB)
      RETURN
* FREE RULE 4 - THIS FREES 4 TYPES OF RESOURCES
      CONTINUE
      JP1=RESC(NWUC, JJ, 1)+NADJ
       JP2=RESC(NWUC, JJ, 2)+NADJ
       JP3=RESC(NWUC,JJ,3)+NADJ
       JP4=RESC(NWUC, JJ, 4)+NADJ
      NP1=QUAN(NWUC,JJ,1)
      NP2=QUAN(NWUC,JJ,2)
       NP3=QUAN(NWUC,JJ,3)
       NP4=QUAN(NWUC,JJ,4)
       JF (TPLANE(1) .EQ. 1) THEN
**
         FIRST RESOURCE
         IF (JP1-NADJ .GE. 4 .AND. JP1-NADJ .LE. 6) THEN
           IF (ATRIB(25) .Gr. 0) THEN
             JHELP=ATRIB(25)
             JRSC(7+NADJ)=JRSC(7+NADJ)+JHELP
              WRITE(6,*), 'FREE JRSC(7+NADJ), #', JHELP
С
           ENDIF
         ELSEIF (JP1-NADJ .EQ. 23 .OR. JP1-NADJ .EQ. 24) THEN
           IF (ATRIB(26) .GT. 0) THEN
             JHELP=ATRIB(26)
             JRSC(25+NADJ)=JRSC(25+NADJ)+JHELP
              WRITE(6,*), 'FREE JRSC(25+NADJ), #', JHELP
C
           ENDIF
         ENDIF
          WRITE(6,*), 'FREE JRSC, #, TOT', JP1, NP1-JHELP, NP1
C
**
         SECOND RESOURCE
         IF (JP2-NADJ .GE. 4 .AND. JP2-NADJ .LE. 6) THEN
```

```
IF (ATRIB(25) GT. 0) THEN
            KHELP=ATRIB(25)
            JRSC(7+NADJ)=JRSC(7+NADJ)+KHELP
C
             WRITE(6,*), 'FREE JRSC(7+NADJ), #', KHELP
          ENDIF
        ELSEIF (JP2-NADJ .EQ. 23 .OR. JP2-NADJ .EQ. 24) THEN
          IF (ATRIB(26) .GT. 0) THEN
            KHELP=ATRIB(26)
            JRSC(25+NADJ)=JRSC(25+NADJ)+KHELP
C
             WRITE(6,*), 'FREE JRSC(25+NADJ), #', KHELP
          ENDIF
        ENDIF
C
         WRITE(6,*), 'FREE JRSC, #, TOT', JP2, NP2-KHELP, NP2
        THIRD RESOURCE
        IF (JP3-NADJ .GE. 4 .AND. JP3-NADJ .LE. 6) THEN
           IF (ATRIB(25) .GT. 0) THEN
            LHELP=ATPIB(25)
             JRSC(7+NADJ)=JRSC(7+NADJ)+LHELP
C
             WRITE(6,*), 'FREE JRSC(7+NADJ), #', LHELP
        ELSEIF (JP3-NADJ .EQ. 23 .OR. JP3-NADJ .EQ. 24) THEN
           IF (ATRIB(26) GT. 0) THEN
            IHELP=ATRIB(26)
             JRSC(25+NADJ)=JRSC(25+NADJ)+LHELP
C
             WRITE(6,*), 'FREE JRSC(25+NADJ), #', LHELP
          ENDIF
        ENDIF
C
         WRITE(6,*), 'FREE JRSC, #, TOT', JP3, NP3-LHELP, NP3
        FOURTH RESOURCE
        IF (JP4-NADJ .GE. 4 .AND. JP4-NADJ .LE. 6) 'THEN
           IF (ATRIB(25) .Gr. 0) THEN
            MHELP=ATRIB(25)
             JRSC(7+NADJ)=JRSC(7+NADJ)+MHELP
C
              WRITE(6,*), 'FREE JRSC(7+NADJ), #', MHELP
           ENDIF
        ELSEIF (JP4-NADJ .EQ. 23 .OR. JP4-NADJ .EQ. 24) THEN
           IF (ATRIB(26) .GT. 0) THEN
            MHELP=ATRIB(26)
             JRSC(25+NADJ)=JFSC(25+NADJ)+MHELP
C
             WRITE(6,*), 'FREE JRSC(25+NADJ), #', MHELP
           ENDIF
         ENDIF
C
         WRITE(6,*), 'FREE JRSC, #, TOT', JP4, NP4-MHELP, NP4
      ENDIF
      JRSC(JP1)=JRSC(JP1)+NP1-JHELP
      JRSC(JP2)=JRSC(JP2)+NP2-KHELP
      JRSC(JP3)=JRSC(JP3)+NP3-LHELP
      JRSC(JP4)=JRSC(JP4)+NP4-MHELD
      WRESC(NAC, 1) = JP1
      WRESC(NAC, 2) = JP2
      WRESC(NAC, 3) = JP3
      WRESC(NAC, 4) = JP4
```

```
WRESC(NAC,5)=0
      RESET MMH COUNTERS
      TMMH(NWUC)=TMMH(NWUC)+((TNOW-ATRIB(8))*(NP1+NP2+NP3+NP4))
C
      WRITE(6,*),'FREER,PLANE,NWUC,(32)',ATRIB(1),NWUC,TNOW-ATRIB(8)
      ATRIB(8)=0
CC
      WRITE(6,*), 'FREER,A/C,TYP, CUANT, #AVAIL', ATRIB(1), JP1, NP1, JRSC(JP1)
CC
      WRITE(6,*), 'FREER, A/C, TYP, QUANT, #AVAIL', ATRIB(1), JP2, NP2, JRSC(JP2)
CC
      WRITE(6,*), 'FREER, A/C, TYP, QUANT, #AVAIL', ATRIB(1), JP3, NP3, JRSC(JP3)
CC
      WRITE(6,*), 'FREER, A/C, TYP, QUANT, #AVAIL', ATRIB(1), JP4, NP4, JRSC(JP4)
\mathbf{C}
      CALL EMPTYO
      CALL SCHOL(15,.005,ATRIB)
      RETURN
* FREE RULE 5 - THIS FREES 5 TYPES OF RESOURCES
*****
  5
      CONTINUE
      JP1=RESC(NWUC, JJ, 1)+NADJ
      JP2=RESC(NWUC, JJ, 2)+NADJ
      JP3=RESC(NWUC, JJ, 3)+NADJ
      JP4=RESC(NWUC, JJ, 4)+NADJ
      JP5=RESC(NWUC, JJ, 5)+NADJ
      NP1=QUAN(NWUC, JJ, 1)
      NP2=OUAN(NWUC,JJ,2)
      NP3=QUAN(NWUC, JJ, 3)
      NP4=QUAN(NWUC, JJ, 4)
      NP5=QUAN(NWUC, JJ, 5)
      IF (TPLANE(1) .EQ. 1) THEN
        FIRST RESOURCE
        IF (JP1-NADJ .GE. 4 .AND. JP1-NADJ .LE. 6) THEN
          IF (ATRIB(25) .GT. 0) THEN
             JHELP=ATRIB(25)
             JRSC(7+NADJ)=JRSC(7+NADJ)+JHELP
C
              WRITE(6,*), 'FREE JRSC(7+NADJ), #', JHELP
          ENDIF
        ELSEIF (JP1-NADJ .EQ. 23 .OR. JP1-NADJ .EQ. 24) THEN
          IF (ATRIB(26) .GT. 0) THEN
             JHELP=ATRIB(26)
             JRSC(25+NADJ)=JRSC(25+NADJ)+JHELP
C
              WRITE(6,*), 'FREE JRSC(25+NADJ), #', JHELP
          ENDIF
        ENDIF
С
         WRITE(6,*), 'FREE JRSC, #, TOT', JP1, NP1-JHELP, NP1
        SECOND RESOURCE
        IF (JP2--NADJ .GE. 4 .AND. JP2-NADJ .LE. 6) THEN
          IF (ATRIB(25) .Gr. 0) THEN
             KHELP=ATRIB(25)
             JRSC(7+NADJ)=JRSC(7+NADJ)+KHELP
C
              WRITE(6,*), 'FREE JRSC(7+NADJ), #', KHELP
          ENDIF
        ELSEIF (JP2-NADJ .EQ. 23 .OR. JP2-NADJ .EQ. 24) THEN
          IF (ATRIB(26) .GT. 0) THEN
             KHELP=ATRIB(26)
```

```
JRSC(25+NADJ)=JRSC(25+NADJ)+KHELP
C
             WRITE(6,*), 'FREE JRSC(25+NADJ), #', KHELP
          ENDIF
        ENDIF
        WRITE(6,*), 'FREE JRSC, #, TOT', JP2, NP2-KHELP, NP2
**
        THIRD RESOURCE
        IF (JP3-NADJ .GE. 4 .AND. JP3-NADJ .LE. 6) THEN
           IF (ATRIB(25) .GT. 0) THEN
             LHELP=ATRIB(25)
             JRSC(7+NADJ)=JRSC(7+NADJ)+LHELP
C
             WRITE(6,*), 'FREE JRSC(7+NADJ),#', LHELP
          ENDIF
        ELSEIF (JP3-NADJ .EQ. 23 .CR. JP3-NADJ .EQ. 24) THEN
           IF (ATRIB(26) .GT. 0) THEN
             LHELP=ATRIB(26)
             JRSC(25+NADJ)=JRSC(25+NADJ)+LHELP
             WRITE(6,*), 'FREE JRSC(25+NADJ), #', LHELP
C
           ENDIF
        ENDIF
C
         WRITE(6,*), 'FREE JRSC, #, TOT', JP3, NP3-LHELP, NP3
         FOURTH RESOURCE
         IF (JP4-NADJ .GE. 4 .AND. JP4-NADJ .LE. 6) THEN
           IF (ATRIB(25) .GT. 0) THEN
             MHELP=ATRIB(25)
             JRSC(7+NADJ)=JRSC(7+NADJ)+MHELP
C
              WRITE(6,*), 'FREE JRSC(7+NADJ), #', MHELP
           ENDIF
         ELSEIF (JP4-NADJ .EQ. 23 .OR. JP4-NADJ .EQ. 24) THEN
           IF (ATRIB(26) .GT. 0) THEN
             MHELP=ATRIB(26)
             JRSC(25+NADJ)=JRSC(25+NADJ)+MHELP
C
              WRITE(6,*), 'FREE JRSC(25+NADJ), #', MHELP
           ENDIF
         ENDIF
         WRITE(6,*), 'FREE JRSC, #, TOT', JP4, NP4-MHELP, NP4
C
**
         FIFTH RESOURCE
         IF (JP5-NADJ .GE. 4 .AND. JP5-NADJ .LE. 6) THEN
           IF (ATRIB(25) .GT. 0) THEN
             NHELP=ATRIB(25)
             JRSC(7+NADJ)=JRSC(7+NADJ)+NHELP
\mathbf{C}
              WRITE(6,*), 'FREE JRSC(7+NADJ), #', NHELP
           ENDIF
         ELSEIF (JP5-NADJ .EQ. 23 .OR. JP5-NADJ .EQ. 24) THEN
           IF (ATRIB(26) .GT. 0) THEN
             NHELP=ATRIB(26)
             JRSC(25+NADJ)=JRSC(25+NADJ)+NHELP
C
              WRITE(6,*), 'FREE JRSC(25+NADJ), #', NHELP
           ENDIF
         ENDIF
          WRITE(6,*), 'FREE JRSC, #, TOT', JP5, NP5-NHELP, NP5
C
      ENDIF
      JRSC(JP1)=JRSC(JP1)+NP1-JHELP
```

```
JRSC(JP2)=JRSC(JP2)+NP2-KHELP
      JRSC(JP3)=JRSC(JP3)+NP3-IHELP
      JRSC(JP4)=JRSC(JP4)+NP4-MHELP
      JRSC(JP5)=JRSC(JP5)+NP5-NHELP
      WRESC(NAC, 1)=JP1
      WRESC(NAC, 2) = JP2
      WRESC(NAC,3)=JP3
      WRESC(NAC,4)=JP4
      WRESC(NAC, 5) = JP5
      RESET MMH COUNTERS
      TMMH(NWUC)=TMMH(NWUC)+((TNOW-ATRIB(8))*(NP1+NP2+NP3+NP4+NP5))
      WRITE(6,*), 'FREER, PLANE, NWUC, (32)', ATRIB(1), NWUC, TNOW-ATRIB(8)
C
      WRITE(6,*), 'FREER, A/C, TYP, QUANT, #AVAIL', ATRIB(1), JP1, NP1, JRSC(JP1)
CC
      WRITE(6,*), 'FREER, A/C, TYP, QUANT, #AVAIL', ATRIB(1), JP2, NP2, JRSC(JP2)
CC
      WRITE(6,*), 'FREER, A/C, TYP, QUANT, #AVAIL', ATRIB(1), JP3, NP3, JRSC(JP3)
CC
      WRITE(6,*), 'FREER, A/C, TYP, QUANT, #AVAIL', ATRIB(1), JP4, NP4, JRSC(JP4)
CC
      WRITE(6,*), 'FREER, A/C, TYP, QUANT, #AVAIL', ATRIB(1), JP5, NP5, JRSC(JP5)
CC
C
      CALL EMPTYO
      CALL SCHOL(15,.005,ATRIB)
      RETURN
      END
                            FRSPAR - EVENT 19
* RESUBMITS SPARES TO SUPPLY WHEN MAINT IS COMPLETED THEN CHECKS NMCS
   QUEUE IF A PLANE IS NEEDING THE NOW AVAILABLE SPARE
      SUBROUTINE FRSPAR
      IF (NSFT .EQ. 1 .OR. NSFT .EQ. 0) THEN
        NJ=0
      ELSEIF (NSFT .EQ. 2) THEN
         NJ=35
      ELSEIF (NSFT .EQ. 3) THEN
         RETURN
      ELSE
         WRITE(6,*), 'ERR IN FRSPAR, NSFT IS WEIRD'
      PUT SPARE BACK INTO SUPPLY
      NWUC=ATRIB(5)
      NSPR(NWUC)=NSPR(NWUC)-1
      NSPARE(NWUC)=NSPARE(NWUC)+1
       IF (ATRIB(18), EO, 88) THEN
          WRITE(6,*), 'TIME', TNOW, 'FROM DEPOT SPARE, PLANE=', ATRIB(1), NWUC
C
      ELSE
          WRITE(6,*), 'TIME', TNOW, 'RELEAS SPARE', ATRIB(1), NWUC, NSPARE(NWUC)
C
       ENDIF
      ATRIB(9)=0
      ATRIB(17)=0
      ATRIB(18)=0
      CHECK IF ANY NMCS AIRPLANES ARE MISSING THIS SPARE
       NQUE=NNQ(7)
       I=0
```

```
300 CONTINUE
      CHECK FOR PLANES IN PARALLEL MAINT FIRST
      IF (NNQ(7) .GE. 1 .AND. I .LT. NQUE) THEN
        I=I+1
        CALL COPY(I,7,ATRIB)
        KKTRB=ATRIB(5)
        KK15=ATRIB(15)
C
         WRITE(6,*), '1PART FREED/NEEDED/PLANE', NWUC, KKTRB, ATRIB(1), KK15
         IF (KKTRB .EQ. NWUC .AND. KK15 .GE. 21) THEN
          WRITE(6,*), '1 A MATCH, NMCSPLANE, NWUC, 15', ATRIB(1), FKTRB, KK15
          CALL RMOVE(I,7,ATRIB)
          ATRIB(11)=1
          CALL ENTER(8, ATRIB)
          RETURN
         ELSE
          GO TO 300
        ENDIF
      ENDIF
      NQUE=NNQ(7)
      I=0
 301 CONTINUE
      IF (NINQ(7) .GE. 1 .AND. I .LT. NQUE) THEN
           I = I + 1
           CALL RMOVE(1,7,ATRIB)
           KKTRD=ATRIB(5)
C
           WRITE(6,*), '2PART FREED/NEEDED/PLANE', NWUC, KKTRB, ATRIB(1), KK15
           IF (KKTRB .EQ. NWUC) THEN
             WRITE(6,*),'2 A MATCH, NMCSPLANE, NWUC, 15', ATRIB(1), KKTRB, KK15
             ATRIB(11)=1
             CALL ENTER(8, ATRIB)
             RETURN
           ELSE
             CALL FILEM(7,ATRIB)
             GO TO 301
           ENDIF
      ENDIF
      CHECK IF ANY HANGAR QUEENS ARE MISSING THIS SPARE
      IF (NNQ(17) .GT. 0) THEN
         NQU1=NNQ(17)
         I=0
         12 = 0
         13=1
         NQ=1
 500
         CONTINUE
         I = I + I3
         IF (13 .EQ. 1) THEN
C
            WRITE (6,*), 'REMOVING FROM Q17, NQ, NQU1, 17', NQ, NQU1, NNQ(17)
           CALL RMOVE (1,17,ATRIB)
         ENDIF
         JJTRB=ATRIB(5)
C
         WRITE(6,*), 'PART FREED/PART NEEDED/PLANE', NWUC, JJTRB, ATRIB(1)
         IF (JJTRB .EQ. NWUC) THEN
```

```
WRITE(6,*), 'THERE IS A MATCH, HOPLANE, NWUC', ATRIB(1), JJTRB
         ATRIB(11)=2
         CALL ENTER(8, ATRIB)
         RETURN
       ELSE
         12=12+1
         NK=12
         IF (NK .EQ. 5) THEN
          12=0
           13=1
           IF (NQ .EQ. NQU1) THEN
             CALL FILEM(17, ATRIB)
             RETURN
           ELSE
             NO=NO+1
             CALL FILEM(17, ATRIB)
             GO TO 500
           END1F
         ENDIF
         NAC=ATRIB(1)
         IF (WCANN(NAC,NK) .NE. 0) THEN
           13=0
           XATRIB=ATRIB(5)
           ATRIB(5)=WCANN(NAC,NK)
           WCANN(NAC, NK) = XATRIB
         ELSE
           12=0
           CALL FILEM(17, ATRIB)
           13=1
           IF (NO .EQ. NOU!) THEN
             RETURN
           ENDIF
           NQ=NQ+J
         ENDIF
         GO TO 500
       ENDIF
     ENDIF
     RETURN
     END
     ************
                          GNDAB1 - EVENT 33
* DETERMINES IF A GROUND ABORT HAS OCCURRED
     SUBROUTINE GNDAB1
     N1=ATRIB(19)
     DO 100 I=11, MAXW111
       IF (FHTOT+TABORI'(1) .GE. TFAIL(1)) THEN
         PROB1=UNFRM(0.0,1.0,5)
         IF (TPLANE(1) .EQ. 2 .AND. PROB1 .LE. CRITA(I)) THEN
           MYES=1
```

```
ELSE
           IF (PROB1 .LE. CRITA(I) .AND. PFIL(NAC) .EQ. 9) THEN
             MYES=1
           ELSEIF (PROB1 .LE. CRITG(I)+CRITA(I) .AND.
    1
                    PFIL(NAC) .EQ. 10) THEN
             MYES=3
           ELSEIF (PROB1 .LE. CRITB(I)+CRITG(I)+CRITA(I)) THFN
             MYES=5
           ELSEIF (PROB1 .LE. CRITCN+CRITB(I)+CRITG(I)+CRITA(I)) THEN
             MYES=4
           ELSE
             MYES=2
           ENDIF
         ENDIF
         IF (MYES .EQ. 1 .OR. MYES .EQ. 3 .OR. MYES .LQ. 5) THEN
            GROUND ABORT HAS OCCURRED
            CALL RMOVE(NNQ(4), 4, ATRIB)
            GNDART=GNDABT+1
            N1 = N1 - 1
            NAC=ATRIB(1)
            ATRIB(2)=0
            ATRIB(3)=TNOW
            ATRIB(5)=0
            ATRIB(6)=0
            ATRIB(17)=0
            ATRIB(18)=0
            ATRIB(22)=0
            ATRIB(27) = TABORT(1)
            ATRIB(28)=MYES
            XX(5)=0
            DOWN(NAC)=0
            PARA(NAC)=0
            SCOUNT(NAC)=SCOUNT(NAC)+1
            CALL ENTER(7,ATRIB)
            WRITE(6,*), 'GROUND ABORT, A/C, NWUC, (27), N1', NAC, I, TAEORT(1), N1
            GO TO 300
          ENDIF
        ENDIF
 100 CONTINUE
 300
     CONTINUE
      IF (N1 .GT. 0) THEN
        DO 200 I=1,N1
           WRITE(6,*), 'SCHED REMOVE PLANE FROM Q 4', TNOW, SORLEN-TABORT(1)
C
          CALL SCHOL(5, SORLEN-TABORT(1), ATRIB)
 200
        CONTINUE
      ENDIF
      RETURN
      END
                                  ***************
                         INSPET - EVENT 23
* CHECKS IF THERE IS A 21 DAY OLD CANN BIRD. IF THERE IS, A DONOR
 AIRCRAFT IS SELECTED FROM THE READY QUEUE
```

```
*****************
     SUBROUTINE INSPET
      IF (NNQ(17) \cdot GI \cdot 0) THEN
       NN8=NNQ(17)
       DO 100 I=1,NN8
          CALL COPY(I, 17, ATRIB)
          IF ((TNOW-ATRIB(23)) .GE. 456.0) THEN
     WRITE(6,*),'INSPET,OLD HQ,NN8,(17)',TNOW,ATRIB(1),NN8,NNQ(17)
            IF (NNQ(2) \cdot GT \cdot 0) THEN
              CALL RMOVE(1,2,ATRIB)
              NDON(I)=ATRIB(1)
              WRITE(6,*),'
                                  , DONOR FROM Q2', ATRIB(1)
              CALL FILEM(6,ATRIB)
              CALL SCHDL(24,0.01,ATRIB)
            ELSEIF (NNQ(11) .GT. 0) THEN
              CALL RMOVE(1,11,ATRIB)
              NDON(I) = ATRIB(1)
                                  , DONOR FROM Q11', ATRIB(1)
              WRITE(6,*),'
              CALL FILEM(6, ATRIB)
              CALL SCHDL(24,0.01,ATRIB)
            ELSEIF (NNQ(10) .GT. 0) THEN
              CALL RMOVE(1,10,ATRIB)
              NDON(I) = ATRIB(1)
                                  , DONOR FROM Q10', ATRIB(1)
              WRITE(6,*),'
              CALL FILEM(6, ATRIB)
              CALL SCHDL(24,0.01,ATRIB)
            ELSEIF (NNQ(9) .Gr. 0) THEN
              CALL RMOVE (1,9,ATRIB)
              NDON(I)=ATRIB(1)
                                  , DONOR FROM Q9', ATRIB(1)
              WRITE(6,*),'
              CALL FILEM(6, ATRIB)
              CALL SCHDL(24,0.01,ATRIB)
            ELSEIF (NNQ(8) GT. 0) THEN
              CALL RMOVE(1,8,ATRIB)
              NDON(I) = ATRIB(1)
              WRITE(6,*),'
                                  , DONOR FROM Q8', ATRIB(1)
              CALL FILEM(6, ATRIB)
              CALL SCHOL(24,0.01,ATRIB)
            ELSE
              WRITE(6,*), 'NO DONOR', TNOW
              CALL SCHDL(23,1.0,ATRIB)
            ENDIF
            RETURN
          ENDIF
          IF (I .EQ. NN8) THEN
            WRITE(6,*), 'END OF Q17, I, NN8', 1, NN8
            GO TO 200
          ENDIF
 100
        CONTINUE
      ENDIF
 200
      CONTINUE
      RETURN
```

```
END
                           LAST - EVENT 14
* DISPLAYS IMPORTANT OUTPUT INFORMATION AT THE END OF EACH RUN
************************************
      SUBROUTINE OTPUT
      CALL DISPLY
      CALL LAST
      RETURN
      END
      SUBROUL ' ... ST
      REAL XFIX(!), XFIXT, XMAIN, XREP, XTIME, XMDT, YMAIN
      INTEGER RESC, QUAN, NRESC, SCENE, CODES, WCENE, TPLANE, NP, PARA, WBRK
      INTEGER NREP
      DETERMINE BREAK RATE
      XBRK1=NBRK
      XFLOWN=NFLOWN
      BREAK=XBRK1/XFI.OWN
      WR1TE(UNIT=8,FMT=92)
      WRITE(UNIT=8,FMT=89)BREAK,NBRK
      DETERMINE MANPOWER SPACES PER AIRCRAFT
      XPLANE=NPLANE
      WRITE(UNIT=8,FMT=67)
      WRITE(UNIT=8,FMT=89) SPA/24.0,NPLANE
      DETERMINE FIX RATES FROM CODE 3 AIRCRAFT -- INCLUDES DELAYS
      COUNTS NMC/PMC TO PMC/FMC ACTIONS
      WRITE(UNIT=8,FMT=88)
      XFIX(1)=NFIX(1)
      XFIX(2) = NFIX(2)
      XFIX(3)=NFIX(3)
      XFIX(4)=NFIX(4)
      XFIXT=XFIX(3)+XFIX(4)
      XFIX(1)=XFIX(1)/XFIXT
      XFIX(2)=XFIX(2)/XFIXT
      XFIX(3) = XFIX(3) / XFIXT
      XFIX(4) = XFIX(4) / XFIXT
      WRITE(UNIT=8,FMT=87)
      WRITE(UNIT=8,FMT=89)XFIX(1),NFIX(1)
      WRITE (UNIT=8, FMT=86)
      WRITE(UNIT-3,FMT=89)XFIX(2),NFIX(2)
      WRITE(UNIT=8,FMT=85)
      WRITE(UNIT=8,FMT=89)XFIX(3),NFIX(3)
      WRITE(UNIT=8,FMT=34)
     WRITE(UNIT=8,FMT=89)XFIX(4),NFIX(4)
      THIS WRITES THE NUMBER OF TIMES A RESOURCE WAS AVAIL / UNAVAIL / BEGIN
      WRITE (UNIT=8, FMT=99)
      DO 100 I=1.35
        WRITE(UNIT=8,FMT=95)1,XX(15+1),JA(1),JN(1),JRSC(1),1+50,JA(50+1)
     1, JN(I+50), JRSC(I+50)
 100 CONTINUE
     WRITE(UNIT=8, FMT=83)
      DO 104 I=36,50
```

```
WRITE(UNIT=8,FMI=95)I,XX(50+I),JA(I),JN(I),JRSC(I),I+50,JA(50+I)
    1,JN(I+50),JRSC(I+50)
104 CONTINUE
     THIS WRITES THE NUMBER OF TIMES A SPARE WAS AVAIL / NOT AVAILABLE
     AND WENT TO DEPOT, AND NUMBER OF MAX SPARES, AND FINAL NUMBER
     AWUC(1)='THRU '
     AWUC(2)='PREFL'
     AWUC(3) = 'BPO
     AWUC(4) = 'HFO 1'
     AWUC(5) = 'HPO 2'
     AWUC(6) = 'HPO 3'
     AWUC(7)='PE 1 '
     AWUC(8)='PE 2 '
     AWUC(9)='
     AWUC(10)='
     WRITE(UNIT=8,FMT=90)
     DO 200 I=11, MAXWUC
       IF (MISSN .EQ. 1) THEN
         NCOD = CODES(I, 2) + CODES(I, 3)
         NCOD=CODES(I,2)+CODES(I,3)+CODES(I,4)
       NSPAR=NSPARE(I)+NSPR(I)
      WRITE(UNIT=8,FMT=91)I,AWUC(I),NSPA(I),NSPU(I),NDEP(I),NCOD,NSPAR
200
    CONTINUE
     THIS WRITES THE NUMBER OF TIMES A SYSTEM BROKE, ITS MOT AND MRT
      MOT COUNTS DOWN TIME FROM NMC TO PMC/FMC, INCLUDES DELAYS
      BUT DOES INCLUDE THE EMPTY 3RD SHIFT TIME WHEN NO MAINT IS DONE
     MRT COUNTS ALL CORRECTIVE ACTIONS, DOES NOT INCLUDE DELAYS
     WRITE(UNIT=8,FMT=96)
     DO 199 I=1,8
       XMRT=NMRT(I)
       IF (XMRT .EQ. 0) THEN
         WRITE(UNIT=8,FMT=66)I,AWUC(I),NMRT(I),XMRT
       ELSE
         WRITE(UNIT=8, FMT=66) I, AWUC(I), NMRT(I), WMDT(I)/XMRT
       ENDIF
199 CONTINUE
     DO 103 I=11, MAXWUC
       XMDT=NMDT(I)
       XMRT=NMRT(I)
       IF (NMDT(I) .NE. 0) THEN
        WRITE(UNIT=8,FMT=98)I,AWUC(I),NMDT(I),WMDT(I)/XMDT,NMRT(I)
    1,YMRT(I)/XMRT,WBRK(I),CRITB(I)
       ELSEIF (NMRT(I) .NE. 0) THEN
        WRITE(UNIT=8,FMT=98)1,AWUC(1),NMDT(1),XMDT,NMRT(1),YMRT(1)/XMRT
     1,WBRK(I),CRITB(I)
        WRITE(UNIT=8,FMT=98)I,AWUC(I),NMDT(I),XMDT,NMRT(I),XMRT
     1,WBRK(I),CRITB(I)
       ENDIF
```

```
RTIME=RTIME+YMRT(I)
       TMRT=TMRT+XMRT
103 CONTINUE
     THIS CALCULATES MEAN DOWN TIME (ON LINE)
     IF (SNMDT .EQ. 0) THEN
       0.0
     ELSE
       XMDT=SMDT/SNMDT
       MM1=SNMDT
    ENDIF
     IF (TMRT .EQ. 0) THEN
       XMRT=0.0
    ELSE
       XMRT=RTIME/TMRT
       MM2=TMRT
     ENDIF
    WRITE(UNIT=8,FMT=82)MM1,XMDT
    WRITE(UNIT=8,FMT=65)MM2,XMRT
     THIS CALCULATES MEAN MAINTENANCE HOUR/FLYING HOUR
    WRITE(UNIT=8,FMT=78)
     WRITE(UNIT=8,FMT=77)
     DO 299 I=1,8
       TMMHS=TMMH(I)/FHTOT
       WRITE(UNIT=8,FMT=76)I,AWUC(I),TMMHS
       TMMHSS=TMMHSS+TMMHS
299
    CONTINUE
     DO 40 I=11, MAXWUC
       TMMHF=TMMH(I)/FHTOT
       TIMMH=TIMMH+TMMHF
       WRITE(UNIT=8,FMT=76)I,AWUC(I),TMMHF
40
     CONTINUE
     WRITE(UNIT=8,FMT=79) TTMMH
     WRITE(UNIT=8,FMT=69) TMMHSS
     THIS PRINTS OUT NMCS QUEUE AND HANGAR QUEEN QUEUE
     IF (NNQ(7) \cdot GT \cdot 0) THEN
       WRITE(UNIT=8,FMT=70)
       WRITE(UNIT=8,FMT=71)
       DO 20 I=1,NNQ(7)
         CALL COPY(I,7,ATRIB)
         NA1=ATRIB(1)
         NA2=ATRIB(5)
         WRITE(UNIT=8,FMT=72)NA1,NA2,AWUC(NA2)
20
       CONTINUE
     ENDIF
     IF (NNQ(17) \cdot GT.0) THEN
     WRITE(UNIT=8,FMT=73)
       WRITE(UNIT=8,FMT=74)
       DO 30 I=1,NNQ(17)
         CALL COPY(I, 17, ATRIB)
         NA3=ATRIB(1)
         NA4 = ATRIB(5)
         NA5=WCANN(NA3,1)
```

```
NA6=WCANN(NA3,2)
        NA7=WCANN(NA3.3)
        NA8=WCANN(NA3,4)
        WRITE(UNIT=8,FMT=75)NA3,NA4,NA5,NA6,NA7,NA8
30
       CONTINUE
     ENDIF
     RETURN
 65 FORMAT(/,1X,'ON LINE MRT, QUANTITY
                                       MRT', J6, 1X, F10.4/)
 66 FORMAT(1X,13,2X,A5,2X,14,2X,F10.4)
 67 FORMAT(/,1X,'MANPOWER SPACES PER AIRCRAFT',/)
 68 FORMAT(2(2X, I4))
 69 FORMAT(/,5x,'TOTAL MMH/FH (SCHEDULED)',3x,F10.2,/)
 70 FORMAT(/,1X,'PLANES IN NMCS QUEUE',/)
 71 FORMAT (5X, 'PLANE
                           BROKEN LRU',/)
 72 FORMAY (7X, 13, 12X, 13, 2X, A5)
 73 FORMAT(/,1X,'HANGER QUEENS
                                    ',/)
 74 FORMAT(5X, 'PLANE
                            BROKEN LRUS',/)
 75 FORMAT(7X,13,5(8X,13))
 76 FORMAT(5X,13,2X,A5,2X,F14.4)
 77 FORMAT(8X,'NWUC',8X,'MMH/FH',/)
 78 FORMAT(1X, 'MEAN MAINT HOURS PER FLYING HOURS', /)
 79 FORMAT(/,5X,'TOTAL MMH/FH (UNSCHEDULED)',1X,F10.2,/)
 80 FORMAT(/,1X,'# OF REPAIRS, TIME OF REPAIRS:',13,3X,F10.4/)
 81 FORMAT(/,415,/)
                                       MDT', 16, 1X, F10.4, /)
 82 FORMAT(/,1x,'ON LINE MDT, QUANTITY
 83 FORMAT(/)
 84 FORMAT(/,1X,'
                   MORE THAN 8 HRS ()
 85 FORMAT(/,1X,'
                   3 HRS OR LESS
                                   ()
 86 FORMAT(/,1X,' 4 HRS OR LESS
 87 FORMAT(/,1X,' 2 HRS OR LESS
                                   ′)
 88 FORMAT(/,1X,'FIX RATE: ')
 89 FORMAT(1X,F10.4,5X,I4)
                                                               #',/)
 90 FORMAT(/,'SPARE
                          #AVAIL #UNAVAIL #DEPOT
                                                    OUOTA
 91 FORMAT(1X,13,2X,A5,5(5X,14))
 92 FORMAT(/,1X,'BREAK RATE:',/)
 95 FORMAT(3X,13,3X,F4.2,4X,3(2X,15),10X,13,3(2X,14))
                                                     FAIL CRITB',/)
                       QUANT
 96 FORMAT(/,'
                  WUC
                                MDT
                                       OUAN''
                                               MRT
                               #',/)
 97 FORMAT(/,1X,'EQUIP #
 98 FORMAT(1X,13,2X,A5,2(2X,14,2X,F8.4),2X,14,2X,F5.3)
                            & JIAVA
                                              AVAIL / UNAVAIL/
 99 FORMAT(/,1X, 'RESOURCE
    lallocation',/)
*****************
                         MAINT - EVENT 7
* CALCULATES TASK TIMES AND FIX RATES FOR ALL ON LINE MAINT EVENTS,
  SCHEDULED AND UNSCHEDULED
*********************
     SUBROUTINE MAINT
     NWLC=ATRIB(5)
     NAC=ATRIB(1)
*** CHECK FOR DEAD TIME
     IF (XX(1) .EQ. 1 .AND. ATRIB(5) .GT. 3) THEN
```

```
WRITE(6,*), 'ERR IN MAINT, BEGINNING,XX(1),(5)',XX(1),ATRIB(5)
        RETURN
      ENDIF
*** CHECK IF HAD NO PEOPLE LAST TIME, TIME ALREADY CALCULATED
      IF (ATRIB(17) .Gr. 0) THEN
        WRITE(6,*), 'HAD NO PEOPLE LAST TIME, DO NOT CALCULATE NEW TIME'
        ATRIB(7) = ATRIB(7) + ATRIB(9)
        ATRIB(9)=0
        IF (ATRIB(15) .LE. 10) THEN
          GO TO 100
        ELSEIF (ATRIB(15) .GT. 10) THEN
          GO TO 200
        ENDIF
      ENDIF
*** NO FAILURE; DO TURNAROUND, BPO OR PHASE
      IF (NWUC .GT. 0 .AND. NWUC .LT. 9) THEN
        IF (ATRIB(9).GT.0) THEN
          ATRIB(7) =:ATRIB(9)
          ATRIB(9)=0
          IF (NWUC .EO. 1) THEN
             WRITE(6,*), 'TURNAROUND 2ND SHIFT', TNOW, 'FLANE =', ATRIB(1)
C
          ELSEIF (NWUC .EQ. 2) THEN
             WRITE(6,*), 'PREFLIGHT 2ND SHIFT', TNOW, 'PLANE=', ATRIB(1)
С
          ELSEIF (NWUC .EO. 3) THEN
C
             WRITE(6,*), 'BPO 2ND SHIFT', TNOW, 'PLANE=', ATRIB(1)
          ELSEIF (NWUC .LE. 8) THEN
             WRITE(6,*), 'PHASE 2ND SHIFT', TNOW, 'PLANE=', ATRIB(1), ATRIB(5)
C
          ELSE
            WRITE(6,*), 'ERR IN MAINT, WHEN NO FAILURE', NWUC
          ENDIF
          GO TO 100
        ELSE
          IF (ATRIB(5) .EQ. 4) THEN
            ATRIB(7) = RLOGN(TIMES(4,1), STDEV(4,1),5)
C
             WRITE(6,*), 'PHASE, TIME=', TNOW, 'PLANE', ATRIB(1), ATRIB(5)
            GO TO 100
          ELSEIF (ATRIB(5) .EO. 5) THEN
            ATRIB(7)=RLOGN(TIMES(5,1),STDEV(5,1),5)
             WRITE(6,*), 'PHASE, TIME=', TNOW, 'PLANE', ATRIB(1), ATRIB(5)
C
            GO TO 100
          ELSEIF (ATRIB(5) .EQ. 6) THEN
            ATRIB(7)=RLOGN(TIMES(6,1),STDEV(6,1),5)
C
             WRITE(6,*), 'PHASE, TIME=', TNOW, 'PLANE', ATRIB(1), ATRIB(5)
            GO TO 100
          ELSEIF (ATRIB(5) .EQ. 7) THEN
            ATR1B(7) = RLOGN(TIMES(7,1), STDEV(7,1),5)
             WRITE(6,*), 'PHASE, TIME=', TNOW, 'PLANE', ATRIB(1), ATRIB(5)
C
            GO TO 100
          ELSEIF (ATRIB(5) .EQ. 8) THEN
            ATRIB(7)=RLOGN(TIMES(8,1),STDEV(8,1),5)
```

```
C
             WRITE(6,*), 'PHASE, TIME=', 'INOW, 'PLANE', ATRIB(1), ATRIB(5)
            GO TO 100
          ENDIF
          IF (ATRIB(16) .EQ. 11) THEN
            ATRIB(7)=RLOGN(TIMES(3,1),STDEV(3,1),5)
C
             WRITE(6,*), 'BASIC POST FLIGHT, TIME=', TNOW, 'PLANE=', ATRIB(1)
            ATRIB(16)=12
            GO TO 100
          ENDIF
          IF (MISSN .EQ. 1) THEN
            DURING PEACETIME, USE THRUFLIGHT AND PRACTICE TURNAROUNDS
            PROB1=(UNFRM(0.0,1.0,5))
             IF (PROB1 .LE. .04) THEN
              ATRIB(7) = RLOGN(TIMES(1,1), STDEV(1,1), 5)
            ELSE
               ATRIB(7) = RLOCN(TIMES(1,3), STDEV(1,3),5)
             ENDIF
C
              WRITE(6,*), 'THRUFLIGHT, TIME=', TNOW, 'PLANE=', ATRIB(1)
            ATRIB(18)=0
          ELSE
             DURING SURGE OR SUSTAINED, USE ONLY ICT
             PROB=(UNFRM(0.0,1.0,5))
             IF (PROB .LE. 0.50) THEN
               ATRIB(7)=RLOGN(TIMES(1,1),STDEV(1,1),5)
             ELSE
               ATRIB(7)-RLOGN(TIMES(1,2),STDEV(1,2),5)
             ENDIF
C
              WRITE(6,*), 'COMBAT TURN, TIME=', TNOW, 'PLANE =', ATRIB(1)
             ATRIB(18)=0
          ENDIF
          GO TO 100
        ENDIF
      ENDIF
***
***
      R&R WORK
      IF (ATRIB(18) .EQ. 2) THEN
        IF (ATRIB(9).GT.0) THEN
          ATRIB(7)=ATRIB(9)
          ATRIB(9)=0
        ELSE
          ATRIB(7) = ATRIB(14) + 0.25
          ATRIB(14)=0
        ENDIF
        GO TO 100
      ENDIF
***
      IN SHOP R&R WORK FOR LANTIRN
      IF (ATRIB(20) .EQ. 1) THEN
         IF (ATRIB(9).GT.0) THEN
          ATRIB(7) = ATRIB(9)
          ATRIB(9) = 0
        ELSE
          ATRIB(7) = ATRIB(14) * 0.66
```

```
ATRIB(14) = ATRIB(14) - ATRIB(7)
          ATRIB(13)=9
          ATRIB(18)=1
          ATRIB(20)=0
          JJ=9
          WRITE(6,*), 'R&R IN SHOP LANTIRN POD', NAC
        ENDIF
        GO TO 100
      ENDIF
***
200
     CONTINUE
      BEGIN CALCULATION OF MAINT TIME FOR NEW FAILURES
      IF (ATRIB(9) .EQ. 0) THEN
        S1=0.0
        CHECK IF MAINT TIME WAS CALCULATED PREVIOUSLY
        IF (ATRIB(7) .GT. 0) THEN
          IF (ATRIB(13) .EQ. 1 .OR. ATRIB(13) .EQ. 10) THEN
            IF (NSPARE(NWUC)-MSP(NWUC) .LE. 0) THEN
              IF (PARA(NAC) .EQ. 1) THEN
                 PARA(NAC)=0
                ATRIB(15)=0
                ATRIB(17)=0
                 NB=ATRIB(12)
                 NF=PFIL(NAC)
                 CALL FILEM(NF, ATRIB)
         WRITE(6,*), 'IAST PARALLEL ENTITY-NO SPARE, NO TERM', NAC, ATRIB(5)
               ELSE
                 WRITE(6,*), 'NO SPARE, TERM ENTITY', NAC, PARA(NAC), ATRIB(5)
                 PARA(NAC) = PARA(NAC) -1
               ENDIF
               CALL FILEM(20, ATRIB)
               ATRIB(17)=99
               RETURN
             ENDIF
             MSP(NWUC)=MSP(NWUC)+1
           ENDIF
           GO TO 900
         ENDIF
        CHECK IF FOM IS NEEDED
         PROB1=UNFRM(0.0,1.0,5)
         IF (PROB1 .LE. PERCNT(NWUC, 3)) THEN
            WRITE(6,*), 'ADDING FOM TIME TO MAINT', ATRIB(1), NWUC
C
           ATRIB(7)=TRIAG(TMIN(NWUC,3),TIMES(NWUC,3),TMAK(NWUC,3),5)
         ENDLF
         PROB=UNFRM(0.0,1.0,5)
         PCT1=PERCNT(NWUC, 1)
         PCT2=PERCNT(NWUC, 2)+PCT1
         PCT4=PERCNT(NWUC, 4)+PCT2
         PCT5=PERCNT(NWUC, 10)+PCT4
         IF (PCT5 .LT 0.99) THEN
          WRITE(6,*), 'ERR IN MAINT, %', PROB, AWUC(NWUC), PCT1, PCT2, PCT4, PCT5
         ENDIF
```

```
REMOVE AND REPLACE
        IF (PROB .LE. PCT1) THEN
          ATRIB(13)=1
          ATRIB(18)=1
          JJ=1
          TERMINATE ENTITY IF PARALLEL MAINT AND NO SPARE AVAIL
          IF (ATRIB(15) .GE. 20) THEN
            IF (MSP(NWUC) .LT. 0) THEN
              WRITE(6,*), 'IN MAINT, ERR OF MSP(NWUC)', MSP(NWUC), NWUC
            ENDIF
            IF (NSPARE(NWUC)-MSP(NWUC) .LE. 0) THEN
              IF (PARA(NAC) .EQ. 1) THEN
                PARA(NAC)=0
                ATRIB(15)=0
                ATRIB(17)=0
                NB=ATRIB(12)
                NF=PFIL(NAC)
                CALL FILEM(NF, ATRIB)
         WRITE(6,*), 'LAST PARALLEL ENTITY-NO SPARE, NO TERM', NAC, ATRIB(5)
              ELSE
                WRITE(6,*), 'NO SPARE, TERM ENTITY', NAC, PARA(NAC), ATRIB(5)
                PARA(NAC)=PARA(NAC)-1
              ENDIF
              CALL FILEM(20, ATRIB)
              ATRIB(17) = 99
              PETURN
            ENDIF
          ENDIF
          MSP(NWUC)=MSP(NWUC)+1
C
           WRITE(6,*), 'IN MAINT, MSP, NWUC', MSP(NWUC), NWUC
        CND ON LINE
        ELSEIF (PROB .LE. PCT2) THEN
          ATRIB(13)=2
          ATR1B(18)=0
          JJ=2
        REPAIR IN PLACE
        ELSEIF (PROB .LE. PCT4) THEN
          ATRIB(13)=4
          ATRIB(18)=0
          JJ=4
        DOWNLOAD THE LANTIRN PODS
        ELSEIF (PROB .LE. PCT5) THEN
          TERMINATE ENTITY IF PARALLEL MAINT AND NO SPARE AVAILABLE
          IF (ATRIB(15) .GE. 20) THEN
             IF (MSP(NWUC) .LT. 0) THEN
               WRITE(6,*),'IN MAINT, ERR OF MSP(NWUC)', MSP(NWUC), NWUC
            ENDIF
             IF (NSPARE(NWUC)-MSP(NWUC) .LE. 0) THEN
               IF (PARA(NAC) .EQ. 1) THEN
                 PARA(NAC)=0
                 ATRIB(15)=0
                 A'IRIB(17)=0
```

```
NB=ATRIB(12)
                 NF=PFIL(NAC)
                 CALL FILEM(NF, ATRIB)
         WRITE(6,*), 'LAST PARALLEL ENTITY-NO SPARE, NO TERM', NAC, ATRIB(5)
               ELSE
                 WRITE(6,*),'NO SPARE, TERM ENTITY', NAC, PARA(NAC), ATRIB(5)
                 PARA(NAC)=PARA(NAC)-1
               ENDIF
               CALL FILEM(20, ATRIB)
               ATRIB(17)=99
               RETURN
             ENDIF
          ENDIF
C
           WRITE(6,*), 'DOWNLOAD THE LANTIRN POD', NAC, NWUC
          ATRIB(13)=10
          ATRIB(18)=0
          ATRIB(14)=RLOGN(TIMES(NWUC,9),STDEV(NWUC,9),5)
          ATRIB(20)=1
           JJ = 10
          MSP(NWUC)=MSP(NWUC)+1
C
           WRITE(6,*), 'IN MAINT, LANTIRN, MSP, NWUC', MSP(NWUC), NWUC
        ELSE
          WRITE(6,*), 'ERR IN MAINT, PROB WEIRD', PROB
        ENDIF
        IF (DIST(NWUC, JJ) .EQ. 'L') THEN
          ATRIB(7)=ATRIB(?)+RLOGN(TIMES(NWUC,JJ),STDEV(NWUC,JJ),5)
        ELSEIF (DIST(NWUC, JJ) .EQ. 'T') THEN
          ATRIB(7)=TRIAG(TMIN(NWUC,JJ),TIMES(NWUC,JJ),TMAX(NWUC,JJ),5)
     1
                    + ATRIB(7)
        ELSEIF (DIST(NWUC, JJ) .EQ. 'N') THEN
           ATRIB(7)=ATRIB(7)+RNORM(TIMES(NWUC,JJ),STDEV(NWUC,JJ),5)
        ELSEIF (DIST(NWUC, JJ) .EQ. 'U') THEN
           ATRIB(7)=ATRIB(7)+UNFRM(TIMES(NWUC,JJ),STDEV(NWUC,JJ),5)
        ELSE
          WRITE(6,*), 'ERR, NO ATRIB(7)', ATRIB(1), NWUC, JJ, DIST(NWUC, JJ)
        ENDIF
        ATRIB(9)=0
 900
        CONTINUE
        CHECK REPAIR TIME FOR PARALLEL NON OF MAINT
        IF (ATRIB(15) .EQ. 10) THEN
           IF (ATRIB(7)+ATRIB(14) .GT. DOWN(NAC)) THEN
             IF (ATRIB(13) .EQ. 1 .OR. ATRIB(13) .EQ. 10) THEN
               TDEL=.25
             ELSE
               TDEL=0.0
             ENDIF
             DOWN(NAC) = ATRIB(7) + TDEL + ATRIB(14)
C
              WRITE(6,*), '(1), DOWN = ', NAC, DOWN(NAC)
          ENDIF
        ENDIF
        IF ((ATRIB(15) .EQ. 20 .OR. ATRIB(15) .EQ. 30)
     1
           .AND. DOWN(NAC) .EQ. 0) THEN
```

```
IF (ATRIB(2) .GT. 100) THEN
            IF (MISSN .EQ. 1) THEN
              DNT=8.0 \times INT((TWEEK-TNOW)/24.0)
            ELSE
              DNT=0
            ENDIF
            DOWN (NAC) = TWEEK-TNOW-DNT
          ELSE
            DOWN(NAC) = ENDSO - TNOW - 0.05
          ENDIF
           WRITE(6,*), 'CLEAN UP, TNOW, 1, DOWN=', TNOW, NAC, DOWN(NAC)
C
        ENDIF
        IF ((ATRIB(15) .EQ. 20 .OR. ATRIB(15) .EQ. 30)
           .AND. DOWN(NAC) .GT. 0) THEN
           IF (ATRIB(13) .EQ. 1 .OR. ATRIB(13) .EQ. 10) THEN
             TDEL-.25
          ELSE
             TDEL=0.0
          ENDIF
           IF (ATRIB(7)+TDEL+ATRIB(14) .GT. DOWN(NAC)) THEN
            IF (PARA(NAC) .GT. 1) THEN
         WRITE(6,*), 'TERM NONCF, MT', NAC, PARA(NAC), ATRIB(5), ATRIB(7)+TDEL
               PARA(NAC)=PARA(NAC)-1
             ELSE
               WRITE(6, +), 'NO TERM, LAST, MT', NAC, ATRIB(5), MTRIB(7)+TDEL
               PARA(NAC) = 0
               CALL FILEM(11, ATRIB)
             ENDIF
             IF (ATRIB(13) .EQ. 1 .OR. ATRIB(13) .EQ. 10) THEN
               MSP(NWUC) = MSP(NWUC) - 1
                WRITE(6,*),'IN MAINT, NOT ENUF TIME, MSP', MSP(NWUC), NWUC
С
             ENDIF
             CALL FILEM(20, ATRIB)
             ATRIB(17)=99
             RETURN
           ENDIF
         ENDIF
         DETERMINE MEAN REPAIR TIME FOR ALL CORRECTIVE ACTIONS
         YMRT(NWUC)=YMRT(NWUC)+ATRIB(7)+ATRIB(14)
         NMRT(NWUC)=NMRT(NWUC)+1
         DIVIDE TIME UP FOR TROUBLESHOOT THEN REPLACE
         IF (JJ .EQ. 1 .OR. JJ .EQ. 9) THEN
           XT=ATRIB(7)
           ATRIB(7)=2.0*XT/3.0
           ATRIB(14)=XT-ATRIB(7)
         ENDIF
       ELSE
         ATRIB(7) = ATRIB(9)
         ATRIB(9)=0
       ENDIF
       IF (ATRIB(18).EQ.1) THEN
         WRITE(6,*), 'MAINT, TIME=', TNOW, 'SHOP, PLANE#=', ATRIB(1), NWUC, JJ
```

```
ELSE
       WRITE(6,*), 'MAINT, TIME=', TNOW, 'PLANE#=', ATRIB(1), NWUC, JJ
     ENDIF
     DIVIDE UP MAINT TIME TO SHIFT TIME FOR WORK
100 CONTINUE
     CALL TSHIFT
     IF (ATRIB(7) .LE. 0) THEN
       CALL FILEM(5, ATRIB)
     ENDIF
     WRITE(6,*),'1ST=',ATRIB(7),'2ND SFT=',ATRIB(9),ATRIB(1),AWUC(NWUC)
     RETURN
     END
**************************************
                          NEED - EVENT 26
* DETERMINES IF PREFLIGHT IS NEEDED. IF A PLANE HAS NOT HAD BPO
 WITHIN 48 HOURS, PREFLIGHT IS NEEDED BEFORE THE PLANE CAN FLY.
                   ********************
     SUBROUTINE NEED
     LOOK AT PMC OR NON-CRITICAL QUEUES
     XJJ=0
     XJ=0
     DO 70 I1=8,11
        IF (NNQ(II) .GT. 0) THEN
         XJJ=XJJ+NNQ(11)
         NQ1=NNQ(II)
         DC 60 I=1,NQ1
           CALL RMOVE(1, I1, ATRIB)
           ATRIB(16)=0
           TDELTA=TNOW-ATRIB(21)
            IF (TDELTA .GT. 48.0) THEN
             XJ=XJ+1
             TPRE=.25*XJ
             CALL SCHOL(11, TPRE, ATRIB)
             CALL FILEM(I1, ATRIB)
           ENDIF
60
          CONTINUE
           WRITE(6,*), 'PUTTING PLANES IN FILE, #', I1, XJ
        ENDIF
70
     CONTINUE
     LOOK AT FMC QUEUE
      IF (NNQ(1) \cdot GT \cdot 0) THEN
        NO1=NNQ(1)
        IF (MISSN .EQ. 1) THEN
          IF (NQ1 .GE. 14-XJJ .AND. 14-XJJ .GT. 0) THEN
           NQ1=14-XJJ
          ELSEIF (NQ1 .GE. 14-XJJ) THEN
           RETURN
          ENDIF
        ENDIF
        DO 61 I=1,NO1
          CALL RMOVE(1,1,ATRIB)
```

```
ATRIB(16)=0
          TDELTA=INOW-ATRIB(21)
          IF (TDELTA .CT. 48.0) THEN
            XJ=XJ+1
            TPRE=.25*XJ
            CALL SCHOL(11, TPRE, ATRIB)
             CALL FILEM(2, ATRIB)
          ENDIF
 61
        CONTINUE
C
         WRITE(6,*), 'PUTTING PLANES IN FILE 2, #', XJ
      ENDIF
      RETURN
      END
                              NMAINT - EVENT 32
  RESUBMITS PLANES TO MAINT NETWORK AT THE BEGINNING OF A SHIFT
      SUBROUTINE NMAINT
      IF (XX(1) . EQ. 2 . OR. NDAY . EQ. 0) THEN
        WRITE(6,*), 'ERR IN NMAINT, BEGINNING, XX(1), NDAY', XX(1), NDAY
        RETURN
      ENDIF
    PRINT ENTITIES IN QUEUE
C
       IF (NSFT .EQ. 0) THEN
C
          DO 54 I=1,12
C
C
            NQ=NNQ(I)
            IF (NQ .GT. 0) THEN
С
              DO 55 IJ.=1 NQ
C
                CALL COPY(II, I, ATRIB)
Ċ
                WRITE '' *, TNOW, I, ATRIB(1)
C 55
              CONTINUE
C
            ENDIF
C 54
          CONTINUE
C
       ENDIF
      LOOK AT PLANES WAITING FOR RESOURCES
       IF (NNQ(3) \cdot GT \cdot 0) THEN
        WRITE(6,*), 'EMPTY Q3, NNQ', NNQ(3)
        N5=NNQ(3)
         DO 501 I=1,N5
           CALL RMOVE(1,3,ATRIB)
           NIJODE=ATRIB(10)
           1F (NSFT .EQ. 2) THEN
             IF (ATRIB(17) .LT. 50) THEN
               ATRIB(17) = ATRIB(17) + 50
             ENDIF
           ELSEIF (NSFT .I.T. 2) THEN
             IF (ATRIB(17) .Gr. 50) THEN
               A'IRIB(17) = A'IRIB(17) - 50
             ENDIF
           ENDIF
           IF (MISSN .EQ. 1 .AND. ATRIB(5).GT.3 .AND. NSFT.EQ.0) THEM
```

```
CALL FILEM(5,ATRIB)
          ELSE
            CALL ENTER(NNODE, ATRIB)
          ENDIF
 501
        CONTINUE
      ENDIF
      LOOK AT PLANES WAITING FOR NEXT DAY MAINT
      IF (NNQ(5) \cdot GT \cdot 0) THEN
C
        WRITE(6,*),'NNQ(5) IS GREATER THAN ZERO', NNQ(5)
        WRITE(6,*), 'EMPTY Q5, NNQ', NNQ(5)
        N5=NNQ(5)
        DO 500 I=1,N5
          CALL RMOVE(1,5,ATRIB)
          NNODE=ATRIB(10)
          NWUC::ATRIB(5)
          NAC=ATRIB(1)
C
        WRITE(6,*), 'FILE 5-NAC, NODE, NWUC, MISSN', NAC, NNODE, NWUC, MISSN
           IF (MISSN .EQ. 1 .AND. NWUC.GF.3 .AND. NSFT.EQ.0) THEN
             CALL FILEM(5, ATRIB)
           ELSE
             CALL ENTER (NNODE, ATRIB)
           ENDIF
 500
        CONTINUE
      ENDIF
      IF (NNO(14) .Gr. O .AND. NSFT .GT. O) THEN
C
        WRITE(6,*), 'NNQ(14) IS GREATER THAN ZERO', NNQ(14)
        WRITE(6,*), 'EMPTY Q14, NNQ', NNQ(14)
        N5=NNQ(14)
        DO 600 I=1,N5
           CALL RMCVE(1,14,ATRIB)
           NNODE=ATRIB(10)
           CALL ENTER(NNODE, ATRIB)
 600
        CONTINUE
      ENDIF
      IF (NNQ(13) .GT. O .AND. NSFT .GT. O) THEN
        WRITE (6, *), 'EMPTY Q13, NNQ', NNQ(13)
        N5=NNQ(13)
        DO 601 I=1,N5
           CALL RMOVE(1,13,ATRIB)
           NNODE=ATRIB(10)
           IF (NSFT .EQ. 2) THEN
             IF (ATRIB(17) .LT. 50) THEN
               ATRIB(17) = ATRIB(17) + 50
             ENDIF
           ELSEIF (NSFT .LT. 2) THEN
             IF (ATRIB(17) .GT. 50) THEN
               ATRIB(17) = ATRIB(17) - 50
             ENDIF
           ENDIF
           CALL ENTER (NNODE, ATRIB)
 601
         CONTINUE
      ENDIF
```

```
RETURN
     END
                      NONAV - EVENT 20
 DETERMINES WHICH RESOURCES ARE AVAILABLE TO WORK EACH SHIFT.
  NONAVAILABILITY IS DETERMINED BY THE AVAILABILITY PROBABILITY
                    ******************
     SUBROUTINE NONAV
     IF (NSFT .EQ. 1) THEN
       NADJ=0
       JADJ=0
     ELSEIF (NSFT .EQ. 2) THEN
       NADJ=50
       JADJ=15
     ELSE
       WRITE(6,*), 'ERR IN NONAV, NSFT WRONG', NSFT
     EMDIF
     BEGIN LOOP TO CHECK EACH TYPE OF RESOURCE
     DO 10 I5=1+NALJ, 35+NALJ
       JRSC(15)=0
       BEGIN LOOP TO CHECK EACH RESOURCE
       IF (KRSC(I5-JADJ) .GT. 2) THEN
         DO 20 K5=1, KRSC(I5-JADJ)
           PROB=UNFRM(0.0,1.0,5)
           IF (PROB .LE. XX(I5-NADJ+15)) THEN
             JRSC(I5)=JRSC(I5)+1
           ENDIF
 20
         CONTINUE
C
     WRITE(6,*),'I,KS,JRSC,%',I5,KRSC(I5-JADJ),JRSC(I5),XX(I5-NADJ+15)
         JRSC(I5)=KRSC(I5-JADJ)
       ENDIF
 10 CONTINUE
     RETURN
     END
**************************
                         PARALL - EVENI 29
* BEGINS PARALLEL MAINT WHEN THERE ARE 40 FAILURES, OR AFTER ALL
  SORTIES HAVE FLOWN FOR THE DAY
******************
     SUBROUTINE PARALL
     REAL TWORK (30)
     NAC=ATRIB(1)
     DOWN(NAC)=0
     PARA(NAC)=0
     DO 100 I=1,40
       IF (PWUC(NAC, I, 1) .NE. 0) THEN
         ATRIB(2) = ATRIB(2) + 1
         ATRIB(3)=INOW
         A'IRIB(5) = PWUC(NAC, I, 1)
         NWUC=ATRIB(5)
         ATR1B(7)=0
```

```
ATRIB(9)=0
          ATRIB(11)=0
          ATRIB(12)=I
          ATRIB(14)=0
          ATRIB(15)=20
          ATRIB(18)=0
          ATRIB(20)=0
          PARA(NAC)=PARA(NAC)+1
C
           WRITE(6,*), 'IN PARALL, NAC, (5), PARA', NAC, ATRIB(5), PARA(NAC), I
          DO 199 I2=1,26
             TWORK(I2)=ATRIB(I2)
 199
          CONTINUE
***
          NN20 = NNQ(20)
          IF (NN20 Gr. 0) THEN
          DO 200 I2=1,NN20
            CALL COPY(12,20,ATRIB)
            N1=ATRIB(1)
            N2=ATRIB(5)
            Al=ATRIB(7)
            A2=ATRIB(14)
            A3=ATRIB(13)
             A4=ATRIB(18)
             IF (NAC .EQ. N1 .AND. NWUC .EQ. N2) THEN
               CALL RMOVE(I2,23,ATRIB)
               CALL ENTER(5, ATRIB)
               TWORK(7)=A1
               TWORK(14) = A2
               TWORK(13) = A3
               TWORK(18) = A4
               JJ=A3
C
                WRITE(6,*), 'PRIOR MAINT TIME USED', NAC, NWUC, TWORK(7)
               GO TO 245
             ENDIF
 200
          CONTINUE
          ENDIF
 245
          CONTINUE
***
          DO 299 13=1,26
             ATRIB(13)=TWORK(13)
 299
          CONTINUE
          CALL FILEM(18, ATRIB)
        ENLIF
 100 CONTINUE
      NQ=NNQ(18)
      IF (NQ .GT. 0) THEN
        DO 300 I=1,NQ
          CALL RMOVE(1,18,ATRIB)
          CALL ENTER(2,ATRIB)
 300
        CONTINUE
      ENDIF
      RETURN
```

```
END
PARAP - EVENT 30
* BEGINS PARALLEL MAINT WHEN THERE ARE NMC FAILURES
SUBROUTINE PARAP
     REAL TWORK (30)
     NAC=ATRIB(1)
     DOWN(NAC)=0
     PARA(NAC)=0
     BEGIN MAINT ON OLD NON CRITICAL FAILURES
     CALL PARALL
     BEGIN MAINT ON CRITICAL FAILURES
     DO 1.00 I=1.40
       IF (PMAINT(NAC, 1, 2) .EQ. FCRIT(NAC)) THEN
         ATRIB(2) = ATRIB(2) + 1
         ATRI^{-}(3) = TNOW
         ATRIL(5)=PMAINT(NAC,1,1)
         ATRIB(7)=0
         ATRIB(9)=0
         ATRIB(11)=0
         ATRIB(12)=I
         ATRIB(14)=0
         ATRJB(15)=10
         ATRIB(18)=0
         ATRIB(20)=0
         PARA(NAC)=PARA(NAC)+1
\zeta!
          WRITE(6,*), 'IN PARAP, NAC, (5), PARA', NAC, ATRIB(5), PARA(NAC)
         CALL FILEM(18, ATRIB)
       ENDII
 100
     CONTINUE
     BEGIN MAINT ON NON CRITICAL FAILURES
     200 I=1,40
       IF (PMAINT(NAC, I, 2) .NE. FCRIT(NAC) .AND.
           PMAJNT(NAC,1,2) GT. 0) THEN
         ATRIB(2) = ATRIB(2) + 1
         ATRIB(3)=TNOW
         ATRIB(5) = PMAINT(NAC, I, 1)
         ATRIB(7)=0
         ATRIB(9)=0
         MTRIB(11)=0
         ATRIB(12)=I
         ATRIB(14)=0
         ATRIB(15) = 30
         MTRIB(18)=0
         ATR1B(20)=0
         PARA(NAC)=PARA(NAC)+1
\mathbf{C}
          WRITE(6,*), 'IN PARAP-NON, NAC, (5), (15)', NAC, ATRIB(5), ATRIB(15)
         CALL FILFM(18, ATRIB)
       ENDIF
 200
     CONTINUE
```

NQ = NNQ(13)

```
IF (NQ .GT. 0) THEN
       DO 300 I=1, NQ
         CALL RMOVE(1,18,ATRIB)
         CALL ENTER(2,ATRIB)
300
       CONTINUE
     ENDIF
     RETURN
     END
******************
                      PHASE - EVENT 13
* DEFINES THE PHASE INSPECTION MAINTENANCE
*************************
     SUBROUTINE PHASE
**** SELECT AIRCRAFT FOR PHASE WORK
     IF (NNQ(2) \cdot GT \cdot 0) THEN
       CALL RMOVE(1,2,ATRIB)
       WRITE(6,*), 'REMOVE PLANE FOR PHASE FROM Q2', ATRIB(1)
     ELSEIF (NNO(11) .GT. 0) THEN
       CALL RMOVF(1,11,ATRIB)
       WRITE(6,*), 'REMOVE PLANE FOR PHASE FROM Q11', ATRIB(1)
     ELSEIF (NNC(10) .CT. 0) THEN
       CALL RMOVE(1,10,ATRIB)
       WRITE(6,*), 'REMOVE PLANE FOR PHASE FROM Q10', ATRIB(1)
     ELSEIF (NNQ(9) .GT. 0) THEN
       CALL RMOVE(1,9,ATRIB)
       WRITE(6,*), 'REMOVE PLANE FOR PHASE FROM Q9', ATRIB(1)
     ELSE
       WRITE(6,*), 'PHASE, ERR, NO PLANES IN QUEUE 2,11,10 OR 9'
       NP=NP-1
       RETURN
     ENDIF
     DETERMINE WHICH PHASE WORK NEEDS TO BE DONE
      IF (NP .EQ. 1) THEN
       ATRIB(5)=4
     ELSEIF (NP .EQ. 2) THEN
       ATRIB(5)=5
     ELSEIF (NP .EQ. 3) THEN
       ATRIB(5)=4
     ELSEIF (NP .EQ. 4) THEN
       ATRIB(5)=6
      ELSEIF (NP .EQ. 5) THEN
       ATRIB(5)=4
      ELSEIF (NP .EQ. 6) THEN
       ATRIB(5)=7
      ELSEIF (NP .EQ. 7) THEN
       ATRIB(5)=4
       NP=0
      ELSE
       WRITE(6,*), 'ERR IN PHASE, NO NP'
      ENDIF
     NAC=ATRIB(1)
     ATRIB(15)=0
```

```
NWUC=ATRIB(5)
     DEFINE THE PHASE INSPECTION MAINT PARAMETERS
     IF (NWUC .EQ. 4) THEN
       WRITE(6,*), 'PHASE - HPO 1', ATRIB(1), NP
       CALL FILEM(16,ATRIB)
     ELSEIF (NWUC .EO. 5) THEN
       WRITE(6,*), 'PHASE - HPO 2', ATRIP(1), NP
       CALL FILEM(16,ATR1B)
     ELSEIF (NWUC .EQ. 6) THEN
       WRITE(6,*), 'PHASE - HPO 3', ATRIB(1), NP
     ELSEIF (NWUC .EQ. 7) THEN
       WRITE(6,*), 'PHASE - PE 1', ATRIB(1), NP
     ELSEIF (NWUC .EQ. 8) THEN
       WRITE(6,*), 'PHASE - PE 2', ATRIB(1), NP
     ELSE
       WRITE(6,*), 'ERR IN PHASE, DOES NOT RECOGNIZE NWUC'
     ENDIF
     DO 150 I=1,40
       PMAINT(NAC, 1, 1) = 0
       PMAINI(NAC, I, 2) = 0
       PWUC(NAC, I, 1) = 0
       PWUC(NAC, I, 2) = 0
150 CONTINUE
     PFIL(NAC)=2
     ATRIB(2)=0
     ATRIB(13)=1
     ATRIB(18)=0
     ATRIB(3)=TNOW
     CALL ENTER(2,ATRIB)
     RETURN
     END
                          PRFLGT - EVENT 11
* BEGINS PREFLIGHT TASK EARLY IN FIRST SHIFT IF THE AIRCRAFT HAS NOT
  HAD A BPO IN 48 HOURS
******************
      SUBROUTINE PRFIGT
      IF (ATRIB(5) .EQ. 2) THEN
       GO TO 100
     ENDIF
     BEGIN PREFLIGHT, ASSIGN PARAMETER VALUES
     WRITE(6,*), 'BEGIN PREFLIGHT', ATRIB(1), 'TNOW', TNOW
     ATR1B(7) = RLOGN(TIMES(2,1), STDEV(2,1),5)
     ATRIB(9)=0
     ATRIB(13)=1
     ATRIB(15)=0
     ATRIB(5)=2
     ATRIB(3)=TNOW
     GO 'IO 200
100 CONTINUE
      IF (ATRIB(17) .Gr. 0) THEN
       ATRIB(7) = ATRIB(7) + ATRIB(9)
```

```
ATRIB(9)=0
     ELSEIF (ATRIB(9) .GI. 0) THEN
       ATRIB(7) = ATRIB(9)
       ATRIB(9)=0
     ELSE
       ADJUS1=TNOW--ATRIB(3)
       NMRT(2) = NMRT(2) + 1
       VMDT(2)=WMDT(2)+ADJUST
       ATRIB(21)=TNOW
       ATRIB(5)=0
       NAC=ATRIB(1)
       NF=PFIL(NAC)
       AIRIB(5)=0
       WRITE(6,*), 'AFTER PREFLIGHT, PLANE, Q', TNOW, NAC, NF
       CALL FILEM(NF, ATRIB)
       NN15=NNQ(16)
       IF (NN16 .GT. 0) THEN
         DO 699 I=1,NN16
           CALL COPY(I,16,ATRIB)
           N1=ATRIB(1)
           IF (N1 .EQ. NAC) THEN
             CALL RMOVE(I, 16, ATRIB)
             GO TO 699
           ENDIF
699
         CONTINUE
         WRITE(G, *), 'ERR DID NOT REMOVE PLANE AFTER PREF', NAC
698
         CONTINUE
         CALL ENTER(5, ATRIB)
         RETURN
       ENDIF
     ENDIF
200 CONTINUE
     CALL TSHIFT
     WRITE(6,*), 'PREFLIGHT, 1ST SFT', ATRIB(7), '2ND SFT', ATRIB(9)
     CALL ENTER(1,ATRIB)
     CALL FILEM(16, ATRIB)
     RETURN
     END
READAT
* READS IN MAINT TASK TIMES AND PERCENTAGES, RESOURCE AND SPARE
  ALLOCATIONS AND JRMET RELIABILITY DATA.
     SUBROUTINE READAT
     INTEGER D(5)
     CHARACTER A1+5, A2+4, C(5)+5, A3+1
     REAL B3, B4, B5, B6, B7, Z1, Z2, Z3
***
     READ IN WUC, MIBM, SPARES AND BREAK PROBABILITIES
     I=1
701 CONTINUE
       READ(11,507,END=700) AWUC(I),XMTBM(I),Z1,Z2,Z3
     1, CODES(1,2), CODES(1,3), CODES(1,4), CRITA(1), CRITG(1), CRITB(1)
```

```
I=I+1
     GO TO 701
700 CONTINUE
     MAXWUC=I-1
     WRITE(6,*), 'MAXWUC =', MAXWUC
      IF (I .GT. 399) THEN
       WRITE(6,*), 'ERR IN READDAT, MAXWUC GT 399, MAXWUC =', MAXWUC
*** READ IN TASKS, TIMES, PROBABILITIES, DISTRIBUTIONS, AND RESOURCES
801 CONTINUE
     READ(12,900,END=800)A1,A2,P3,B4,B5,B6,B7,A3,C(1),D(1),C(2),D(2)
     1,C(3),D(3),C(4),D(4),C(5),D(5)
     DO 100 11=1, MAXWUC
        IF (AWUC(II) .EQ. A1) THEN
          I=I1
          GO TO 101
        ENDIF
 100 CONTINUE
     WRITE(6,*), 'ERR, DOES NOT RECOGNIZE WUC', Al
 101 CONTINUE
      IF (A2 .EQ. 'R&R ') THEN
        JJ=1
      ELSEIF (A2 .EQ. 'CND ') THEN
      ELSEIF (A2 .EQ. 'FOM ') THEN
        JJ=3
      ELSEIF (A2 .EQ. 'RIP') THEN
        JJ=4
      ELSEIF (A2 .EQ. 'NRTS') THEN
        JJ=5
      ELSEIF (A2 .EQ. 'COND') THEN
        JJ=6
      ELSEIF (A2 .EQ. 'BCOK') THEN
        JJ≈7
      ELSEIF (A2 .EQ. 'RTS ') THEN
        JJ≃8
      ELSEIF (A2 .EQ. 'RRS') THEN
        JJ=9
      ELSEIF (A2 .EQ. 'DOWN') THEN
        JJ=10
      ELSEIF (A2 .EQ. 'TS ') THEN
        WRITE(6,*),'TS?'
        JJ=2
      ELSE
        WRITE(6,*), 'NWUC, 'TASK', I1, A2
        WRITE(6,*), 'ERR IN READAT, NO MATCHES IN TYPE'
        STOP
      ENDIF
      TIMES(I,JJ) = B4
      STDEV(I,JJ)=B5
      PERCNT(I,JJ)=B3
```

```
TMIN(I,JJ)=B6
TMAX(I,JJ)=B7
DIST(I,JJ)=A3
N=1
DO 200 K=1,5
  IF (TPLANE(1) .EQ. 2) THEN
    IF (C(K) . EQ. '
                        ') THEN
      NRESC(I,JJ)=K-1
      GO TO 400
    ELSEIF (C(K) .EQ. '423A0') THEN
      M1=1
    ELSEIF (C(K) .EQ. '423A1') THEN
      M1=2
    ELSEIF (C(K) .EQ. '423A4') THEN
      M1~3
    ELSEIF (C(K) .EQ. '426A2') THEN
      M1 = 4
    ELSEIF (C(K) .EQ. '431A1') THEN
      M1=5
    ELSEIF (C(K) .EQ. '427A5') THEN
      M1≃6
    ELSEIF (C(K) .EQ. '452AA') THEN
      M1 = 7
    ELSEIF (C(K) .EQ. '452AB') THEN
      M1=8
    ELSEIF (C(K) .EQ. '452AC') THEN
      Mi=9
    ELSEIF (C(K) .EQ. '452AX') THEN
      M1=10
    ELSEIF (C(K) .EQ. '462A0') THEN
      M1 = 11
    ELSEIF (C(K) .EQ. '423E5') THEN
      M1=12
    ELSEIF (C(K) .EQ. '426E2') THEN
      M1=13
    ELSEIF (C(K) .EQ. '427E0') THEN
      M1=14
    ELSEIF (C(K) .EQ. '427E4') THEN
      M1 = 15
    ELSEIF (C(K) \cdot EQ \cdot '427E2') THEN
      M1=16
    ELSEIF (C(K) .EQ. '427E3') THEN
      M1=17
    ELSEIF (C(K) .EQ. '427E1') THEN
      M1 = 18
    ELSEIF (C(K) .EQ. '427E5') THEN
      M1 = 19
    ENDIF
    IF (C(K) \cdot EQ \cdot '431E1') THEN
     M1=20
    ELSEIF (C(K) \cdot EQ \cdot '462E0') THEN
      M1 = 21
```

- ELSEIF (C(K) .EQ. '461E0') THEN M1=22
- ELSEIF (C(K) .EQ. '423CO') THEN M1=23
- ELSEIF (C(K) .EQ. '423C1') THEN M1=24
- ELSEIF (C(K) .EQ. '423C2') THEN M1=25
- ELSEIF (C(K) .EQ. '423C3') THEN M1=26
- ELSEIF (C(K) .EQ. '423C4') THEN M1=27
- ELSEIF (C(K) .EQ. '426C2') THEN M1=28
- ELSEIF (C(K) .EQ. '451CA') THEN M1=29
- ELSEIF (C(K) .EQ. '451CB') THEN M1=30
- ELSEIF (C(K) .EQ. '451CX') THEN M1=31
- ELSEIF (C(K) .EQ. '455CB') THEN M1=32
- ELSEIF (C(K) .EQ. '455CA') THEN M1=33
- ELSEIF (C(K) .EQ. '00001') THEN M1=34
- ELSEIF (C(K) .EQ. '00002') THEN M1=35
- ELSEIF (C(K) .EQ. 'ANTA ') THEN M1=36
- ELSEIF (C(K) .EQ. 'ANTB') THEN M1=37
- ELSEIF (C(K) .EQ. 'I&C ') THEN M1=38
- ELSEIF (C(K) .EQ. 'CNI ') THEN M1=39

ENDIF

- IF (C(K) .EQ. 'COMPU') THEN M1=40
- ELSEIF (C(K) .EQ. 'DISPL') THEN M1=41
- ELSEIF (C(K) .EQ. 'MICRO') THEN M1=42
- ELSEIF (C(K) .EQ. 'ARMFF') THEN M1=43
- ELSE1F (C(K) .EQ. 'ARMAG') THEN M1=44
- ELSEIF (C(K) .EQ. 'TITE ') THEN M1=45
- ELSEIF (C(K) .EQ. '00003') THEN M1=46
- ELSEIF (C(K) .EQ. 'U0004') THEN

```
M1 = 47
  ELSEIF (C(K) .EQ. '00005') THEN
    M1 = 48
  ELSEIF (C(K) .EQ. '00006') THEN
    M1 = 49
  ELSEIF (C(K) .EQ. '00007') THEN
    M1 = 50
  ENDIF
ELSEIF (TPLANE(1) .EQ. 1) THEN
  IF (C(K) .EQ.
                       ') THEN
    NRESC(I,JJ)=K-1
    GO TO 400
  ELSEIF (C(K) .EQ. '452A5') THEN
    M1=1
  ELSEIF (C(K) .EQ. '452A4') THEN
    M1=2
  ELSEIF (C(K) .EQ. '458A2') THEN
    M1=3
  ELSEIF (C(K) .EQ. '452AA') THEN
    M1=4
  ELSEIF (C(K) .EQ. '452AB') THEN
    M1=5
  ELSEIF (C(K) .EQ. '452AC') THEN
   M1=6
  ELSEIF (C(K) .EQ. '452AX') THEN
    M1 = 7
 ELSEIF (C(K) .EQ. '462AO') THEN
    M1 = 8
 ELSEIF (C(K) .EQ. '454E1') THEN
   M1 = 9
 ELSEIF (C(K) .EQ. '454EA') THEN
   M1=10
 ELSEIF (C(K) .EQ. '458E0') THEN
    M1 = 11
 ELSEIF (C(K) .EQ. '458E1') THEN
   M1 = 12
 ELSEIF (C(K) .EQ. '458E3') THEN
   M1=13
 ELSEIF (C(K) .EQ. '458E2') THEN
   M1 = 14
 ELSEIF (C(K) .EQ. '452EA') THEN
   M1 = 15
 ELSEIF (C(K) .EQ. '462E0') THEN
   M1 = 16
 ELSEIF (C(K) .EQ. '461E0') THEN
   M1 = 17
 ELSEIF (C(K), EQ. '452C5') THEN
   M1 = 18
 ELSEIF (C(K) .EQ. '454C2') THEN
   M1 = 19
 ENDIF
 IF (C(K) .EQ. '454C3') THEN
```

```
M1 = 20
ELSEIF (C(K) .EQ. '454C4') THEN
  M1 = 21
ELSEIF (C(K) .EQ. '454CO') THEN
  M1 = 22
ELSEIF (C(K) .EQ. '451CA') THEN
  M1 = 23
ELSEIF (C(K) .EQ. '451CB') THEN
  M1 = 24
ELSEIF (C(K) .EQ. '451CX') THEN
  M1 = 25
ELSEIF (C(K), EQ. '455CB') THEN
  M1 = 26
ELSEIF (C(K) .EQ. '455CA') THEN
  M1 = 27
ELSEIF (C(K), EQ, '00001') THEN
  M1=28
ELSEIF (C(K) .EQ. '00002') THEN
  M1 = 29
ELSEIF (C(K) \cdot EQ \cdot '00003') THEN
  M1 = 30
ELSEIF (C(K) \cdot EQ \cdot '00004') THEN
  M1 = 31
ELSEIF (C(K) .EQ. '00005') THEN
  M1 = 32
ELSEIF (C(K) .EQ. '00006') THEN
  M1 = 33
ELSEIF (C(K) .EQ. '00007') THEN
  M1 = 34
ELSEIF (C(K) \cdot EQ \cdot '00008') THEN
  M1 = 35
ELSEIF (C(K) .EQ. 'DISPL') THEN
  M1 = 36
ELSEIF (C(K) .EQ. 'MICRO') THEN
  M1 = 37
ELSEIF (C(K) .EQ. 'IANT ') THEN
  M1 = 38
ELSEIF (C(K) .EQ. 'METS') THEN
  M1 = 39
ELSEIF (C(K) .EQ. 'ARMFF') THEN
  M1 = 40
ENDIF
IF (C(K) .EQ. 'ARMAG') THEN
 M1=41
ELSEIF (C(K) .EQ. 'TEST4') THEN
  M1 = 42
ELSEIF (C(K) .EQ. 'TEST3') THEN
  M1 = 43
ELSEIF (C(K) .EQ. 'TEST2') THEN
  M1 = 44
ELSEIF (C(K) .EQ. 'TISS ') THEN
 M1 = 45
```

```
ELSEIF (C(K) .EQ. '00003') THEN
            M1 = 46
          ELSEIF (C(K) .EQ. '00004') THEN
            M1 = 47
          ELSEIF (C(K) .EQ. '00005') THEN
            M1 = 48
          ELSEIF (C(K) .EQ. '00006') THEN
            M1 = 49
          ELSEIF (C(K) .EQ. '00007') THEN
            M1=50
          ENDIF
        ENDIF
        IF (M1 .EO. 0) THEN
          WRITE(6,*), 'ERR, DOES NOT RECOGNIZE RESOURCES', C(K)
        ENDIF
        IF (K .EQ. 5) THEN
          NRESC(I,JJ)=5
        ENDIF
        RESC(I,JJ,N)=M1
        QUAN(I,JJ,N)=D(K)
        N=N+1
200 CONTINUE
400 CONTINUE
      GO TO 801
800
     CONTINUE
***
507 FORMAT(A5,4(1X,F9.1),2(1X,I3),1X,I2,3(1X,F4.2))
900 FORMAT(A5, 1X, A4, 1X, F4.2, 2X, F4.1, 1X, F4.2, 2(1X, F4.1), 1X, A1
     1,5(1X,A5,1X,I1))
      RETURN
      END
                         REAV - EVENT 25
 RESUBMITS PLANES (WHICH LACK EQUIPMENT DUE TO RAV AVAILABILITY)
   BACK INTO THE MAINTENANCE NETWORK AFTER ONE HOUR
      SUBROUTINE REAV
      CHECK LINE (12) AND SHOP (15) NONAVAILABLE QUEUE
      DO 200 I1=12,15,3
        IF (NNQ(II) .GT. 0) THEN
          NN=NNO(II)
          DO 100 I=1,NN
            CALL COPY(1,11,ATRIB)
            IF (TNOW-ATRIB(23) .GE. .99) THEN
              CALL RMOVE(I,II,ATRIB)
              ATRIB(23)=0
              NNODE=ATRIB(10)
              CALL ENTER (NNODE, ATRIB)
              RETURN
            ENDIF
 100
          CONTINUE
        ENDIF
```

```
200 CONTINUE
     RETURN
     END
*************************************
                      RELPLN - EVENT 21
* AFTER A CANN BIRD GETS A PART, THIS PUIS THE PLANE BACK INTO THE NMCS*
  UR CAN'N BIRD OUEUE
SUPPOUTINE RELPUN
     NAC = ATRIB(1)
     IF (ATRIB(11) EQ. 2) THEN
       ATRIB(5) = WCANN(NAC, 1)
       WANN(NAC, 1) = WCANN(NAC, 2)
       WCANN(NAC, 2) = WCANN(NAC, 3)
       WCANN(NAC, 3) = WCANN(NAC, 4)
       WCANN(NLC,4)=0
       IF (WCANN(NAC, 1) .EQ. 0 .AND. WCANN(NAC, 2) .E). C .AND.
    1
          WEANN(FAC, 3) .EQ. 0 .AND. WEANN(NAC, 4) .EQ. 0) THEN
         ATRIE(23)=0
         CALL FILEM(7, ATRIB)
         WRITE(6, 1), 'FILE INTO NMCS Q', ATRIB(1)
       ELSE
         CALL FILEM(17, ATRIB)
         WRITE(5,*), 'FILE INTO HANGAR QUEEN Q', ATRIE(1)
       ENDIF
     ENDIF
     RETURN
                         REMOVE - EVENT 5
* REMOVES PLANES FROM THE SORTIE QUEUE (AFIER THE FLIGRI HAS ENDED) AND*
  SENDS IT TO CHECK FOR FAILURES
  ******************
     SUBROUTINE REMOVE
* REMOVE THE FIRST ENTRY FROM FILE 4: SORTLE FILE
     IF(NNQ(4),EQ.0) THEN
       WRITE(6,*),TNOW, 'ERR, IN LEMPKE'
       RETURN
     ENDIF
     CALL RMOVE(1,4 ATRIB)
     ATRIP(2)=0
     ATRIB(16)=0
     A1. 3(17)=0
     ATRIB(5)=0
     ATRIB(6)=0
     ATRIB(3) =TNOW
     ATRIB(22)=0
     ATRIB(18)=0
     ATRIB(20)=0
     XX(5)=0
     NAC=ATRIE(1)
     DOWN (NAC) = 0
```

```
PARA(NAC)=0
     NFLOWN=NFLOWN+1
     FHIOT=FHIOT+SORLEN
     SCOUNT(NAC)=SCOUNT(NAC)+1
     CALL ENTER(7, ATRIB)
     RETURN
     END
*****************
                          SHIFT - EVENT 6
* CALCULATES THE FIRST SHIFT TIME EVERY DAY AND TRANSFERS PLANES IN THE*
  READY QUEUE TO THE NEEDING PREFLIGHT QUEUE, ALSO DETERMINES BEFORE
  SCHEDULING SORTIES IF A PLANE NEEDS PHASE
     SUBROUTINE SHIFT
     MDAY=NDAY+1
     NUMDAY=1+(TNOW/24.0)
     WRITE(6,*), 'CALLED SHIFT, NUMDAY = ', NUMDAY
     IF (MISSN .GT. 1) THEN
       NDAY=1
       TWEEK=9999.9
     ELSE
       IF (NDAY .EQ. 1) THEN
         TWEEK=TNOW+111.5
       ENDIF
     EFOIF
     IF (MDAY .EQ. 6) THEN
       MIJJ\lambda = 0
       XX(1)=2.0
       CALL SCHDL(6,48.0,ATRIB)
       CHECK FOR PREFLIGHT
       IF (NDAY .EQ. 1) THEN
         CALL SCHOL(26,.5,ATRIB)
       FLSE
         CALL SCHOL (26,4.0, ATRIB)
       ENDIF
       IF (NNQ(2) \cdot GT. 0) THEN
         NQ2=NNQ(2)
         DO 10 I=1,NQ2
           CALL, RMOVE(1,2,ATRIB)
           CALL FILEM(1, ATRIB)
 10
         CONTINUE
       ENDIF
       RESET SORTIE COUNTER FOR EACH AIRPLANE
       DO 100 1=1.24
     SCOUNT(I)=0
 100
       CONTINUE
       XX(1)=1.0
       FDAY=FDAY+]
       ENDS0=TNOW+SFT0
       ENDS1=TNCW+24.0-SFT2
       ENDS2=TNOW+24.0
```

```
NSFT=2
        CALL SCHOL(10, .000001, ATRIB)
        CALL SCHOL (10, SFTO, ATRIB)
        CALL SCHOL(10,24.0-SFT2,ATRIB)
        CALL SCHDL(6,24.0,ATRIB)
C
        WRITE(6,*), "IN SHIFT, TNOW, ENDS', TNOW, ENDSO, ENDS1, ENDS2
        BEGIN PHASE INSPECTION CHECK, IN PEACETIME ONLY
        IF (MISSN .EQ. 1) THEN
          FETOK=FHICT-(TPHASE(7)*NPP)
          IF (FHIOK .GE. TPHASE(6) .AND. NP .EQ. 6) THEN
            NP=7
            NPP=NPP+1
            CALL SCHOL(13, SFT0+.05, ATRIB)
          ELSEIF (FHIOK .GE. TPHASE(5) .AND. NP .EQ. 5) THEN
            NP=6
            CALL SCHOL(13,SFTC+.05,ATRIB)
          ELSEIF (FHTOK .GE. TPHASE(4) .AND. NP .EQ. 4) THEN
            MP=5
            CALL SCHOL(13,SFT0+.05,ATRIB)
          ELSEIF (FHTOK .GE. TPHASE(3) .AND. NO .EQ. 3) THEN
            NP=:4
            CALL SCHOL(13,SFT0+.05,ATRIB)
          ELSEIF (FHTOK .GE. TPHASE(2) .AND. No .EQ. 2) THEN
            146=3
            CALL SCHOL(13,SFT0+.05,ATRIB)
          ELSELF (FHTCK .CE. TPHASE(1) .AUD. NP .EQ. 1) THEN
            NP=2
            CALL SCHOL(13, SFT0+.05, ATRIB)
          ELSEIF (FHTOK .GE. U.O .AND. NP .EQ. 0) THEN
            MP=1
            CALL SCHOL(13,SFT0+.05,ATRIB)
          ELSE
C
            WRITE(6,*), 'NO PHASE NEEDED'
          ENDIF
        ENDIF
      ENDIF
      RETURN
                          SHOP2 - EVENT 10
* CALCULATES TASK TIMES FOR ALL SHOP MAINT EVENTS
********************
      SUBROUPINE SHOP2
      IF (XX(1) - EQ - 1) THEN
        WRITE (6, \%), 'ERR IN SHOP2, BEGINNING, XX(1)', XX(1)
        RETURN
      ENDIF
      NWIC=ATR1B(5)
      NAC=ATRIB(1)
*** IF PESOURCES WERE UNAVAILABLE, RECALL TASK TIME
      IF (ATRIB(17) .GF. 0) THEN
        IF (ATPIB(9) .GT. 0) THEN
```

```
ATRIB(7) = ATRIB(7) + ATRIB(9)
         ATRIB(9)=0
       ENDIF
       GO TO 100
     ENDIF
     IF (ATRIB(9) .Gr. 0) THEN
       ATRIB(7) = ATRIB(9)
       ATRIB(9)=0
     ELSE
       ATRIB(15)=0
       PROB2=UNFRM(0.0,1.0,5)
       PCT1=PERCNT(NWUC, 5)
       PCT2=PERCNT(NWUC, 6)+PCT1
       PCT3=PERCNT(NWUC, 7)+PCT2
       NOT REPAIRABLE THIS STATION
       IF (PROB2 .LE. PCT1) THEN
         JJ=5
         ATRIB(13)=5
       CONDEMNED
       ELSEIF (PROB2 .LE. PCT2) THEN
         JJ=6
         ATRIB(13)=6
       BENCH CHECK OKAY
       ELSEIF (PROB2 .LE. PCT3) THEN
         JJ=7
         ATRIB(13)=7
       REPAIR THIS STATION
       ELSE
         JJ=8
         ATRIB(13)=8
       ENDIF
       IF (DIST(NWUC, JJ) .EQ. 'L') THEN
         ATRIB(7)=RLOGN(TIMES(NWUC,JJ),STDEV(NWUC,JJ),5)
       ELSEIF (DIST(NWUC, JJ) .EQ. 'T') THEN
         ATTIBET (TMIN(NWUC, JJ), TIMES (NWUC, JJ), TMAX (NWUC, JJ), 5)
       ELSEIF (DIST(NWUC, JJ) .EQ. 'N') THEN
         ATRIB(7)=RNORM('IIMES(NWUC, JJ), STDEV(NWUC, JJ), 5)
       ELSEIF (DIST(NWUC, JJ) .EQ. 'U') THEN
         ATRIB(7)=UNFRM(TIMES(NWUC,JJ),STDEV(NWUC,JJ),5)
       ENDIF
       ATRIB(9) = 0
     ENDIF
100 CONTINUE
     CALL TSHIFT
     IF (ATRIB(7) .LE. 0) THEN
       CALL FILEM(14, ATRIB)
     ENDIF
     WRITE(6,*), 'TNOW = ',TNOW, 'PLANE = '.ATRIB(1)
     WRITE(6,*),' SHOP, SHIFT 1 AND 2', ATRIB(7), ATRIB(9), NWUC
     IF (ATRIB(13) .EQ. 5 .AND. ATRIB(9).EQ.0) THEN
       WRITE(6,*), 'PART WILL GO TO DEPOT LATER'
       ATRIB(18)=9
```

```
RETURN
     END
                          SORTIE - EVENT 2
 SCHEDULES THE ACTUAL SORTIES, TAKES PLANES OUT OF THE APPROPRIATE
  QUEUES, RESCHEDULES SORTIES IF THERE ARE NO PLANES AVAILABLE, AND
  DECLARES WHEN RESCHEDULED SORTIES ARE MISSED
SUBROUTINE SORTIE
     INTEGER NFORMQ(5)
     XX(2)=0
     NFORM2=0
     NFORMQ(1)=0
     NFORMO(2)=0
     NFORMQ(3)=0
     NFORMQ(4)=0
     NFORMQ(5)=0
     NFORM=ATRIB(19)
     N19=ATRIB(19)
     MMISS=ATRIB(24)
     N99=ATRIB(4)
     IF MISSION IS AIR TO AIR, CHECK IN A/A PMC QUEUE FIRST
     IF (MMISS .EQ. 1) THEN
       NQ9=NNQ(8)
       IF (NQ9 .GI. U .AND. NFORM .GT. U) THEN
         IF (NFORM .LE. NQ9) THEN
           NFORMQ(1)=NFORM
           NFORM~O
         ELSE
           NFORMQ(1)=NQ9
           NFORM:=NFORM--NQ9
         ENDIF
       ELSE
         NFORMQ(1)=0
       ENDIF
       MO3=NMO(3)
       IF (NQ9 .Gr. 0 .AND. NFORM .Gr. 0) THEN
         IF (NFORM .LE. NQ9) THEN
           NFORMQ(2) = NFORM
           NFORM=0
         ELSE
           NFORMQ(2) = NO9
           NFORM=NFORM-NQ9
         ENDIF
       ELSE
         NFOPMQ(2)=0
       ENDIF
       NQ9 = NNQ(11)
```

ENDIF

IF (NQ9 .Gr. 0 .AND. NFORM .Gr. 0) THEN

IF (NFORM .LE. NQ9) THEN NFORMQ(4)=NFORM

```
NFORM=0
   ELSE
     NFORMO(4) = NO9
      NFORM=NFORM-NQ9
    ENDIF
  ELSE
   NFORMQ(4)=0
  MDIF
 NQ9=NNQ(2)
  IF (NQ9 .GT. 0 .AND. NFORM .GT. 0) THEN
    IF (NFORM .LE. NQ9) THEN
      NFORMQ(5) = NFORM
      NFORM=0
    FLSE
      NFORMQ(5) = NQ9
      NFORM=NFORM-NQ9
      NFORM2=1
    ENDIF
  ELSEIF (NFORM .GT. 0) THEN
    NFORM2=1
  ELSE
    NFORMQ(5)=0
  ENDIF
CHECK FOR AVAILABLE A/C IF MISSION IS AIR/CND
ELSEIF (MMISS .EQ. 2) THEN
  NQ9=NMQ(8)
  IF (NQ9 .Gr. 0 .AND. NFORM .GT. 0) THEN
    IF (NFORM .LE. NO9) THEN
      NFORMQ(1)=NFORM
      NFORM=0
    ELSE
      NFORMQ(1) = NQ9
      NFORM=NFORM-NQ9
    ENDIF
  ELSE
    NFORMQ(1)=0
  ENDIF
  NQ9=NNQ(10)
  IF (NOS GT. 0 AND NEORM GT. 0) THEN
    IF (NFORM .LE. NQ9) THEN
      NFORMQ(3) = NFORM
      NFORM=0
    ELSE
      NFORMQ(3) = NQ9
      NFORM=NFORM-NO9
    ENDIF
  ELSE
    NFORMQ(3)=0
  ENDIF
  NO9 = NNO(11)
  IF (NQ9 .GT. 0 .AND. NFORM .GT. 0) THEN
    IF (NFORM .LE. NQ9) THEN
```

```
NFORMQ(4)=NFORM
     NFORM=0
    ELSE
     NFORMQ(4)=NQ9
     NFORM=NFORM-NQ9
    ENDIF
 ELSE
    NFORMQ(4)=0
 ENDIF
 NQ9=NNQ(2)
  IF (NQ9 .GT. 0 .AND. NFORM .GT. 0) THEN
    IF (NFORM .LE. NQ9) THEN
      NFORMQ(5)=NFORM
      NFORM=0
    ELSE
      NFORMQ(5) = NQ9
      NFORM=NFORM-NQ9
      NFORM2=1
    ENDIF
  ELSEIF (NFORM .GT. 0) THEN
    NFORM2=1
  ELSE
    NFORMQ(5)=0
  ENDIF
CHECK FOR AVAILABLE A/C IF MISSION IS AIR/GND NUC
ELSEIF (MMISS .EQ. 4) THEN
  NQ9=NNQ(11)
  IF (NO9 .GT. 0 .AND. NFORM .GT. 0) THEN
    IF (NFORM .LE. NQ9) THEN
      NFORMQ(4)=NFORM
      NFORM=()
    ELSE
      NFORMQ(4) = NQ9
      NFORM=NFORM-NO9
    ENDIF
  ELSE
    NFORMQ(4)=0
  ENDIF
  NQ9=NNQ(2)
  IF (NQ9 .GT. 0 .AND. NFORM .GT. 0) THEN
    IF (NEORM .LE. NO9) THEN
      NFORMQ(5)≈NFORM
      NFORM=0
    ELSE
      NFORMQ(5) = NQ9
      NFORM=NFORM-NQ9
      NFORM2=1
    ENDIF
  ELSEIF (NFORM .GF. 0) THEN
    NFORM2=1
  ELSE
    NFORMQ(5)=0
```

```
ENDIF
CHECK FOR AVAILABLE A/C IF MISSION IS DUAL ROLE
ELSEIF (MMISS .EQ. 3) THEN
  NQ9=NNQ(11)
  IF (NO9 .GT. 0 .AND. NI ORM .GT. 0) THEN
    IF (NFORM .LE. NO9) THEN
      NFORMQ(4) = NFORM
      NFORM=0
    ELSE
      NFORMO(4)=NO9
      NFORM=NFORM-NQ9
    ENDIF
  ELSE
    NFORMQ(4)=0
  ENDIF
  NQ9=NNQ(2)
  IF (NQ9 .GT. 0 .AND. NFORM .GT. 0) THEN
    IF (NFORM .LE. NQ9) THEN
      NFORMQ(5) = NFORM
      NFORM=0
    ELSE
      NFORMQ(5) = NQ9
      NFORM=NFORM-NO9
      NFORM2=1
    ENDIF
  ELSEIF (NFORM .GT. 0) THEN
    NFORM2=1
  ELSE
    NFORMQ(5)=0
  ENDIF
ELSE
  WRITE(6,*), 'ERR IN SORTIE, MMISS IS WRONG', MMISS
IF ((MISSN .GT. 1 .OR. N99 .EQ. 4 .OR. TPLANE(1) .EQ. 2
           OR. (TPLANE(1) .EQ. 1 .AND. MISSN .EQ. 1))
           .AND. NFORM .LT. N19) THEN
  IF (N99 .GT. 0) THEN
    XX(6) = XX(6) - 1
  ENDIF
  DO 200 I=1,5
    IF (I .EQ. 1) THEN
      NQ=8
    LLSEIF (1 .EQ. 2) THEN
    ELSEIF (I .EQ. 3) THEN
      NQ=10
    ELSEIF (I .EQ. 4) THEN
      NO=11
    ELSEIF (1 .EQ. 5) THEN
      NQ=2
    ENDIF
```

```
IF (NFORMQ(I) .GT. 0 .AND. TNOW .LT. ENDSO) THEN
            DO 201 I1=1, NFORMO(I)
               CALL RMOVE(1,NQ,ATRIB)
C
         WRITE(6,*), 'T', TNOW, 'A/C=', ATRIB(1), 'START SORTIE, Q', NQ, N99
               IF (MISSN .GT. 1 .AND. ATRIB(21) .EQ. 0) THEN
                ATRIB(21)=TNOW
               ENDIF
               ATRIB(27)=0
               ATRIB(24)=MMISS
               CALL FILEM(4,ATRIB)
 201
            CONTINUE
          ENDIF
 200
        CONTINUE
        ATRIB(19)=N19-NFORM
        ATRIB(27)=0
        CALL SCHOL(33, TABORT(1), ATRIB)
      ENDIF
      IF (NFORM2 .NE. 0) THEN
        IF (MISSN .GT. 1) THEN
          MSDSOR=MSDSOR+NFORM
          WRITE(6,*), TNOW, 'MISSED SORTIE WITH SHIP QUANT OF: ', NFORM
          XX(2)=0
          XX(6)=XX(6)-1
          RETURN
        ENDIF
        IF (N99 .EQ. 4) THEN
          MSDSOR=MSDSOR+NFORM
          XX(2)=0
          WRITE(6,*), TNOW, 'MISSED SORTIE WITH SHIP QUANT OF:', NFORM
          XX(6) = XX(6) - 1
          RETURN
        ENDIF
        XX(2) = NFORM
        ATRIB(4)=N99
        ATRIB(4) = ATRIB(4) + 1
        IF (ATRIB(4) .EQ. 1) THEN
C
           WRITE(6,*), TNOW, 'IRESCHED A SORTIE WITH SHIP FORM OF', NEORM
          XX(6) = XX(6) + 1
        ELSEIF (ATRIB(4) .EQ. 2) THEN
C
           WRITE(6,*), TNOW, '2RESCHED A SORTIE WITH SHIP FORM OF', NFORM
        ELSEIF (ATRIB(4) .EQ. 3) THEN
C
           WRITE(6,*), INOW, '3RESCHED A SORTIE WITH SHIP FORM OF', NFORM
        ELSEIF (ATRIB(4) .EQ. 4) THEN
C
           WRITE(6,*), TNOW, '4RESCHED A SORTIE WITH SHIP FORM OF', NFORM
        ENDIF
        ATRIB(19)=NFORM
        CALL SCHDL(2,0.5,ATRIB)
      ENDIF
      RETURN
      END
                    **********************************
```

SSHIFT - EVENT 10

```
CALCULATES SECOND AND THIRD SHIFT TIMES AND RESUBMITS PLANES TO
  MAINT NETWORK AFTER THE THIRD SHIFT
************************
     SUBROUTINE SSHIFT
     IF (NSFT .EO. 2) THEN
       NSFT=0
       WRITE(6,*), 'CALL SSHIFT, TNOW, ENDSO, NSFT=', TNOW, ENDSO, NSFT
       XX(1)=1
       DO 80 I=1.35
         JRSC(I)=0
 80
       CONTINUE
       IF (TPLANE(1) .EQ. 1) THEN
         JRSC(2)=5
         JRSC(8)=2
       ELSEIF (TPLANE(1) .EQ. 2) THEN
         JRSC(5)=5
         JRSC(11)=2
       ENDIF
      ELSEIF (NSFT .EQ. 0) THEN
       NSFT=1
       XX(1)=0
       ENDS0≔ENDS1
       XX(3) = ENDS1-1.0
       WRITE(6,*), 'CALL SSHIFT, TNOW, ENDSO, NSFT=', TNOW, ENDSO, NSFT
       CALL SCHDL(20,.000001,ATRIB)
     ELSEIF (NSFT .EQ. 1) THEN
       NSFT=2
       XX(1)=0
       ENDS0=ENDS2
       XX(3) = ENDS2 - 1.0
       WRITE(6,*), 'CALL SSHIFT, TNOW, ENDSO, NSFT=', TNOW, ENDSO, NSFT
       REINITIALIZE RESOURCES
       CALL SCHOL(20,.000001,ATRIB)
     ELSE
       WRITE(6,*), 'ERR IN SSHIFT, NSFT IS WRONG'
     ENDIF
C
     RESUBMIT PLANES INTO MAINT
     CALL SCHOL(32,.0001,ATRIB)
     RETURN
     END
STUFF - EVENT 24
 CANNS PARTS FROM A DONOR AIRCRAFT WHEN A CANN BIRD IS 21 DAYS OLD,
  ACTUALLY BEGINS CANN AT 19 DAY MARK
*************************
     SUBROUTINE STUFF
     INTEGER L(5), NDONR
     JF (ATRIB(22) .EQ. 99) THEN
       L(1)=L(2)
       L(2)=L(3)
       L(3)=L(4)
       L(4)=L(5)
```

```
L(5)=0
       GO TO 200
    ENDIF
    DO 100 I=1,NNQ(17)
       CALL COPY(I,17,ATRIB)
       IF ((TNOW-ATRIB(23)) .GT. 456.0) THEN
         CALL RMOVE(I,17,ATRIB)
         MHQ=ATRIB(1)
         L(1) = ATRIB(5)
         L(2) = WCANN(MHQ, 1)
         L(3) = WCANN(MHQ, 2)
         L(4) = WCANN(MHQ, 3)
         L(5)=WCANN(MHQ,4)
         ATRIB(1)=NDON(I)
         NDONR=NDON(I)
         NDON(I)=0
         ATRIB(23)=TNOW
         WRITE(6,*), 'FILE DONOR IN Q17 (OUT OF ORDER)', ATRIB(1)
         CALL FILEM(17, ATRIB)
         GO TO 300
       ENDIF
100 CONTINUE
     CONTINUE
300
     WRITE(6,*), 'TAKING DONOR AIRCRAFT OUT OF Q', TNOW
     CALL RMOVE(1,6,ATRIB)
     ATRIB(1)=MHQ
     WCANN(NDONR, 1) = WCANN(MHQ, 1)
     WCANN (NDONR, 2) = WCANN (MHQ, 2)
     WCANN(NDONR, 3) = WCANN(MHQ, 3)
     WCANN(NDONR, 4) = WCANN(MHQ, 4)
     ATRIB(15)=0
     ATRIB(22)=99
     TFIL=PFIL(MHQ)
     PFIL(MHQ)=PFIL(NDONR)
      PFIL(NDONR)=TFIL
     DO 500 I=1,40
        TEMP1=PWUC(MHO,I,1)
        PWUC(MHQ, I, 1) = PWUC(NDONR, I, 1)
        PWUC(NDONR, I, 1) = TEMP1
        TEMP1=PWUC(MHQ,I,2)
        PWUC(MHQ,I,2)=PWUC(NDONR,I,2)
        PWUC(NDONR, I.2) = TEMP1
        TEMP1=PMAINT(MHQ, I, 1)
        PMAINT(MHQ, I, 1) = PMAINT(NDONR, I, 1)
        PMAINT(NDONR, I, 1) = TEMP1
        TEMP1=PMAINT(MHQ, I, 2)
        PMAINT(MHQ,I,2)=PMAINT(NDONR,I,2)
        PMAINT(NDONR, I, 2) = TEMP1
500 CONTINUE
200 CONTINUE
      IF (L(1) \cdot GT \cdot 0) THEN
        ATRIB(5)=L(1)
```

```
WRITE(6,*), 'WORKING ON OLD HQ', ATRIB(1), ATRIB(5)
       CALL ENTER(10, ATRIB)
     ELSE
       WRITE(6,*), 'READY Q AFTER MASSIVE CANN, NF', TNOW, ATRIB(1), NF
       NF=PFIL(ATRIB(1))
       WCANN(ATRIB(1),1)=0
       WCANN(ATRIB(1),2)=0
       WCANN(ATRIB(1),3)=0
       WCANN(ATRIB(1),4)=0
       IF (NF .EQ. 0) THEN
        NF=2
       END1F
       CALL FILEM(NF, ATRIB)
     ENDIF
     RETURN
     END
**************************
                              TSHIFT
     SUBROUTINE TSHIFT
     S1=ENDS0-TNOW-0.025
     IF (S1 .LE. 0.0) THEN
       S1=0.00
       WRITE(6,*), 'S1 LE 0.0, ENDSO-TNOW', S1, ENDSO, TNOW
     ENDIF
     IF (ATRIB(7) .GT. S1) THEN
       ATRIB(9) = ATRIB(7) - S1
       ATRIB(7) \approx S1
     ELSE
       ATRIB(9)=0.0
     ENDIF
     RETURN
     END
**********************
                       WARMUP - EVENT 9
* CHANGES WARMUP PARAMETERS TO REGULAR PARAMETERS. IT SIGNIFIES THE
  END OF WARMUP
SUBROUTINE WARMUP
     INTEGER NS(399)
     WRITE(UNIT=8,FMT=99)
     FIND OUT WHAT SPARES ARE IN THE "SYSTEM" DURING CHANGEOVER
     DO 100 I=11, MAXWUC
       IF (MISSN .EQ. 1) THEN
         NS(I) = CODES(I,2) + CODES(I,3) - NSFARE(I)
       ELSE
         NS(I) = CODES(I,2) + CODES(I,3) + CODES(I,4) - NSPARE(I)
       ENDIF
100 CONTINUE
     NPLANE=SCENE(1)
     NSORTY=SCENE(2)
     NUMSFT=SCENE(3)
```

```
MISSN=SCENE(4)
     SORLEN=SMISS(1)
     SFT1=SMISS(2)
     SFT2=SMISS(3)
     DSGR=SMISS(4)
     FFREQ=SMISS(5)
     TIMFLT=SMISS(6)
     SFT0=SMISS(7)
     FDAY=0
     NFLOWN=0
     FHTOT=0
     GNDABT=0
     NBRK=0
     MSDSOR=0
     NFIX(1)=0
      NFIX(2)=0
     NFIX(3)=0
      NFIX(4)=0
      ALLOW FOR THE SPARES IN THE "SYSTEM"
      DO 200 I=11, MAXWUC
        IF (MISSN .EQ. 1) THEN
          NSPARE(I) = CODES(I,2) + CODES(I,3) - NS(I)
        ELSE
          NSPARE(I) = CODES(I,2) + CODES(I,3) + CODES(I,4) - NS(I)
        ENDIF
****
        REDEFINE FAILURE CLOCKS
        TFAIL(I)=EXPON(XMTBM(I),5)
200 CONTINUE
****
  99
      FORMAT(/,1X,'END OF WARMUP PERIOD',/)
      RETURN
      END
```

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX F. SAMPLE OUTPUT FILE: F15.RPT

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX F. Sample Output File: F15.RPT

***** (beginning of file)

SLAM OUTPUT

F-15E SIMULATION

- SCENARIO TYPE: 1 PEACETIME SCENARIO
 - 2 SURGE SCENARIO
 - 3 SUSTAINED SCENARIO
 - 4 MOBILITY SURGE SCENARIO: 2.5 UTE
 - 5 MOBILITY SURGE SCENARIO: 3.0 UTE

WARMUP SCENARIO 1 NUMBER OF DAYS 30.0000

MISSION SCENARIO 1

DAY	#FLN	#MISS	TOI' FH	SGR	FMC%	PMC%	MC%	NMCS%	NIMCR%	BK	GA
1 2 3 4 5 6 7	25 51 78 103 128	0 0 0 2 3	42.5 86.7 132.6 175.1 217.6	1.06 1.08 1.07	0.794 0.773 0.771	0.165 0.183 0.179	0.959 0.956 0.950	0.0000 0.0000 0.0000 0.0000	0.0009 0.0022 0.0029	4 8 10 20 25	1 1 1 2
•	(port	ions of	file or	nitted	i i						
29 30	546 570	27 28	928.2 969.0	_			-	0.0021 0.0023		108 113	8 9
END (OF WAI	RMUP PER	IOD								
31 32 33 34	25 51 76	0 0 0	42.5 86.7 129.2	1.06	0.670	0.280	0.950	0.0064 0.0032 0.0021	0.0039	3 8 13	1 1 1
35 36 37	98 122	3 8	166.6 207.4					0.0011		19 23	2 2
•	. (portions of file omitted)										
196 197	2988	211	5079 . :	1.05	0.535	0 - 338	0.873	0.0336	0.0101	699	37

198 199 200 201 202	3011 3037 3062 3089	225 238 250 260	5118.7 5162.9 5205.4 5251.3	1.05 1.05	0.532 0.530	0.338 0.339	0.870 0.869	0.0349 0.0363 0.0374 0.0383	0.0100 0.0100	702 708 714 718	37 37 38 39
203 204 205 206 207 208	3113 3141 3164 3192 3222	272 282 294 303 307	5292.2 5339.8 5378.9 5426.5 5477.5	1.05 1.05 1.05	0.521 0.519 0.517	0.345 0.345 0.346	0.865 0.864 0.863	0.0387 0.0395 0.0402 0.0409 0.0415	0.0102 0.0103 0.0104	724 730 738 747 755	40 40 40 41 41
209 210	3422	307	J417.5	1.03	0.513	0.340	0.001	0.0415	0.0104	735	41

BREAK RATE:

0.2343 755

MANPOWER SPACES PER AIRCRAFT

22.3750 24

FIX RATE:

2 HRS OR LESS 0.6627 503

4 HRS OR LESS 0.8472 643

8 HRS OR LESS 0.8946 679

MORE THAN 8 HRS 0.1054 80

RESOURCE AVAIL %			AV	AIL / UI	NAVAIL/		ALLO	CATION	
1	0.71	779	182	5	!	5i	1103	786	4
2	0.71	3777	53	40	!	52	4277	0	37
3	0.71	209	29	1	!	53	409	24	4
4	0.71	1129	703	6	!	54	1856	2849	9
5	0.71	204	43	2	!	55	502	428	3
•									
•	(portion	s of fil	e omitte	ed					
•									
39	1.00	491	4793	1	;	89	456	4895	1
40	1.00	102	22	1	9	90	183	99	1
41	1.00	36	5	1	9	91	68	20	1
42	1.00	7	0	1.	9	92	4	0	1
43	1.00	6	0	1	9	93	20	0	1

444 45 46 47 48 49	1.0 1.0 1.0 1.0 1.0	0 0 0 0 0	81 78 0 0 0 0	12 9 0 0 0 0	1 0 0 0 0 0		94 95 96 97 98 99	130 77 0 0 0 0	30 10 0 0 0 0	1 1 0 0 0 0 0
SPARE		#AVAIL	#UNAVAI	L #DEE	OT	QUOTA		#		
11 12 13 14 15	1100 11A09 11AB 11ADE 11AF		0 1 1 0 0	0 0 0 0	0 0 0 0]	1 1 1 1	2 2 2 2 2		
•	(por	tions o	f file o	mitted)					
373 374 375 376 377 378 379	74PF0 74PG0 74PH0 74PK0 74PL0 74PN0 74P99	2 2 1	2 6 1 5 0 1 3	0 0 0 0 0 0	0 0 0 0 0 0		2 2 2 2 2 2 2 2	4 4 4 4 4 4		
W	JC QI	JANT	MDT (TMAUG	MRT	FAIL	CRIT	B		
1 2 3 4 5 6 7 8	THRU PREFL BPO HPO 1 HPO 2 HPO 3 PE 1 PE 2	2341 402 2401 26 7 6 6	1.44 0.49 4.33 66.64 120.14 151.08 190.30	991 310 486 483 342 571						
11 12	1100 11 A 09	0	0.000	59		5530 1890	0 0	0.000		
13 14 15	11ADE 11ADE 11AF	0	0.000 0.000 0.000	0 38 0 0	2.0	0521 0000 0461	0 0 0	0.000 0.000 0.000		
•	(por	tions of	file o	mitted)						
374 375 376 377 378 379	74PG0 74PH0 74PK0 74PL0 74PN0 74P99	1 1 0	0.000 0.508 0.359 0.387 0.000	8 55 9 16 2 41 0 27	0 0 0	3569 3133 3382 1839 3416 2856	0 0 0 0 0	0.000 0.000 0.000 0.000 0.000 0.000		
ON L	INE MD	ı, Quan	TITY I	MDT 16	28	5.9763				

八代 明在我一下等人之外 人以外 人間

ON LINE MRT, QUANTITY MRT 14477 1.4991

MEAN MAINT HOURS PER FLYING HOURS

N	WUC	MMH/FH			
3 4 5 6 7	THRU PREFL BPO HFO 1 HPO 2 HPO 3 PE 1 PE 2	0.6185 0.0366 1.0070 0.9742 0.4255 0.5208 0.6059 0.0000			
	1100 11A09	0.0279 0.0062			
13	11AB 11ADE	0.0002 0.0095 0.0000			
	(portio	ons of file omit	ted)		
377 378	74PK0 74PL0 74PN0 74P99	0.0024 0.0125 0.0052 0.0012			
TOTA	L MMH/FH	(UNSCHEDULED)	8.12		
TOTAL MMH/FH (SCHEDULED) 4.3					

PLANES IN NMCS QUEUE


PLANE	BROKEN L	RU
13	158	44A
6	158	44A
20	158	44A
11	158	44A
24	158	44A

HANGER QUEENS

PLANE	BROKEN LRUS							
1	158	243	1 79	0	0			
9	179	158	0	0	0			

***** (end of file)

APPENDIX G. RUN INSTRUCTIONS



APPENDIX G. RUN INSTRUCTIONS

G.1. MECHANICS OF RUNNING THE MODEL

The model was run on a VAX cluster (VAX 11-785, VAX 8650, or VAX 8800) on a VAX/VMS operating system. The following procedures should be used to run the model.

Before running the model, there are several items which need to be modified for each run. These items should be checked to ensure the model runs with the appropriate inputs.

F15EDAT.FOR:

- a.) Choose which aircraft to simulate, F-15E or F-15C/D MSIP
- b.) Update XBRK probabilities. XBRK is the percentage of critical failures which will be counted as breaks
- c.) Choose correct scenario to simulate, peacetime, surge, or sustained. Also be sure to select the correct warmup and regular scenario
- d.) If any changes are made to this file, be sure to compile and link

F15EM. INP:

- a.) Update MTBMTC numbers
- b.) Update critical probabilities
- c.) Modify spares levels if needed

F15ET.INP:

Update entire file if needed

F15E.DAT:

- a.) Select random number seed
- b.) Select appropriate INIT statement based on scenario
- c.) Select appropriate MONTR, CLEAR statement based on scenario warmup

To compile the fortran data file, type "FOR " and the data file name. The extension .FOR is assumed.

FOR F15EDAT

You will get an object file F15EDAT.OBJ. To compile the fortran source file, type "FOR" and the source file name. Again the extension .FOR is assumed.

FOR F15E

You will get an object file F15E.OBJ. These files must be compiled every time the file is changed. The data file F15EDAT.FOR will need to be changed for each type of scenario. The source file F15E.FOR will not normally need to be changed to run different scenarios. After compilation is complete, the object files need to be linked.

To link the object files for SLAM, type "SLINK" and the name of the executable file you want and the object file names separated by commas. The extensions .OBJ and .EXE are assumed.

SLINK TRIAL1 F15E, F15EDAT

You will get an executable file TRIAL1.EXE.

To begin the simulation, type "RSLAM" and the name of the SLAM network file and then the name of the executable file. The extensions .DAT and .EXE are assumed.

RSLAM F15E TRIAL1

The simulation has begun.

G.2. MECHANICS OF SLAM

This model should run on versions of SLAM after 2.0. There is one adjustment to the model which may be necessary. If the common block in the SLAM FORTRAN is not the same as the one listed below, change the common block in the INTLC subroutine in the F15E.FOR file to match the SLAM FORTRAN. If you do not have access to the source code for the SLAM FORTRAN, contact Pritsker & Associates to determine the exact coding for this common block.

COMMON/GCOM1/ JJCDR, KKNN, LLFIL, LLRNK, LLTRY, MFEX, NNAM1, NNAM2, NNAM3, 1, NNAPO, NNAPT, NNATR, NNFIL, NNTRY, TTBEG, TTCLR, TIFIN, 2, TTSET, XXI(MMXXV), TTTS, TTTF

Figure G.1. Common Block GCOM1 in F-15E.FOR

The only purpose of this common block in F15E.FOR is to determine the end of the simulation (TTFIN) and schedule the subroutines DISPLY and LAST to occur after the simulation is complete. The alternative method, instead of using this common block, is to change the model fortran file by scheduling the subroutines DISPLY and LAST to occur at the end of the simulation, and the input statement in the SLAM network file, F15E.DAT, must also have this same end of simulation time. This method is inconvenient since it is easy to forget to change the two files in three places each time the scenario is changed.